

CAREALL ASPIRIN- aspirin tablet, chewable
New World Imports, Inc

Drug Facts

Active Ingredient

Aspirin 81 mg (NSAID*)

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Keep out of reach of children.

In case of accidental overdose, get medical help or contact aPoison Control Center (1-800-222-1222) right away

Uses

for the temporary relief of minor aches and pains or as recommended by your doctor

Warnings

Reye's syndrome:Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Aspirin may cause a severe allergic reaction which may include hives, facial swelling, asthma (wheezing), shock.

Stomach Bleeding Warning:This product contains NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- Have had stomach ulcers or bleeding problems
- Take a blood thinning (anticoagulant) or steroid drug
- Take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- Take more or for a longer time than directed
- Are age 60 or older
- Have 3 or more alcoholic drinks every day while using this product

Do not use:

- if you are allergic to aspirin or other pain relievers / fever reducers
- For at least 7 days after tonsillectomy or oral surgery unless directed by a doctor
- If you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if:

- Stomach bleeding warning applies to user
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- You have asthma

Ask a doctor of pharmacist before use if you are taking a prescription drug for diabetes, gout, or arthritis.

Stop use and ask a doctor if:

- You experience any of the following signs of stomach bleeding: feel faint, vomit blood, has bloody or black stool, has stomach pain that does not get better
- An allergic reaction occurs. Seek medical help help right away
- New symptoms occur
- Redness or swelling is present
- Pain gets worse or lasts for more than 10 days
- Ringing in the ears or loss of hearing occurs

-You may report side effects to 1-888-952-0050

If pregnant or breast-feeding,ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in unborn child or complications during delivery.**

Directions

Drink a full glass of water with each dose.

Adults and children 12 years and over: take 4 to 8 tablets every 4 hours. Not to exceed 48 tablets in 24 hours unless directed by a doctor.

Children under 12: consult a doctor

Inactive Ingredients

corn starch, dextrans, FD C yellow 6 aluminum lake, orange flavor, saccharin sodium

NDC 51824-057-36

Compare to active ingredient of Bayer Chewable Aspirin®*

CAREALL

Adult Low Dose
Aspirin
81mg Tablets (NSAID)

CHEWABLE

▶ Pain Reliever

▶ Aspirin Regimen†

†Talk to your doctor or other healthcare provider before using this product for your heart.



36 81mg Tablets

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet)

Aspirin 81mg (NSAID)*.....Pain reliever
*nonsteroidal anti-inflammatory drug

Purpose

Uses for the temporary relief of minor aches and pains or as recommended by your doctor

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
Allergy alert: Aspirin may cause a severe allergic reaction which may include:
■ hives ■ facial swelling ■ asthma (wheezing) ■ shock

Drug facts continued on inside panel

*This product is not manufactured or distributed by Bayer Healthcare LLC, owner of the registered trademark Bayer® Chewable Low Dose Aspirin.

Distributed By: CareAll Products, 160 Athens Way, Nashville, TN 37228
www.careallproducts.com



0 8531700474 3

Lot: Exp:
PEEL HERE ↙

UNVARNISHED

Drug Facts (continued)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

Do not use ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ this product for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor ■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you are taking a diuretic ■ you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

■ gout ■ diabetes ■ arthritis

Stop use and ask a doctor if

■ an allergic reaction occurs. Seek medical help right away ■ you experience any of the following signs of stomach bleeding:

- feel faint ■ vomit blood
- have bloody or black stool
- have stomach pain that does not get better
- pain gets worse or lasts more than ▶

Drug Facts (continued)

10 days ■ redness or swelling is present ■ new symptoms occur

■ ringing in the ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor.

because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ drink a full glass of water with each dose

■ adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor

■ children under 12 years: consult a doctor

Other Information ■ store at room temperature.

Inactive ingredients corn starch, dextrans, FD&C yellow #6 aluminum lake, orange flavor, saccharin sodium

Questions or comments?

1-888-952-0050
(Mon-Fri 9AM-5PM EST)

CAREALL ASPIRIN

aspirin tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51824-057
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Aspirin (UNII: R16CO5Y76E) (Aspirin - UNII:R16CO5Y76E)	Aspirin	81 mg

Inactive Ingredients

Ingredient Name	Strength
Dextrates (UNII: G263MI44RU)	
Saccharin Sodium (UNII: SB8ZUX40TY)	
Starch, Corn (UNII: O8232NY3SJ)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

Product Characteristics

Color	orange (Pale Orange)	Score	no score
Shape	ROUND (Round)	Size	8mm
Flavor		Imprint Code	AZ;013
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-057-36	36 in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/29/2016	

Labeler - New World Imports, Inc (075372276)

Revised: 12/2023

New World Imports, Inc