

ASPEN SUPERIOR 25 - iodine liquid
EXL Laboratories, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Usage Directions Active Ingredients

0.25% IODINE PRE-MILKING TEAT DIP OR SPRAY

When used as directed, this product effectively aids in reducing the spread of mastitis.
For veterinary use only.

USAGE DIRECTIONS

PRE-DIPPING/SPRAYING: Teats should be clean and dry before dipping. Dip/spray with undiluted product and allow 30-60 seconds contact time. Wipe the teats dry.

DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT

IMPORTANT: TEAT IRRITATION OR CHAPPING: Teat dips have the potential to cause irritation or chapping. If you observe abnormal irritation or chapping, call 1-800-225-3832 or contact your dealer.

ACTIVE INGREDIENTS: Nonylphenolyethoxy (12 moles EO) ethanol-iodine complex providing 0.25% titratable iodine (2500 ppm)

Caution First Aid Storage and Disposal

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION
SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONTACT MSDS SHEET

TOLL FREE EMERGENCY NUMBER: 1-800-424-9300

PRECAUTIONS: Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.

FIRST AID:

EXTERNAL: In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists, call a physician.

INTERNALLY: If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving glasses of water or milk. Give prompt medical attention.
NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

EYES: Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.

STORAGE AND DISPOSAL: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.

SPILLAGE: In case of small spill (less than one gallon), flood area with large quantity of water. For

larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.

KEEP FROM FREEZING

Product Label

Aspen®
Dairy Solutions™
QUALITY MILK CONTROL™


Superior 25

0.25% IODINE PRE-MILKING TEAT DIP OR SPRAY

Part# 33449

Net Contents: 15 GALLONS (56.8 L)
Lot # 12309103A Expires: 09/2015

Manufactured for:
Aspen Veterinary Resources, Ltd.
3156 Heartland Drive, Liberty, MO 64068



Superior 25

0.25% IODINE PRE-MILKING TEAT DIP OR SPRAY

When used as directed, this product effectively aids in reducing the spread of mastitis. For veterinary use only.

USAGE DIRECTIONS
PRE-DIPPING/SPRAYING: Teats should be clean and dry before dipping. Dip/spray with undiluted product and allow 30-60 seconds contact time. Wipe the teats dry.

DO NOT USE THIS PRODUCT FOR CLEANING AND/OR SANITIZING EQUIPMENT
IMPORTANT: TEAT IRRITATION OR CHAPPING: Teat dips have the potential to cause irritation or chapping. If you observe abnormal irritation or chapping, call 1-800-225-3832 or contact your dealer.
ACTIVE INGREDIENTS: Nonylphenoxypolyethoxy (12 moles EO) ethanol-iodine complex providing 0.25% titratable iodine (2500 ppm)

CAUTION
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED - HARMFUL IF INHALED - CAUSES EYE IRRITATION
SEE BELOW FOR ADDITIONAL PRECAUTIONS OR CONSULT MSDS SHEET
TOLL FREE EMERGENCY NUMBER: 1-800-424-9300
PRECAUTIONS: Protect eyes from contact with this product. Keep container tightly closed when not in use. Use with adequate ventilation. Wash thoroughly after handling product.
FIRST AID:
EXTERNAL: In case of contact, immediately flush contaminated skin with plenty of water. If irritation occurs and persists call a physician.
INTERNAL: If conscious, dilute by giving several glasses of water or milk. Do not induce vomiting. If vomiting does occur, repeat giving several glasses of water or milk. Give prompt medical attention. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**
EYES: Immediately flush with plenty of clean running water for at least 15 minutes holding eyelids apart to ensure flushing of the entire eye surface. If irritation persists, call a physician.
STORAGE AND DISPOSAL: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Store in a locked cabinet or room to keep it out of the reach of children. Dispose of according to Federal, State, and local laws.
SPILLAGE: In case of small spill (less than one gallon), flood area with large quantity of water. For larger spills, contain and remove with inert absorbent and dispose of according to Federal, State, and local laws.
KEEP FROM FREEZING

Part#:
33449

Manufactured for:
Aspen Veterinary Resources, Ltd.
3156 Heartland Drive, Liberty, MO 64068

Net Contents: 15 GALLONS (56.8 L)
Lot #: 12309103A Expires: 09/2015

BAÑO/AEROSOL DE PEZON PREVIO AL ORDEÑO 0.25% YODO

Quando se utiliza como dirigido, este producto efectivamente ayuda a reducir la propagación de mastitis. Para uso veterinario solamente.

INSTRUCCIONES DE USO
BAÑO/AEROSOL PREVIO: Los pezones se deben limpiar y secar antes de aplicar el baño. Si es necesario, lavar los pezones y secarlos con una toalla de uso singular. Bañar/rociar con aerosol los pezones con este producto no diluido y dejar 30-60 segundos de contacto. Secar los pezones previamente a la colocación de la unidad de ordeño.

NO USAR PARA LIMPIAR Y/O HIGIENIZAR EL EQUIPO.
IMPORTANTE - IRRITACIÓN Y/O CUARTEO DE LOS PEZONES: Los baños de los pezones pueden causar irritación a los pezones de la vaca o a las manos del ordeñador. En caso de observar una irritación anormal o cuarteo, dejar de usarlo y llamar al departamento de servicio técnico al 1-800-225-3832, o consultar a su representante.
INGREDIENTES ACTIVOS: Nonylphenoxypolyethoxy (12 moles EO) etanol-yodo complejo proveyendo 0.25% de yodo titulable (2500 ppm).

ADVERTENCIA
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
CAUSA DAÑO SI ES INGERIDO - CAUSA DAÑO SI ES INHALADO - CAUSA IRRITACIÓN DE LOS OJOS. LEA A CONTINUACIÓN POR PRECAUCIÓN Y/O CONSULTE EL MATERIAL DE INFORMACIÓN SOBRE SEGURIDAD
NÚMERO DE EMERGENCIA SIN COSTO: 1-800-424-9300
PRECAUCIONES: Proteger los ojos del contacto con el producto. Mantener el recipiente bien cerrado cuando no se esté usando. Usarlo donde haya ventilación adecuada. Lavarse bien luego de manipular el producto.
PRIMEROS AUXILIOS:
EXTERNO: En caso de contacto, lavar a chorro inmediatamente la piel contaminada con mucha agua al menos por 15 minutos. Sacar la ropa y los zapatos contaminados lavando a chorro con agua. En caso de irritación o quemaduras, llamar a un médico.
INTERNO: Si está consciente, dárle dándole varios vasos de agua o leche. No inducir el vómito. En caso de vómito, dar nuevamente varios vasos de agua o leche. Obtener atención médica rápidamente. **NO DAR NUNCA NADA POR LA BOCA A UNA PERSONA INCONSCIENTE.**
OJOS: Lavar a chorro inmediatamente con mucha agua corriente y limpiar al menos por 15 minutos, sosteniendo los párpados para asegurar el lavado a chorro de la superficie del ojo enteramente. Llamar a un médico.
ALMACENAMIENTO Y ELIMINACIÓN: Almacenar el producto en un lugar frío y seco, fuera del alcance de la luz solar en forma directa y del calor para evitar su deterioro. Almacenar en un gabinete o habitación con cerradura para mantenerlo fuera del alcance de los niños. Eliminar solo de acuerdo a las leyes federales, estatales y locales.
NO CONGELAR

ASPEN SUPERIOR 25

iodine liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50 138-449
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	2500 mg in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50 138-449-01	9.5 L in 1 JUG		
2	NDC:50 138-449-02	19 L in 1 JUG		
3	NDC:50 138-449-03	56.8 L in 1 DRUM		
4	NDC:50 138-449-04	114 L in 1 DRUM		
5	NDC:50 138-449-05	208.2 L in 1 DRUM		
6	NDC:50 138-449-06	946 L in 1 DRUM		
7	NDC:50 138-449-07	1003 L in 1 DRUM		
8	NDC:50 138-449-08	1041 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2013	

Labeler - EXL Laboratories, LLC (927483458)

Registrant - EXL Laboratories, LLC (927483458)

Establishment

Name	Address	ID/FEI	Business Operations
EXL Laboratories, LLC		927483458	api manufacture, manufacture

Revised: 9/2013

EXL Laboratories, LLC