

PERSONALIZED DAY MOISTURIZER WITH SPF- zinc oxide cream

Proven Skincare

Personalized Day Moisturizer with SPF (50)

Drug Facts

Active Ingredients

Zinc Oxide 12%

Purpose

Sunscreen

Uses

- Helps Prevent Sunburn.
- If used as directed with other sun protection measures (see), decreases the risk of skin cancer and early skin aging caused by sun. **Directions**

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor

if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
- After 40 minutes of swimming or sweating Immediately after towel drying.
- Children under 6 months of age: Ask a doctor.
- Limit time in the sun, especially from 10 a.m. – 2 p.m.

- Wear long sleeved shirts, pants, hats, and sunglasses.

Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad- Spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection Measures**

Inactive Ingredients

Water, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Polymethylsilsesquioxane, Octyldodecyl Neopentanoate, Propanediol, Caprylyl Methicone, Dimethicone, Niacinamide, Dimethiconol/Propylsilsesquioxane/ Silicate Crosspolymer, Trilaureth-4 Phosphate, Allantoin, Bisabolol, Tocopherol, Sodium Chloride, Capryl Glycol, Ethylhexylglycerin, Hexylene Glycol, Phenoxyethanol, Tetrasodium Glutamate Diacetate, Lauryl PEG-10 Tris(trimethylsiloxy)silylethyl Dimethicone, PEG-10, Sodium Hydroxide

Other Information

- Protect this product from excessive heat and direct sun.

Package Labeling:



PROVEN

PERSONALIZED DAY MOISTURIZER WITH SPF

30 ML / 1 FL. OZ.

Drug Facts	
Active Ingredients Zinc Oxide 12%	Purpose Sunscreen
Uses •Helps Prevent Sunburn. •If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by sun.	
Warnings For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop using and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions •Apply liberally 15 minutes before sun exposure. Works best on moisturized skin. •Reapply: •After 40 minutes of swimming or sweating Immediately after towel drying. • Children under 6 months of age: Ask a doctor.	
Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin ageing. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long sleeved shirts, pants, hats, and sunglasses.	
Inactive Ingredients Water, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Isododecane, Lauryl PEG-8 Dimethicone, Polymethylsilsesquioxane, Octyldodecyl Neopentanoate, Propanediol, Caprylyl Methicone, Dimethicone, Niacinamide, Dimethiconol/Propylsilsesquioxane/Silicate Crosspolymer,Trilaureth-4 Phosphate, Allantoin, Bisabolol, Tocopherol, Sodium Chloride, Capryl Glycol, Ethylhexylglycerin, Hexylene Glycol, Phenoxyethanol, Tetrasodium Glutamate Diacetate, Lauryl PEG-10 Tris(trimethylsiloxy)silylethyl Dimethicone, PEG-10, Sodium Hydroxide	
Other Information • Protect this product from excessive heat and direct sun.	

Questions or comments?

Call (650) 427-0836

PROVEN Skincare, San Francisco, CA 94110
MADE IN USA



PERSONALIZED DAY MOISTURIZER WITH SPF

zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73572-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	120 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ISODODECANE (UNII: A8289P68Y2)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
PROPANEDIOL (UNII: 5965N8W85T)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
NIACINAMIDE (UNII: 25X51I8RD4)	
TRILAURETH-4 PHOSPHATE (UNII: M96W2OLL2V)	
ALLANTOIN (UNII: 344S277G0Z)	
LEVOMENOL (UNII: 24WE03BX2T)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
POLYETHYLENE GLYCOL 500 (UNII: 761NX2Q08Y)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73572-003-30	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2020	

Labeler - Proven Skincare (117370905)

Revised: 11/2023

Proven Skincare