

MEDI-FIRST- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment
Orazen Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MEDI-FIRST
Triple Antibiotic Ointment

Active ingredients

(in each gram)

Bacitracin zinc 400 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B sulfate 5,000 units

Purpose

First Aid antibiotic

First Aid antibiotic

First Aid antibiotic

Uses

First aid to help prevent infection in minor cuts, scrapes, and burns

Warning

For external use only.

Do not use

- in the eyes
- internally
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

Ask a doctor before use

- in case of deep puncture wounds, animal bites or serious burns.

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at room temperature (59°-86°F) (do not freeze)
- tamper evident. Do not use if packet is torn, cut or opened.

Inactive ingredients

mineral oil, petrolatum, water

Questions or comments?

1-800-634-7680

Triple Antibiotic Ointment

NET WT. 1/57 oz (0.5 g) Packet

Active ingredients (in each gram)

Purposes

Bacitracin zinc 400 units.....	First aid antibiotic
Neomycin sulfate (equivalent to 3.5 mg of neomycin base).....	First aid antibiotic
Polymyxin B sulfate 5000 units	First aid antibiotic

Mfg. for Medique Products
Fort Myers, FL 33967 USA

Store at room temperature (59°-86°F) (do not freeze)
Tamper Evident Sealed Packet

Uses First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings For external use only. Do not use ■ in the eyes ■ internally ■ over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor. Ask a doctor before use ■ in case of deep puncture wounds, animal bites or serious burns. Stop use and ask a doctor if ■ the condition persists or gets worse ■ a rash or other allergic reaction develops **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage.

Retain Carton for Complete Product Information



MEDI-FIRST®
Triple Antibiotic Ointment

Información del Medicamento

Ingredientes activos (cada gramo contiene) **Propiedades**
 Bacitracina zinc 400 unidades..... Antibiótico de primera auxilio
 Sulfato de neomicina (equivalente a 3.5 mg de neomicina base)..... Antibiótico de primera auxilio
 Sulfato de polimixina B 5000 unidades..... Antibiótico de primera auxilio

Usos
 Primeros auxilios para ayudar a la prevención de infección en pequeñas cortaduras, raspones y quemaduras

Advertencias
 Para uso externo solamente.

No lo use
 ■ en los ojos
 ■ internamente
 ■ en zonas extensas del cuerpo
 ■ si usted es alérgico a cualquiera de los ingredientes contenidos en éste
 ■ más de 1 semana, a menos que el médico lo señale

Consulte con un médico antes de administrarlo
 ■ en caso de lesiones de heridas profundas o penetrantes, mordeduras de animales o quemaduras graves

Suspensión su uso y consulte con el médico si
 ■ aparecen rasguños o cualquier otra reacción alérgica

Evite que cada uno de los medicamentos fuera del alcance de los niños.
 En caso de ingestión, obtenga ayuda médica o lleve a un centro de control de envenenamiento inmediatamente.

Instrucciones
 ■ limpié la zona afectada
 ■ aplique pequeñas cantidades de este producto (lo equivalente al área de la punta de un dedo) sobre la zona afectada de 1 a 3 veces al día.
 ■ puede cubrirse con un vendaje estérilizado

Otra información
 ■ almacene a temperatura ambiente (20°-25°C) (no lo congele).
 ■ envasado con sello de seguridad. No usar si el paquete está roto, cortado o abierto.

Ingredientes inactivos: aceite mineral, polietileno, agua

¿Tiene alguna pregunta o comentario? 1-800-634-7680

Product # 22335
144 per box

MEDI-FIRST®
Triple Antibiotic Ointment

Drug Facts

Active ingredients (in each gram) **Purposes**
 Bacitracin zinc 400 units..... First aid antibiotic
 Neomycin sulfate (equivalent to 3.5 mg neomycin base)..... First aid antibiotic
 Polymyxin B sulfate 5000 units..... First aid antibiotic

Uses
 First aid to help prevent infection in minor cuts, scrapes and burns

Warnings
 For external use only.

Do not use
 ■ in the eyes
 ■ internally
 ■ over large areas of the body
 ■ if you are allergic to any of the ingredients
 ■ longer than 1 week unless directed by a doctor

Ask a doctor before use
 ■ in case of deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if
 ■ the condition persists or gets worse
 ■ a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ clean the affected area
 ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 ■ tamper evident. Do not use if packet is torn, cut or opened.
 ■ may be covered with a sterile bandage

Other information
 ■ store at room temperature (20°-25°C) (do not freeze)
 ■ tamper evident. Do not use if packet is torn, cut or opened.

Inactive ingredient: mineral oil, petrolatum, water

Questions or comments? 1-800-634-7680

Retain carton for complete product information.
 Manufactured for
 Medique Products
 Fort Myers, FL 33967
 1-800-634-7680



First aid to help prevent infection in minor cuts, scrapes and burns

MEDI-FIRST®
Triple Antibiotic Ointment

MEDI-FIRST®
Triple Antibiotic Ointment

Triple Antibiotic Ointment

First aid to help prevent infection in minor cuts, scrapes and burns

Primeros auxilios para ayudar a la prevención de infección en pequeñas cortaduras, raspones y quemaduras

Bacitracin Zinc 400 units / Neomycin Sulfate 3.5 mg / Polymyxin B Sulfate 5000 units

First Aid Antibiotic

Bacitracina-zinc 400 unidades / Sulfato de Neomicina 3.5 mg / Sulfato de Polimixina-B 5000 unidades

Antibiótico de primeros auxilios

0.5 g (1/57 oz) Packets
144 per box

Rev. 1/12/23
22335BOX

MEDI-FIRST®
Triple Antibiotic Ointment

Triple Antibiotic Ointment

First aid to help prevent infection in minor cuts, scrapes and burns

Primeros auxilios para ayudar a la prevención de infección en pequeñas cortaduras, raspones y quemaduras

Bacitracin Zinc 400 units / Neomycin Sulfate 3.5 mg / Polymyxin B Sulfate 5000 units

First Aid Antibiotic

Bacitracina-zinc 400 unidades / Sulfato de Neomicina 3.5 mg / Sulfato de Polimixina-B 5000 unidades

Antibiótico de primeros auxilios

Product # 22335
144 per box

MEDI-FIRST

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71927-017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	0.0035 g in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71927-017-03	144 in 1 BOX	02/17/2023	
1	NDC:71927-017-01	0.5 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/17/2023	

Labeler - Orazen Inc (080916640)

Revised: 2/2023

Orazen Inc