# THRUSHTOX- copper naphthenate liquid Aspen Veterinary Resources

-----

# ThrushTox®

(copper naphthenate)

**Water-Resistant Protection Without Bandaging** 

Recommended as an Aid in Treating Horses and Ponies With Thrush Due to Organisms Susceptible to Copper Naphthenate.

Do Not Use in Horses Intended for Human Consumption.

FOR EXTERNAL USE ONLY.
CAUTION: COMBUSTIBLE MIXTURE

Not for Use in Humans Keep Out of Reach of Children

#### INDICATIONS:

Thrush $Tox^{\otimes}$  is indicated in the treatment of thrush in horses and ponies.

# **GENERAL DIRECTIONS:**

Clean the hoof thoroughly, removing debris and necrotic material prior to application of  $ThrushTox^{\&}$ . Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed. Caution: Do not allow runoff of excess  $ThrushTox^{\&}$  onto hair since contact with  $ThrushTox^{\&}$  may cause some hair loss. Do not contaminate feed.

**NOTE:** Thrush $Tox^{(8)}$  is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

CONTAINS FOIL SEAL - REMOVE BEFORE USE.

SHAKE WELL BEFORE USE.

#### **CONTACT INFORMATION:**

To report suspected adverse events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact First Companion at info@firstcompanion

For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or http://www.fda.gov/reportanimalae

#### **ACTIVE INGREDIENT:**

Copper Naphthenate...... 37.5% w/w

## **INACTIVE INGREDIENTS:**

.62.5% w/w Total......100.0%

## **CAUTION:**

Do not use in horses intended for human consumption.

#### **CAUTION: COMBUSTIBLE MIXTURE.**

Use in a well-ventilated place.

Avoid fire, flame, sparks or heaters.

If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

# KEEP OUT OF REACH OF CHILDREN AND PETS.

#### **STORAGE:**

Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.



# **NET CONTENTS:**

16 OZ (473 mL)

Approved by FDA Under ANADA # 200-304

Manufactured for:

Aspen Veterinary Resources<sup>®</sup>, Ltd. Liberty, MO 64068, USA FC163FP 02/23

Image of 473 mL bottle/case label

INDICATIONS: ThrushTox\* is indicated in the treatment of thrush in horses and ponies.

GENERAL DIRECTIONS: Clean the hoof thoroughly, removing debris and necrotic material prior to application of ThrushTox®. Apply daily to affected hoofs with a narrow paint brush (about 1") until fully healed.

Caution: Do not allow runoff of excess ThrushTox® onto hair since contact with ThrushTox® may cause some hair loss. Do not contaminate feed.

NOTE: ThrushTox® is easily removed from hands, clothing and surfaces with light grade fuel oil or any type of lighter fluid.

> CONTAINS FOIL SEAL – REMOVE BEFORE USE. SHAKE WELL BEFORE USE.

#### CONTACT INFORMATION:

To report suspected adverse events, for technical assistance or to obtain a copy of the Safety Data Sheet (SDS), contact First Companion at info@firstcompanion.net For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or http://www.fda.gov/reportanimalae

THRUSHTOX

(copper naphthenate)

Water-Resistant Protection Without Bandaging

Recommended as an Aid in Treating Horses and Ponies With Thrush Due to Organisms Susceptible to Copper Naphthenate.



Do Not Use in Horses Intended for Human Consumption.

FOR EXTERNAL USE ONLY.
CAUTION: COMBUSTIBLE MIXTURE

Not for Use in Humans Keep Out of Reach of Children

NET CONTENTS: 16 OZ

(473 mL)

Approved by FDA Under ANADA # 200-304 ACTIVE INGREDIENT:

Copper Naphthenate...... 37.5% w/w INACTIVE INGREDIENTS: .62.5% w/w Total.......100.0%

CAUTION: Do not use in horses intended for human consumption.

#### **CAUTION: COMBUSTIBLE MIXTURE**

Use in a well-ventilated place. Avoid fire, flame, sparks or heaters. If swallowed, do not induce vomiting, call physician immediately. Avoid breathing vapor. Avoid contact with skin and eyes.

> KEEP OUT OF REACH OF CHILDREN AND PETS.

STORAGE: Store at controlled room temperature 15° to 30°C (59° to 86°F). Keep container tightly closed when not in use.



Manufactured for: Aspen Veterinary Resources®, Ltd. Liberty, MO 64068, USA FC163FP 02/23

Lot No.

Exp. Date

NO VARNISH

firstCompanion veterinary products



# **THRUSHTOX**

copper naphthenate liquid

#### **Product Information**

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:46066-303

Route of Administration TOPICAL

# **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

COPPER NAPHTHENATE (UNII: 9J2IBN2H70) (COPPER - UNII:789U1901C5) COPPER NAPHTHENATE | 0.825 g in 1 mL

**Packaging** 

#	Item Code	Package Description	<b>Marketing Start Da</b>	te Marketing End Date			
1	NDC:46066-303-16	12 in 1 CASE					
1		473 mL in 1 BOTTLE, DISPENSING					
Marketing Information							
	Marketing	Application Number or Mono	graph Marketing	Start Marketing End			
	Category	Citation	Date				
AN							

# Labeler - Aspen Veterinary Resources (627265361)

Establishment						
Name	Address	ID/FEI	<b>Business Operations</b>			
First Priority Incorporated		179925722	manufacture			

Revised: 10/2023 Aspen Veterinary Resources