

**EXCHANGE SELECT SPORT SUNSCREEN CONTINUOUS SPF 50- avobenzone, homosalate, octisalate, octocrylene spray  
Army & Air Force Exchange Service**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**EXCHANGE SELECT SPORT SUNSCREEN CONTINUOUS SPRAY SPF 50**

**☐ Active ingredients**

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ☐ **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

**Stop use and ask a doctor if**

- rash occurs.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **▣ Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area.
- Reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Inactive ingredients**

alcohol denat., butyloctyl salicylate, acrylates/octylacrylamide copolymer, panthenol (provitamin B5), tocopherol (vitamin E), fragrance, stearoxytrimethylsilane, caprylic/capric triglyceride, glycerin

### **Label**

Compare to Coppertone® SPORT®  
SPF 50 Continuous Spray\*

exchange **select**™

**SPORT**  
SUNSCREEN  
CONTINUOUS SPRAY



**BROAD SPECTRUM  
SPF 50**

Sweat & Water Resistant  
(80 Minutes)  
Sprays at any Angle  
Reef-Conscious Formula†

TWO – NET WT 5.5 OZ (156 g)  
TOTAL – NET WT 11 OZ (312 g)



**Exchange Select™ Sport Continuous Spray SPF 50**  
helps protect skin from the sun's harmful rays. Non-greasy formula absorbs quickly,  
leaving hands dry and ready! Won't run and sting eyes.

• Broad Spectrum UVA & UVB Protection • Sweat & Water Resistant

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 4.0%	

**Uses** • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**FLAMMABLE:**  
• do not use near heat, flame or while smoking  
• avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• Spray liberally and spread evenly by hand 15 minutes before sun exposure  
• hold can 4-6 inches away from skin to apply  
• do not spray into face. Spray into hand then apply to face.  
• do not apply in windy conditions  
• use in well-ventilated area

• reapply:  
• after 80 minutes of swimming or sweating  
• immediately after towel drying  
• at least every 2 hours

• children under 6 months of age; ask a doctor  
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m. – 2 p.m.  
• wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**

• protect this product from excessive heat and direct sun  
• may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**  
alcohol denat., butylol salicylate, acrylates/octylacrylamide copolymer, panthenol (provitamin B5), tocopherol (vitamin E), fragrance, stearyltrimethylsilane, caprylic/capric triglyceride, glycerin

**Questions or comments?**  
Call toll free 1-800-527-7731

**"SATISFACTION GUARANTEED OR YOUR MONEY BACK."**  
Manufactured For Your Military Exchanges  
By: Fruit of the Earth, Inc., Grand Prairie, TX 75050  
Product of U.S.A.

\*This product is not manufactured or distributed by Schering-Plough HealthCare Products, Inc., distributor of Coppertone® SPORT® SPF 50 Continuous Spray.

† Formula is compliant with Hawaii SB2571.



## EXCHANGE SELECT SPORT SUNSCREEN CONTINUOUS SPF 50

avobenzone, homosalate, octisalate, octocrylene spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55301-042
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VVK)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>STEAROXYTRIMETHYLSILANE</b> (UNII: 9862TW94B2)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	

GLYCERIN (UNII: PDC6A3C0OX)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-042-63	2 in 1 PACKAGE	03/28/2013	
1	NDC:55301-042-37	156 g in 1 CAN; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	03/28/2013	

**Labeler** - Army & Air Force Exchange Service (001695568)

Revised: 2/2023

Army & Air Force Exchange Service