HEB SPF 55 BABIES AND KIDS SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene stick H.E.B.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB SPF 55 Babies and Kids Sunscreen Stick

Active Ingredients

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see \(\bigcup \b

Warnings

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

∏Inactive Ingredient(s)

beeswax, ozokertie, cetearyl behenate, lauryl lactate, polybutene, butyloctyl salicylate, cetyl alcohol, myristyl myristate, styrene/acrylates copolymer, theobroma cacao (cocoa) seed butter, phenoxyethanol, tetrahexyldecyl ascorbate (vitamin C ester), tocopherol (vitamin E).

Label





KIDS SUNSCREEN

For Face and Body · UVA/UVB Protection Water Resistant (80 minutes) Lightweight, Clear, Rub-Free Formula

BROAD SPECTRUM SPF 55

NET WT. 1.5 OZ (42 g)







Drug Facts (continued)

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if . rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply
- . after 80 minutes of swimming or sweating
- · immediately after towel drying
- · at least every 2 hours
- children under 6 months of age: ask a doctor

HINGE AREA

HINGE AREA

Drug Facts (continued)

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- Imit time in the sun, especially from 10 a.m. 2 p.m.
 wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

beeswax, ozokerite, cetearyl behenate, lauryl lactate, polybutene, butyloctyl salicylate, cetyl alcohol, myristyl myristate, styrene/acrylates copolymer, theobroma cacao (cocoa) seed butter, phenoxyethanol, tetrahexyldecyl ascorbate (vitamin C ester), tocopherol (vitamin E).

Questions or Comments?

Call toll free 1-800-527-7731



Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses . helps prevent sunburn . if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use . on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

- . apply liberally 15 minutes before sun exposure
- · reapply:
 - . after 80 minutes of swimming or sweating
 - · immediately after towel drying
- at least every 2 hours
 children under 6 months of age: ask a doctor
- . Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging, To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher:
 - . Imit time in the sun, especially from 10 a.m. 2 p.m.
 - · wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- · protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients beeswax, ozokerite, cetearyl behenate, laury lactate, polybutene, butyloctyl salicylate, cetyl alcohol, myristyl myristate, styrene/acrylates copolymer, theobroma cacao (cocoa) seed butter, phenoxyethanol, tetrahexyldecyl ascorbate (vitamin C ester), tocopherol (vitamin E),

Questions or comments? Call toll free 1-800-527-7731





HEB SPF 55 BABIES AND KIDS SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene stick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-908
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	150 mg in 1 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
WHITE WAX (UNII: 7G1J5DA97F)		
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)		
COCOA BUTTER (UNII: 5120YT1CRR)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)		
CERESIN (UNII: Q1LS2UJO3A)		
STEARYL BEHENATE (UNII: A68S9UI39D)		
LAURYL LACTATE (UNII: G5SU0BFK7O)		
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)		

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37808- 908-28	42 g in 1 CONTAINER; Type 0: Not a Combination Product	04/01/2019		
2	NDC:37808- 908-01	13.3 g in 1 CONTAINER; Type 0: Not a Combination Product	04/01/2019		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	M020	04/01/2019		

Labeler - H.E.B. (007924756)

Revised: 2/2023 H.E.B.