

FIRST AID AND BURN- benzalkonium chloride, lidocaine cream
HART Health

FIRST AID & BURN CREAM

Active Ingredients (in each gram):

Benzalkonium Chloride 0.13%

Lidocaine HCl 0.5%

Purpose:

Topical Antiseptic

Topical Anesthetic

Uses: Temporary relief of pain and to help prevent infection in

- minor cuts
- scrapes
- burns

Warnings: For external use only. See a doctor immediately for serious burns

Do not use:

- in or near the eyes
- over large portions of the body
- in large quantities particularly over raw surfaces or blistered areas
- longer than 7 days unless directed by a doctor
- more than 1 to 3 times daily

Ask a doctor before use if you have

- serious burns
- animal bites
- deep or puncture wounds

Stop use and ask a doctor if

- condition lasts for more than 7 days
- condition worsens
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away. 1-800-222-1222


Directions: do not use more than directed

Adults and children 2 years of age and over:


- clean the affected area
- apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years of age: ask a doctor

Inactive Ingredients: Aloe Vera, Cetyl Alcohol, Diazolidinyl Urea, Edetate Disodium, Glycerin, Glyceryl Monostearate, Methylparaben, Mineral Oil, Polyethylene Glycol, Propylene Glycol, Propylparaben, Purified Water, Stearic Acid, Trolamine



PMS 200C red
 Die line F
 6.7 cm x 6.7 cm x 3.5cm



First Aid Kit Dispenser Box
 ▼ Tear on Perforation ▼

NDC 50332-0037-2 Item 5391

First Aid & Burn Cream

First Aid Antiseptic & Topical Anesthetic

25 packets
 1/32 oz (0.9 gm) each

Manufactured for:
HART Health
 Seattle, WA 98124 www.harthhealth.com

1/32 oz (0.9 gm) each
 25 packets
First Aid Antiseptic & Topical Anesthetic
First Aid & Burn Cream
 Item 5391


First Aid Kit Dispenser Box
 ▼ Tear on Perforation ▼

Drug Facts		First Aid & Burn Cream	
Active Ingredients (in each gram)		Package	
Benzocaine HCl 0.13%	Topical anesthetic	25 packets	
Lidocaine HCl 0.5%	Topical anesthetic		
Uses Temporary relief of pain and to help prevent infection in ■ minor cuts ■ scrapes ■ burns			
Warnings For external use only ■ see a doctor immediately for serious burns			
Do not use ■ in or near the eyes ■ over large portions of the body			
■ in large quantities particularly over raw surfaces or blistered sores ■ longer than 7 days unless directed by a doctor ■ more than 1 to 3 times daily			
Ask a doctor before use if you have ■ animal bites ■ deep or puncture wounds			
■ allergic reactions ■ condition lasts for more than 7 days			
■ condition worsens ■ symptoms clear up and occur again within a few days			
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away. 1-800-222-1222			
Directions Do not use more than directed. Adults and children 2 years of age and over:			
■ clean the affected area ■ apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily			
■ may be covered with a sterile bandage ■ Children under 2 years of age: ask a doctor			
Other Information ■ store at 59° to 86°F (15°-30°C) ■ avoid excessive heat			
■ cream enclosed in a sealed packet ■ do not use if packet is torn, cut or open			
Inactive ingredients zinc stearate, emulsifying wax, ethyl alcohol, methylparaben, mineral oil, paraffin, propylparaben, purified water, white petrolatum, white wax			

LOT:
 N 60332003721
 Made in China 9131-24

PMS 200C red

Die line F
6.7 cm x 6.7 cm x 3.5cm



FIRST AID AND BURN

benzalkonium chloride, lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50332-0037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZ ALKONIUM CHLORIDE	.13 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALCOHOL (UNII: 3K9958V90M)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	

PARAFFIN (UNII: I9O0E3H2ZE)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
PETROLATUM (UNII: 4T6H12BN9U)	
WHITE WAX (UNII: 7G1J5DA97F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50332-0037-1	6 in 1 BOX, UNIT-DOSE	07/14/2000	
1		.9 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:50332-0037-6	10 in 1 BOX, UNIT-DOSE	07/14/2000	
2		.9 g in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:50332-0037-2	25 in 1 BOX, UNIT-DOSE	07/14/2000	
3		.9 g in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:50332-0037-4	144 in 1 BOX, UNIT-DOSE	07/14/2000	
4		.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	07/14/2000	

Labeler - HART Health (069560969)