HEB SHIMMER SUNSCREEN SPF 50- avobenzone, homosalate, octisalate, octocrylene lotion
H.E.B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB Shimmer Sunscreen SPF 50 Lotion

Active Ingredients

Acobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 7.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask doctor if

• rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:

• after 80 minutes of swimming or sweating

• immediately after towel drying

• at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 or higher and other sun protection measures including:

• limit time in the sun, especially from 10am-2pm

• wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information
- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive Ingredient(s)

water, tridecyl salicylate, sorbitol, stearic acid, triethanolamine, aluminum starch octenylsuccinate, aloe barbadensis leaf juice, polyethyloxazoline, carbomer, dimethicone, tocopherol, polyglyceryl-3 distearate, caprylyl glycol, phenoxyethanol, ethylhexylglycerin, sorbitan isostearate, benzyl alcohol, fragrance, polyethylene terephthalate, polyurethane-33, aluminum powder, red 7, yellow 5, titanium dioxide, iron oxides, mica

Label

HEB SHIMMER SUNSCREEN SPF 50

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:37808-041
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
MICA (UNII: V8A1AW0880)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLOXAZOLINE (5000 MW) (UNII: HNX7574GTX)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)	
POLYETHYLENE TEREPHTHALATE (INTRINSIC VISCOSITY 1.00-2.00) (UNII: KJ6GWA9DJ0)	
ALUMINUM (UNII: CPD4NFA903)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TROLAMINE (UNII: 9O3K93S3TK)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SORBITOL (UNII: 506T60A25R)	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-041-09	89 mL in 1 TUBE; Type 0: Not a Combination Product	05/08/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	05/08/2020	

Labeler - H.E.B (007924756)

Revised: 2/2023 H.E.B