# HEB SPF 50 FOR MEN SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion H.E.B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **HEB SPF 50 For Men Sunscreen Lotion**

## **Active Ingredients**

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 4.5%, Octocrylene 8.0%

## **Purpose**

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protetion measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

## Warnings

## For external use only

#### Do not use

• on damaged or broken skin.

## When using this product

keep out of eyes. Rinse with water to remove.

# Stop use and ask a doctor if

rash occurs.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses


#### Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

## **□Inactive Ingredient(s)**

water, polyester-7, neopentyl glycol diheptanoate, glycerin, styrene/acrylates copolymer, cetearyl olivate, sorbitan olivate, aluminum starch octenylsuccinate, olive oil polyglyceryl-6 esters, saccharomyces/podophyllum peltatum ferment filtrate, butylene glycol, silica, phenoxyethanol, isododecane, sodium stearoyl lactylate, cetearyl alcohol, cetyl palmitate, sorbitan palmitate, ethylhexylglycerin, , acrylates/C10-30 alkyl acrylate crosspolymer, tocopherol (vitamin E), potassium hydroxide, sodium ascorbyl phosphate, fragrance.

## Label



Dermatologist Tested · Hypoallergenic · Oil Free PABA Free · Retinyl Palmitate Free & Paraben Free Contains Vitamin E

#### Drug Facts Active Ingredients Purpose Avobenzone 3%, Homosalate 10% Sunscreen Octisalate 4.5%, Octocrylene 8%

Uses . Helps prevent sunburn . If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings For external use only

Do not use • on damaged or broken skin

When using this product . keep out of eyes. Rinse with water to remove. Stop use and ask doctor if . rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- . apply liberally 15 minutes before sun exposure
- reapply:
  - . after 80 minutes of swimming or sweating
  - · immediately after towel drying
  - at least every 2 hours
- . children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

  I mit time in the sun, especially from 10 a.m. 2 p.m.
- · wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information . protect this product from excessive heat and direct sun may stain or damage some fabrics, materials or surfaces

#### Inactive Ingredient(s)

Water, Polyester-7, Neopentyl Glycol Diheptanoate, Glycerin,
Styrene/Acrystes Copolymer, Cetearyl, Clivate, Sorbitan Olivate, Aluminum
Starch Octenylsuccinate, Olive Oil Polyglyceryl-6 Esters, Saccharomyces/Podophyllum Peltatum Ferment Filtrate, Butylene Glycol, Silica, Phenoxyethanol, Isododecane, Sodium Stearoyl Lactylate, Cetearyl Alcohol, Cetyl Palmitate, Sorbitan Palmitate, Ethylhexylglycerin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Tocopherol (Vitamin E), Potassium Hydroxide, Sodium Ascorbyl Phosphate, Fragrance

Questions or Comments? Call toll free 1-800-527-7731

\*No parabens separately added to preserve this product,

MADE WITH PRIDE AND CARE FOR H-E-B\*, SAN ANTONIO, **TEXAS 78204** 





### **HEB SPF 50 FOR MEN SUNSCREEN**

avobenzone, homosalate, octisalate, octocrylene lotion

# **Product Information**

HUMAN OTC DRUG Item Code (Source) NDC:37808-044 **Product Type** 

**TOPICAL Route of Administration** 

## **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ0O6294)			
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)			
POLYESTER-7 (UNII: 0841698D2F)			
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)			
ISODODECANE (UNII: A8289P68Y2)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
POTASSIUM HYDROXIDE (UNII: WZ H3C48M4T)			
GLYCERIN (UNII: PDC6A3C0OX)			
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)			
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)			
CETYL PALMITATE (UNII: 5ZA2S6B08X)			
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)			
PODOPHYLLUM (UNII: 2S713A4VP3)			
SORBITAN OLIVATE (UNII: MDL271E3GR)			
OLIVE OIL POLYGLYCERYL-6 ESTERS (UNII: 4KDO9AFM9I)			
CETEARYL OLIVATE (UNII: 58B69Q84JO)			
SODIUM STEAROYL LACTYLATE (UNII: IN99IT31LN)			
SORBITAN MONOPALMITATE (UNII: 77K6Z421KU)			
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)			

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:37808-044- 12	237 mL in 1 TUBE; Type 0: Not a Combination Product	03/22/2021		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	M020	03/22/2021		

Revised: 2/2023 H.E.B