

**ESSENCE LIGHT SUNSCREEN SPF 50 PA- avobenzene, homosalate, octisalate, octocrylene lotion  
ENGLEWOOD LAB, INC.**

-----  
**ESSENCE LIGHT SUNSCREEN SPF 50 PA +++**

**Drug Facts**

**Active Ingredients**

Avobenzene 3.0%

Homosalate 9.0%

Octisalate 4.5%

Octocrylene 5.0%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- if used as directed with other sun protection measures (see ), decreases the risk of skin cancer and early skin aging caused by the sun. **Directions**

**Warnings**

- **For external use only.**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure • Reapply at least every 2

hours • Use a water-resistant sunscreen if swimming or sweating: • Immediately after towel drying • At least every 2 hours • Children under 6 months of age: Ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.- 2 p.m.

### **Other information**

- Protect the product in this container from excessive heat and direct sun

### **Inactive Ingredients**

Water (Aqua), Dipropylene Glycol, Methyl Methacrylate Crosspolymer, Glyceryl Polymethacrylate, Propylene Glycol, Butyloctyl Salicylate, Cetareth-20, Ethylhexyl Methoxycrylene, Acrylates Copolymer, Galactomyces Ferment Filtrate, Saccharomyces Ferment Filtrate, Ceramide NP, Hydrolyzed Hyaluronic Acid, Sodium Acetylated Hyaluronate, Hyaluronic Acid, Hydrolyzed Sodium Hyaluronate, Sodium Hyaluronate crosspolymer, Potassium Hyaluronate, Panax Ginseng Root Extract, Sorbitan Oleate, Polysorbate 60, Sorbitan Stearate, Caprylyl Glycol, Cetearyl Oliviate, Panthenol, Sodium Hyaluronate, Glycerin, Sorbitan Oliviate, Acrylates/C10- 30 Alkyl Acrylate Crosspolymer, Tromethamine, Sodium Acrylate/ Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Ammonium Acryloyldimethyltaurate/ VP Copolymer, 1,2-Hexanediol, BHT, Ethylhexylglycerin, Polysorbate 80, Trisodium Ethylenediamine Disuccinate, Xanthan Gum, Butylene Glycol, Caprylic/ Capric Triglyceride, Hydroxypropyltrimonium Hyaluronate, Potassium Sorbate, Hydrogenated Lecithin, Sodium Benzoate, Octyldodecanol

**Package Labeling:10ml**

## ESSENCE LIGHT SUNSCREEN

Broad Spectrum SPF 50  
Sunscreen Lotion PA+++

**Ceramides • Ferment Filtrate  
Hyaluronic Acid • Vitamin B**

Lightweight, fragrance-free moisturizer infused with essence-based fermented ingredients and hydrators, and includes Broad Spectrum SPF 50 protection.

### Drug Facts

Active Ingredients	Purpose
Avobenzone	3.0%
Homosalate	9.0%
Octisalate	4.5%
Octocrylene	5.0%
	Sunscreen

### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

thenimetyou.com  
Dist. by: Then I Met You LLC  
Brooklyn, NY 11202 Made in Korea

### Drug Facts (continued)

#### Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating:
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.

#### Other information

- Protect the product in this container from excessive heat and direct sun

#### Inactive Ingredients

Water (Aqua), Dipropylene Glycol, Methyl Methacrylate Crosspolymer, Glyceryl Polymethacrylate, Propylene Glycol, Butyloctyl Salicylate, Cetareth-20, Ethylhexyl Methoxycrylene, Acrylates Copolymer, Galactomyces Ferment Filtrate, Saccharomyces Ferment Filtrate, Ceramide NP, Hydrolyzed Hyaluronic Acid, Sodium Acetylated Hyaluronate, Hyaluronic Acid, Hydrolyzed Sodium Hyaluronate, Sodium Hyaluronate Crosspolymer, Potassium Hyaluronate, Panax Ginseng Root Extract, Sorbitan Oleate, Polysorbate 60, Sorbitan Stearate, Caprylyl Glycol, Cetearyl Oliviate, Panthenol, Sodium Hyaluronate, Glycerin, Sorbitan Oliviate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Tromethamine, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Ammonium Acryloyldimethylurate/VP Copolymer, 1,2-Hexanediol, BHT, Ethylhexylglycerin, Polysorbate 80, Trisodium Ethylenediamine Disuccinate, Xanthan Gum, Butylene Glycol, Caprylic/Capric Triglyceride, Hydroxypropyltrimonium Hyaluronate, Potassium Sorbate, Hydrogenated Lecithin, Sodium Benzoate, Octyldodecanol

Then I  
Met  
You®



Broad Spectrum SPF 50  
Sunscreen Lotion PA+++

## ESSENCE LIGHT SUNSCREEN

10mL e 0.33 fl oz

It was all so dull,  
I used to rush,  
I was looking for purpose,

Then I Met You.

Now is the time to go deeper. It starts with cultivating jeong, a deep and meaningful connection that encourages empathy and generosity. Jeong takes time to build, but when you feel it, you know.

We also make quality skin care.

**WHAT I  
LEARNED  
IN KOREA,  
IS THAT  
BEAUTY  
HAS LAYERS**

12M  
KOS  
Please recycle  
outer box.



Then I  
Met  
You®

Ceramides  
Ferment Filtrate  
Hyaluronic Acid  
Vitamin B

**ACTIVE INGREDIENTS:**

Avobenzone 3.0%  
Homosalate 9.0%  
Octisalate 4.5%  
Octocrylene 5.0%

Lightweight Moisturizer + SPF 50 PA+++

Directions: Apply an even layer onto your face and neck using your fingertips. For use 15 minutes before sun exposure and reapply as needed.

Refer to Drug Facts on the box for complete directions and warnings.

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



Broad Spectrum SPF 50  
Sunscreen Lotion PA+++

**ESSENCE LIGHT  
SUNSCREEN**

10mL e 0.33 fl oz

thenimetyou.com  
Dist. by: Then I Met You LLC  
Brooklyn, NY 11202

Made in Korea



**Package Labeling:50ml**

**ESSENCE LIGHT  
SUNSCREEN**

Broad Spectrum SPF 50  
Sunscreen Lotion PA+++

**Ceramides • Ferment Filtrate  
Hyaluronic Acid • Vitamin B**

Lightweight, fragrance-free moisturizer infused with essence-based fermented ingredients and hydrators, and includes Broad Spectrum SPF 50 protection.

**Drug Facts**

Active Ingredients		Purpose
Avobenzone	3.0%	Sunscreen
Homosalate	9.0%	
Octisalate	4.5%	
Octocrylene	5.0%	

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use on damaged or broken skin**

**When using this product keep out of eyes.**  
Rinse with water to remove.

**Stop use and ask a doctor if rash occurs**

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center right away.

thenimetyou.com  
Dist. by: Then I Met You LLC  
Brooklyn, NY 11202 Made in Korea

**Drug Facts (continued)**

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating:
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.- 2 p.m.

**Other Information**

- Protect the product in this container from excessive heat and direct sun

**Inactive Ingredients**

Water (Aqua), Dipropylene Glycol, Methyl Methacrylate Copolymer, Glyceryl Polymethacrylate, Propylene Glycol, Butyloctyl Salicylate, Ceteareth-20, Ethylhexyl Methoxycrylene, Acrylates Copolymer, Galactomyces Ferment Filtrate, Saccharomyces Ferment Filtrate, Ceramide NP, Hydrolyzed Hyaluronic Acid, Sodium Acetylated Hyaluronate, Hyaluronic Acid, Hydrolyzed Sodium Hyaluronate, Sodium Hyaluronate Crosspolymer, Potassium Hyaluronate, Panax Ginseng Root Extract, Sorbitan Oleate, Polysorbate 80, Sorbitan Stearate, Caprylyl Glycol, Cetearyl Oliviate, Panthenol, Sodium Hyaluronate, Glycerin, Sorbitan Oliviate, Acrylates/C10-30 Alkyl Acrylate Copolymer, Triethanolamine, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isobutylacrylate, Aminonium Acryloyldimethyltaurate/VP Copolymer, 1,2-Hexanediol, BHT, Ethylhexylglycerin, Polysorbate 80, Triethylamine Ethylenediamine Disuccinate, Xanthan Gum, Butylene Glycol, Caprylic/Capric Triglyceride, Hydroxypropyltrimonium Hyaluronate, Potassium Sorbate, Hydrogenated Lecithin, Sodium Benzoate, Octyldodecanol

*Then I Met You®*



Broad Spectrum SPF 50  
Sunscreen Lotion PA+++

**ESSENCE LIGHT  
SUNSCREEN**

50mL e 1.69 fl oz

It was all so dull,  
I used to rush,  
I was looking for purpose,

Then I Met You.

Now is the time to go deeper. It starts with cultivating Jeong, a deep and meaningful connection that encourages empathy and generosity. Jeong takes time to build, but when you feel it, you know.

We also make quality skin care.

Please recycle  
outer box.



8 50009 70115 2

**WHAT I  
LEARNED  
IN KOREA,  
IS THAT  
BEAUTY  
HAS LAYERS**

Then I  
Met  
You®

Ceramides  
Ferment Filtrate  
Hyaluronic Acid  
Vitamin B

Lightweight Moisturizer + SPF 50 PA+++

**ACTIVE INGREDIENTS:**

Avobenzone 3.0%  
Homosalate 9.0%  
Octisalate 4.5%  
Octocrylene 5.0%

Directions: Apply an even layer onto your face and neck using your fingertips. For use 15 minutes before sun exposure and reapply as needed. Refer to Drug Facts on the box for complete directions and warnings.

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

See box or thenimetyou.com for complete ingredient list.

thenimetyou.com  
Dist. by: Then I Met You LLC  
Brooklyn, NY 11202

Made in Korea



Broad Spectrum SPF 50  
Sunscreen Lotion PA+++

**ESSENCE LIGHT  
SUNSCREEN**

50mL e 1.69 fl oz

**ESSENCE LIGHT SUNSCREEN SPF 50 PA**

avobenzone, homosalate, octisalate, octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:14268-119
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>PEG-6 SORBITAN OLEATE</b> (UNII: 5807V09UCI)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>TROMETHAMINE</b> (UNII: 023C2WHX2V)	
<b>SODIUM ACRYLATE</b> (UNII: 7C98FKB43H)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>AMMONIUM ACRYLOYLDIMETHYLTaurate</b> (UNII: KBC00G95HI)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14268-119-50	50 mL in 1 TUBE; Type 0: Not a Combination Product	03/01/2023	
2	NDC:14268-119-10	10 mL in 1 TUBE; Type 0: Not a Combination Product	03/01/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug M020

03/01/2023

**Labeler** - ENGLEWOOD LAB, INC. (172198223)

Revised: 12/2023

ENGLEWOOD LAB, INC.