SAFE-GUARD- fenbendazole granule
Merck Sharp & Dohme Corp.

---

safe-guard®
(fenbendazole)

Directions: The daily dose for Safe-Guard® Canine is 50 mg/kg (22.7 mg/lb) of body weight. You should weigh your dog to make sure you are using the right dose; i.e. correct gram amount and appropriate number of pouches.

Your dog must be treated with the following dose for 3 days in a row.

Dog Weight (lbs)	**Pouch Size (Daily Dose)**
10	1 gram
11 to 20	2 gram
21 to 30*	1 gram + 2 gram
31 to 40	4 gram
41 to 50*	1 gram + 4 gram
51 to 60*	2 gram + 4 gram
61 to 80*	Two 4 gram
Over 80*	
Mix daily dose with a small amount of the usual food. Make sure your dog eats all the medicated food. You may need to moisten dry dog food to aid mixing. **Repeat the dose for 3 days in a row.**	

* Combine pouches to obtain recommended daily dosage.

Recommended Deworming Schedule:

Schedule may vary depending on the climate where you live and the activity of your dog. The following schedule should be used as a general guideline.

- Weaned pups (6-8 weeks of age) should be dewormed at 6, 8, 10 and 12 weeks of age.
- Treat the dam at the same time as the puppies.
- Dogs over 6 months of age should be dewormed at least twice each year.

Diagnosis of Parasites: Consult your veterinarian for help in the diagnosis, treatment and control of parasitism. Specific diagnoses require laboratory testing. Dogs can become infected with several different kinds of tapeworms. Safe-Guard® Canine only kills *Taenia* species of tapeworms. If you continue to see tapeworm segments in your dog's stool after treatment with Safe-Guard® Canine, consult your veterinarian.

Roundworms and hookworms may pose serious human health risks; regular deworming

may help reduce those risks.

Product Use: Safe-Guard® Canine is safe for use in puppies 6 weeks or older and adult dogs, including pregnant bitches. Do not deworm a dog or puppy that is sick. Consult your veterinarian for diagnosis of the illness.

Adverse Reactions: In U.S. clinical studies 3 of 240 dogs (about 1% of the treated dogs) had vomiting associated with the use of the product.

Storage: Store at controlled room temperature 68-77°F (20-25°C).

Questions? Comments?

To obtain product information including material safety data sheets (MSDS) or to report a suspected adverse reaction, call **1-800-441-8272.**

MERCK
Animal Health

Distributed by:
Intervet Inc (d/b/a Merck Animal Health)
Madison, NJ 07940

Rev. 07/22

Approved by FDA under NADA # 121-473

Fenbendazole (active ingred.) made in: see imprint. Formulated in Austria.

www.Safe-Guard.com

PRINCIPAL DISPLAY PANEL - 3 Pouch Carton - 10 lbs

MERCK
Animal Health

safe-guard®
(fenbendazole)

Canine
Dewormer

For dogs only, 6 weeks and older.

Drug Facts:
Active ingredients (in each dosage unit): Fenbendazole Granules 22.2% (222 mg/g)

Uses: For the treatment and control of:

- Tapeworms
  (*Taenia pisiformis*)
- Roundworms
  (*Toxocara canis, Toxascaris leonina*)
- Hookworms
  (*Ancylostoma caninum,*
  Uncinaria stenocephala)
- Whipworms
  (*Trichuris vulpis*)

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

HUMAN WARNING:
KEEP OUT OF REACH OF CHILDREN.



PRINCIPAL DISPLAY PANEL - 3 Pouch Carton - 20 lbs

MERCK
Animal Health

safe-guard®
(fenbendazole)

Canine
Dewormer

For dogs only, 6 weeks and older.

Drug Facts:
Active ingredients (in each dosage unit): Fenbendazole Granules 22.2% (222 mg/g)

Uses: For the treatment and control of:

- Tapeworms
  (*Taenia pisiformis*)
- Roundworms
  (*Toxocara canis, Toxascaris leonina*)
- Hookworms
  (*Ancylostoma caninum,*
  Uncinaria stenocephala)
- Whipworms
  (*Trichuris vulpis*)

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

HUMAN WARNING:
KEEP OUT OF REACH OF CHILDREN.



PRINCIPAL DISPLAY PANEL - 3 Pouch Carton - 40 lbs

MERCK
Animal Health

safe-guard®
(fenbendazole)

Canine
Dewormer

For dogs only, 6 weeks and older.

Drug Facts:
Active ingredients (in each dosage unit): Fenbendazole Granules 22.2% (222 mg/g)

Uses: For the treatment and control of:

- Tapeworms
  (*Taenia pisiformis*)
- Roundworms
  (*Toxocara canis, Toxascaris leonina*)
- Hookworms
  (*Ancylostoma caninum,*
  Uncinaria stenocephala)
- Whipworms
  (*Trichuris vulpis*)

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

HUMAN WARNING:
KEEP OUT OF REACH OF CHILDREN.



SAFE-GUARD

fenbendazole granule

Product Information			
Product Type	OTC ANIMAL DRUG	**Item Code (Source)**	NDC:57926-483
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
FENBENDAZOLE (UNII: 621BVT9M36) (FENBENDAZOLE - UNII:621BVT9M36)	FENBENDAZOLE	222 mg in 1 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57926-483-01	3 in 1 CARTON		
1		1 g in 1 POUCH		

2	NDC:57926-483-02	3 in 1 CARTON		
2		2 g in 1 POUCH		
3	NDC:57926-483-04	3 in 1 CARTON		
3		4 g in 1 POUCH		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA121473	01/05/1979	

Labeler - Merck Sharp & Dohme Corp. (001317601)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Apeloa Kangyu Pharmaceutical Co., Ltd.		420823163	API MANUFACTURE

Revised: 11/2023 Merck Sharp & Dohme Corp.