HEB SPF 50 STRAWBERRY DAQUIRI SCENTED CONTINUOUS SUNSCREENavobenzone, homosalate, octisalate, octocrylene spray H.E.B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB SPF 50 Strawberry Daquiri Scented Continuous Sunscreen Spray

Active Ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protetion measures (see \(\bigcup \textbf{Directions} \)), decreases
 the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term stoage above 104°F (40°C)

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wearl long-sleeved shirts, pants, hats, and sunglasses

Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

∏Inactive Ingredients

acrylates/octylacrylamide copolymer, butylene glycol, butyloctyl salicylate, caprylic/capric triglyceride, fragrance, glycerin, panthenol, saccharomyces/podophyllum peltatum ferment filtrate, SD alcohol 40-B, tocopherol.

Label

& Parabén Free* No Oxybenzone or Octinoxate Dermatologist Tested

Drug Facts Active ingredients Purpose iomosalate 10% Octoorviene 4%

Uses + helps prevent sunburn + if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

do not use near heat, flame or while smoking
 avoid long term storage above 104°F (40°C)

Do not use + on damaged or broken skin

When using this product + keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. + do not puncture or incherate. Contents under pressure. • do not store at lemperatures above 120° F.

Stop use and ask a doctor if + rash occurs

Keep out of reach of children. If swallowed, get medical help or confact a Poison Control Center right away.

Directions - spray liberally and spread everily by hand 15 minutes before sun exposure - hold container 4-6 inches away from the skin to apply - do not spray directly into face. Spray into hands then apply to face - for not apply in windy conditions - use in a well-ventilisted area - reapply: - after 30 minutes of swimming or sweating - immediately after towed drying - at least every 2 hours - children under 6 months of age. Ask a doctor - Sum Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging, To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: + limit time in the sun, especially from 10 s.m. - 2 p.m. + wear long-sleeved shirts, pants, hats, and sunglesses

Other information

protect the product in this container from excessive heat and direct sun · may stain or damage some fabrics, materials or surfaces

Inactive ingredients acrylates/octylacrylamide copolymer, butylene glycol, acrystasoccystarystamos ecopolymer, burystane gyrcu, butyloctyl salicytate, caprylic/capric triglyceride, fragrance, glycerin, panthenol, saccharomyces/podophytum petatum ferment filtrate, SD alcohol 40-B, tocopherol

Questions or Comments? Call to free 1-800-527-7731

MADE WITH PRIDE AND CARE FOR H=t=B*, SAN ANTONIO, TEXAS 78204











BROAD SPECTRUM SPF 50 SCENTED SUNSCREEN



5.5 OZ (156 g)



HEB SPF 50 STRAWBERRY DAQUIRI SCENTED CONTINUOUS SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

HUMAN OTC DRUG NDC:37808-114 **Product Type Item Code (Source)**

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g

Inactive Ingredients			
Ingredient Name	Strength		
ALCOHOL (UNII: 3K9958V90M)			
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)			
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)			
GLYCERIN (UNII: PDC6A3C0OX)			
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)			
PANTHENOL (UNII: WV9CM0067Z)			
PODOPHYLLUM (UNII: 2S713A4VP3)			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:37808-114-37	156 g in 1 CAN; Type 0: Not a Combination Product	01/25/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	M020	01/25/2023		

Labeler - H.E.B (007924756)

Revised: 2/2023 H.E.B