#### BORON- boron pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## BORON 6C

Min. net wt: 5g of pellets

#### HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

# BORON 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BORON 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **BORON**

## **30C**

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C.

# BORON 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TWIST TO OPEN - USE ONLY IF SEALED

# BORON 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **BORON**

## 100C

sucrose

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEALI

# BORON 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **BORON**

## 200C

sucrose

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

# BORON 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **BORON**

## 500C

sucrose

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

emann Labs Inc. 1940 Fourth St. San Rafael, C
TWIST TO OPEN - USE ONLY IF SEAL

# BORON 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## BORON 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc.

## **BORON**

## **1M**

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, C
TWIST TO OPEN - USE ONLY IF SEAL

# BORON 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

## **BORON**

## 10M

sucrose

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

memann Labs Inc. 1940 Fourth St. San Rafael, CA!
TWIST TO OPEN - USE ONLY IF SEALED

# BORON 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# BORON 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## BORON 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

#### **BORON**

boron pellet

_			_			
D	ra	Aı.	ICT.	Int.	nm	ation.
г	ıv	uч		1111	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ation

Product Type HUMAN O

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-2743

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

Ingredient Name	<b>Basis of Strength</b>	Strength
BORON (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	12 [hp_C]

rength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 2743-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023		
2	NDC:37662- 2743-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023		
3	NDC:37662- 2743-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		02/28/2023		

#### **BORON**

boron pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2745		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>BORON</b> (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	100 [hp_C]		

#### **Inactive Ingredients**

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2745-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023			
2	NDC:37662- 2745-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023			
3	NDC:37662- 2745-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023			
4	NDC:37662- 2745-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		02/28/2023		

boron pellet

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2746
Route of Administration	ORAL		

ı	Active Ingredient/Active Moiety				
l	Ingredient Name	Basis of Strength	Strength		
ı	BORON (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	200 [hp_C]		

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 2746-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023		
2	NDC:37662- 2746-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023		
3	NDC:37662- 2746-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023		
4	NDC:37662- 2746-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/28/2023	
nomeopatriic			

boron pellet

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2748
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>BORON</b> (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCPOSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	

Flavor	Imprint Code	
Contains		

ı	P	Packaging				
	#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
	1	NDC:37662- 2748-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023		
	2	NDC:37662- 2748-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023		
	3	NDC:37662- 2748-3 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		02/28/2023		
	4	NDC:37662- 2748-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		02/28/2023		

boron pellet

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2742
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>BORON</b> (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	6 [hp_C]		

Inactive Ingredients				
Ingredient Name Strength				
SUCROSE (UNII: C151H8M554)				

Product Characteristics					
Color white Sc		Score	no score		
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

Packaging					
#	t Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:37662- 2742-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023		
2	NDC:37662- 2742-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023		
3	NDC:37662- 2742-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		02/28/2023		
поттеориите				

boron pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2749		
Route of Administration	ORAL				

Active Ingredient/Active Moiety

Ingredient Name
Boron (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)

BORON 10 [hp\_M]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics					
<b>Color</b> white		Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

ı	Packaging			
4	# Item Code Package Description		Marketing Start Date	Marketing End Date
1	NDC:37662- 2749-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023	

_	NDC:37662- 2749-2 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product		02/28/2023	
NDC:37662- 2749-3  3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		02/28/2023		
4	NDC:37662- 2749-4	, , , , , , , , , , , , , , , , , , , ,		

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	02/28/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

boron pellet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-2744

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient NameBasis of StrengthStrengthBORON (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)BORON30 [hp\_C]

#### **Inactive Ingredients**

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

#### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

**Packaging** 

	rackaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 2744-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023		
2	NDC:37662- 2744-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023		
3	NDC:37662- 2744-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023		

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	02/28/2023				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

boron pellet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-2747

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BORON (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	500 [hp_C]

#### **Inactive Ingredients**

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

#### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

ı	Packaging						
	# Item Code	Package Description	Marketing Start Date	Marketing End Date			
	NDC:37662- 2747-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023				
	NDC:37662- 2747-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	02/28/2023				
	NDC:37662- 2747-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023				
	NDC:37662- 2747-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/28/2023				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		02/28/2023			
homeopathic		02/20/2023			

#### Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2742, 37662-2743, 37662-2744, 37662-2745, 37662-2746, 37662-2747, 37662-2748, 37662-2749)

Revised: 2/2023 Hahnemann Laboratories, INC.