

**GUAIFENESIN - ODAAT 1200 MG- guaifenesin tablet**  
**LODAAT LLC**

-----  
**LODAAT- GUAIFENESIN - ODAAT 1200 mg CAPLETS (83139-175)**

**ACTIVE INGREDIENT (IN EACH EXTENDED-RELEASE BI-LAYER TABLET)**

GUAIFENESIN 1200MG

**PURPOSE**

EXPECTORANT

**USES**

- HELPS LOOSEN PHLEGM (MUCUS) AND THIN BRONCHIAL SECRETIONS TO RID THE BRONCHIAL PASSAGEWAY OF BOTHERSOME MUCUS AND MAKE COUGHS MORE PRODUCTIVE

**WARNINGS**

DO NOT USE

- FOR CHILDREN UNDER 12 YEARS OF AGE

ASK DOCTOR BEFORE USE IF YOU HAVE:

- PERSISTENT OR CHRONIC COUGH SUCH AS OCCURS WITH SMOKING, ASTHMA, CHRONIC BRONCHITIS OR EMPHASEMA (MUCUS)
- COUGH ACCOMPANIED BY EXCESSIVE PHLEGM

STOP USE AND ASK A DOCTOR IS

- COUGH LASTS FOR MORE THAN 7 DAYS, RECURS, OR IS ACCOMPANIED BY FEVER, RASH, OR PERSISTENT HEADACHE. THESE COULD BE SIGNS OF A SERIOUS CONDITION.

IF PREGNANT OR BREAST FEEDING, ASK A HEALTH PROFESSIONAL BEFORE USE.

KEEP OUT OF REACH OF CHILDREN. IN CASE OF OVERDOSE, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER (1-800-222-1222) IMMEDIATELY.

**DIRECTIONS**

- DO NOT CRUSH, CHEW, OR BREAK TABLET
- TAKE WITH A FULL GLASS OF WATER
- THIS PRODUCT CAN BE ADMINISTERED WITHOUT REGARD FOR TIMING OF MEALS
- **ADULTS AND CHILDREN 12 YEARS OF AGE AND OVER: TAKE 1 TABLET EVERY 12 HOURS. DO NOT EXCEED 2 TABLETS IN 24 HOURS.**
- CHILDREN UNDER 12 YEARS OF AGE: DO NOT USE.

## OTHER INFORMATION

- STORE BETWEEN 20-25°C (68-77°F)

## INACTIVE INGREDIENTS

CARBOMER HOMOPOLYMER TYBE B, HYPROMELLOSE, MAGNESIUM STEARATE, MICROCRYSTALLINE CELLULOSE, SODIUM STARCH GLYCOLATE.

## QUESTIONS?

CALL TOLL-FREE +1 630 852 7544





Compare to the active ingredient in Mucinex®\*

**MAXIMUM STRENGTH • EXPECTORANT**

**Guafenesin -  
Odaat**

*1200 mg*

Extended-Release Bi-Layer Tablets

- Relieves Chest Congestion
- Thins & Loosens Mucus
- Immediate & Extended Release

**100 TABLETS**

NDC 83139-175-01

0 798190 237428

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

### Drug Facts

<b>Active ingredient</b> (in each extended-release bi-layer tablet)	<b>Purpose</b>
Guaifenesin 1200 mg.....	Expectorant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

### Warnings

**Do not use** ■ for children under 12 years of age

**Ask a doctor before use if you have** ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough accompanied by too much phlegm (mucus)

**Stop use and ask a doctor if** ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** ■ do not crush, chew, or break tablet ■ take with a full glass of water ■ this product can be administered without regard for timing of meals ■ **adults and children 12 years of age and over:** 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours, ■ **children under 12 years of age:** do not use

### Other information

■ store between 20-25°C (68-77°F)

### Inactive ingredients

carbomer homopolymer type B, hypromellose, magnesium stearate, microcrystalline cellulose, sodium starch glycolate.

**Questions?** call toll-free +1 630 852 7544

\*This product is not manufactured or distributed by the owner of the registered trademark Mucinex®

Distributed by: Lodaat LLC  
1415 W 22nd St, Oak Brook IL USA

L7861-100-110-0

## GUAIFENESIN - ODAAT 1200 MG

guaifenesin tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83139-175
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	1200 mg

### Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01Z NK31)	

<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	21mm
<b>Flavor</b>		<b>Imprint Code</b>	G;1200
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83139-175-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/04/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA213420	03/04/2023	

**Labeler** - LODAAT LLC (011845714)

Revised: 3/2023

LODAAT LLC