

HONGO KILLER- undecylenic acid spray
Efficient Laboratories Inc

Drug Facts

Active Ingredient	Purpose
Undecylenic Acid 20% w/v.....	Antifungal

Purpose: Antifungal

Uses For the cure of most:

- athlete's foot (tinea pedis)
- ringworm (tinea corporis)

For the relief of:

- itching
- burning
- scaling
- cracking
- soreness
- irritation

For external use only.

Flammable: Keep away from fire and flame

When using this product

- avoid contact with the eyes and mucous membrane.

Stop use and consult a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Do not use

- on children under 2 years of age unless directed by a doctor.

If pregnant or breast-feeding, consult a health professional before using this product.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area and dry thoroughly.
- Apply a thin layer of Hongo Killer Antifungal Spray over affected area twice daily (morning and night) or as directed by a doctor.
- Supervise children in the use of this product
- For athlete's foot: Pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer,

consult a doctor. This product is not effective on the scalp and nails.

Inactive ingredients aloe vera, fragrance, hypromelloses, isopropyl alcohol, tocopherol acetate (vitamin E), water

Questions or Comments?

(305) 805-3456 Monday-Friday (9 am - 5 pm EST).

www.efficientlabs.com



Drug Facts

Active ingredient	Purpose
Undecylenic Acid 20% w/v	Antifungal

Uses For the cure of most: athlete's foot (tinea pedis) ringworm (tinea corporis)
For the relief of: itching burning scaling cracking soreness irritation

Warnings
For external use only.
Flammable: Keep away from fire and flame.
When using this product avoid contact with the eyes.
Stop use and consult a doctor if
 irritation occurs
 there is no improvement within 4 weeks

Do not use on children under 2 years of age, unless directed by a doctor

If pregnant or breast-feeding, consult a health professional before using this product.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions clean the affected area and dry thoroughly. apply a thin layer of **Hongo Killer® Antifungal Spray** over affected area twice daily (morning and night) or as directed by a doctor supervise children in the use of this product for athlete's foot: Pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily for athlete's foot and ringworm: Use daily for 4 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.


Other information store between: 15°-30° C (59°-86° F) protect from freezing, if freezing occurs, warm to room temperature. **Tamper Evident:** Do not accept if safety seal is torn, broken or missing.

Inactive ingredients aloe, fragrance, hypromellose, isopropyl alcohol, tocopherol acetate (vitamin E), water

Questions or Comments?
(305) 805-3456 Monday-Friday (9 am-5 pm EST), www.efficientabs.com

Hongo Killer® is available in: Solution, Cream, Spray Powder, Ultra, Powder & Nail Formula.

Distributed by:
Efficient Laboratories, Inc., Miami, FL 33166
Made in U.S.A.



Datos Farmacológicos

Ingrediente activo	Propósito
Ácido Undecilénico 20% w/v	Antifungal

Usos Para la cura de la mayoría: pie de atleta (tinea pedis) tiña (tinea corporis)
Para el alivio de: picazón ardor escamas grietas dolor irritación

Avisos
Para uso externo solamente.
Inflamable: Manténgalo lejos del fuego o llamas.
Cuando use este producto evite contacto con los ojos.
Pare el uso de este producto y consulte a su médico si surge irritación la condición no mejora en 4 semanas

No lo use en niños menores de 2 años de edad, al menos que su doctor lo indique

Si está embarazada o lactando, consulte a su médico antes de usar este producto.
Mantenga este producto fuera del alcance de los niños. En caso de ingestión, busque asistencia médica o llame al Centro de Envenenamiento inmediatamente.

Instrucciones lave el área afectada y séquela bien aplique una capa fina de **Hongo Killer® Rociador Antifungal** sobre el área afectada 2 veces al día (mañana y noche) o como indique su médico supervise a los niños con el uso de este producto para el pie de atleta. Ponga especial atención al área entre los dedos; use zapatos cómodos y bien ventilados, cambie medias y zapatos diariamente para el pie de atleta y tiña: Use por 4 semanas. Si la condición persiste, consulte a su médico. Este producto no es efectivo en el cuero cabelludo o las uñas.

Información adicional
 almacene entre 15°-30° C (59°-86° F) proteja de la congelación, si ocurre congelación, póngalo a temperatura ambiente. **Evidencia de Seguridad:** No acepte este producto si el sello de seguridad está torcido, roto o falta.

Ingredientes inactivos sávila, fragancia, hipromelosa, alcohol isopropílico, acetato de tocoferol (vitamina E), agua

¿Preguntas o Comentarios?
(305) 805-3456 Lunes-Viernes (9 am-5 pm EST), www.efficientabs.com

Hongo Killer® está disponible en: Solución, Crema, Spray en Polvo, Ultra, Polvo y Formula para las Uñas.

Distribuido por:
Efficient Laboratories, Inc., Miami, FL 33166
Hecho en EE.UU



88

undecylenic acid spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58593-601
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
UNDECYLENIC ACID (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	2 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
HYPROMELLOSE 2208 (100 MPA.S) (UNII: B1QE5P712K)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58593-601-15	1 in 1 BOX	07/01/2013	
1		44 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	07/01/2013	

Labeler - Efficient Laboratories Inc (969044932)

Establishment

Name	Address	ID/FEI	Business Operations
RNV, LLC		118917568	manufacture(58593-601)

Revised: 5/2024

Efficient Laboratories Inc