# CUTIECAINE - topical lidocaine (4% w/w) cream Innovatech Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

Benzocaine 18% (w/w), Tetracaine 2% (w/w), Inactive Ingredients; water, Isoprpopyl Alcohol, gkycerin, Ethyl alcohol, Staeric Acid, Carbomer, Sodium Hyaluronate, castor oil,Innovatech Inc, Net Wt. 15g

Use for reducing pain or discomfort from minor cuts, abrasions, minor burns, sun burns, insect bites, poison ivy, hemorrhoids pain and Itching. Use small amount (1 to 2 gm) of this medication, apply on the skin with gentle massage to numb the skin or relieve pain (do not occlude). Children under 2 years of age, consult your doctor

- Do not use in or near the eyes
- Do not use in large amount particularly over the raw surfaces or blisters

Stop use and Ask Doctors if

- Allergic reactions occurs
- Condition worsen and does not improve
- Symptoms clean up and returns within few day
- itching, redness, burning, swelling or other symptoms occurs
- Keep both used and unused medicine out of the reach of children or pets
- If swallowed get medical attention right away Call your doctor immediately.

Keep both used and unused medicine out of the reach of children or pets

Stop use and Ask Doctors if

- Allergic reactions occurs
- Condition worsen and does not improve
- Symptoms clean up and returns within few day
- itching, redness, burning, swelling or other symptoms occurs
- Keep both used and unused medicine out of the reach of children or pets
- If swallowed get medical attention right away Call your doctor immediately.

Do not use in or near the eyes

• Do not use in large amount particularly over the raw surfaces or blisters

- Stop use and Ask Doctors if
- Allergic reactions occurs
- Condition worsen and does not improve
- Symptoms clean up and returns within few day
- itching, redness, burning, swelling or other symptoms occurs
- Keep both used and unused medicine out of the reach of children or pets
- If swallowed get medical attention right away Call your doctor immediately.

Use for reducing pain or discomfort from minor cuts, abrasions, minor burns, sun burns, insect bites, poison ivy, hemorrhoids pain and Itching. Use small amount (1 to 2 gm) of this medication, apply on the skin with gentle massage to numb the skin or relieve pain (do not occlude). Children under 2 years of age, consult your doctor

Inactive Ingredients; water, Isoprpopyl Alcohol, glycerin, Ethyl alcohol, Staeric Acid, Carbomer, Sodium Hyaluronate, castor oil, sodium lauryl sulfate,

Use for reducing pain or discomfort from minor cuts, abrasions, minor burns, sun burns, insect bites, poison ivy, hemorrhoids pain and Itching. Use small amount (1 to 2 gm) of this medication, apply on the

skin with gentle massage to numb the skin or relieve pain (do not occlude). Children under 2 years of age, consult your doctor

carton.jpg

DIN; 02344971	Carton.jpg	
IDC 50876-182-01	Label; Drug Facts	
	Active Ingredient Benzocaine 18% w/v	1
Dermacaine-R	Tetracaine 2% w/w	
Jermacame-R	Topical Anesthetic	
	Uses; to reduce pain or discomfort from;	
apid Acting	<ul> <li>minor cuts,</li> </ul>	
opical Anesthetic Cream	<ul> <li>scratches</li> </ul>	
	<ul> <li>sunburn,</li> </ul>	
enzocaine 18% w/w	<ul> <li>insect bites,</li> </ul>	
etracaine 2% w/w	<ul> <li>cold sores</li> </ul>	
	<ul> <li>hemorrhoids Pain and Itching</li> </ul>	
	Minor burns	
	<ul> <li>minor cosmetic procedures</li> </ul>	
	<ul> <li>minor dental procedures.</li> </ul>	
	Warnings; For external uses only	
	When using this product;	
	Do not use in or near the eyes	
	Do not in large amount particularly over t	ne raw
	surfaces or blisters	
	Stop use and Ask Doctors if	
	Allergic reactions occurs	
	Condition worsen and does not improve	
	Symptoms clean up and returns within few	/ day
	itching, redness, burning, swelling or oth	er.
	symptoms occurs	
	Keep both used and unused medicine out	ofthe
	reach of children or pets	
novatech Inc	Directions; Use small amount (1 to 2 gm)	fthis
002-B Hazel Street	medication, apply on the skin with gentle	
rmingham, MI 48009	massage to numb the skin or relieve pain.	
el; (248)-341-3401	Children under 2 yearsof age, consult you	
, (240) 541 5401	doctor	
et Weight; 15g	Storage; store at room temperature (25°C	and
cr weight, 13g	away from heat.	
Not WH 15 a	Inactive Ingredients; water, Isopropyl Alo	
Net Wt. 15 g	gkycerin, Ethyl alcohol, Staeric Acid, Carbo	mer,
	Sodium Hyaluronate, castor oil, mnthol,	
	papermint	
	Net Weight: 15 g	

topical lidocaine (4% w/w) cream					
Product Information					
Product T ype	HUMAN OTC DRUG	Item Code (Source) NDC:50876-182		876-182	
Route of Administration	TOPICAL				
Active Ingredient/Active Moiety					
Ingredient Name			Basis of Stre	ngth	Strength
BENZOCAINE (UNII: U3RS Y48 JW5) (BENZOCAINE - UNII:U3RS Y48 JW5)			BENZOCAINE		180 mg in 1 g

TETRACAINE (UNII: 0619F35CGV) (TETRACAINE - UNII:0619F35CGV)	TETRACAINE	20 mg in 1 g
--	------------	--------------

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)	
GLYCERIN (UNII: PDC6A3C0OX)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ALCOHOL (UNII: 3K9958V90M)	
ALOE (UNII: V5VD430YW9)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CASTOR OIL (UNII: D5340 Y219G)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:50876-182-02	1 in 1 BOX			
1	NDC:50876-182-01	15 g in 1 TUBE			

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/31/2010	

# Labeler - Innovatech Inc (833205961)

## Registrant - Innovatech Inc (833205961)

### Establishment

Name	Address	ID/FEI	Business Operations
Innovatech Inc		833205961	manufacture, label, analysis, pack

Revised: 4/2011

Innovatech Inc