

**LIDOCAINE PATCH- lidocaine hci 4% patch**  
**Anhui Miao De Tang Pharmaceutical Co., Ltd.**

-----  
**LIDOCAINE PATCH**

LIDOCAINE PATCH

Lidocaine HCl 4% Purpose: Topical Analgesic

For the temporary relief of pain □ LIDOCAINE PATCH

LIDOCAINE PATCH to help Temporarily relieve minor pain

For external use only. Flammable.

More than 1 patch at a time

On wounds or damaged skin

With a heating pad

If you have ever had an allergic reaction to this product or any of its ingredients

Use only as directed

Avoid contact with the eyes, mucous membranes or rashes

Do not bandage tightly

Localized skin reaction occur, such as rash, itching, redness, irritation, pain, swelling and blistering

Condition worsens

Symptoms persist for more than 7 days

Symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Adults and children over 12 years:

- Wash and dry the affected area. Remove backing from patch by firmly grasping both ends and gently pulling until backing separates in the middle.
- Carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area. Once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area. Carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area.
- Use only 1 patch for a maximum of 24 hours.
- Keep away from direct sunlight or heat.
- Store at room temperature (68-77°F/20-25°C).
- Protect product from excessive moisture.
- Patch comes in individual packaging.

Aluminum Glycinate, Aluminum Hydroxide, Cellulose Gum, Glycerin, Methylparaben, PEG-40 Hydrogenated Castor Oil, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Ricinus Communis Seed Oil (Castor), Silica, Sodium Polyacrylate, Tartaric Acid, Titanium

Dioxide,Urea,Water, Menthol



## LIDOCAINE PATCH

lidocaine hci 4% patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81484-501
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.4 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>POLYOXYL 40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F)
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>CARBOXYMETHYLCELLULOSE SODIUM (0.9 CARBOXYMETHYL SUBSTITUTION PER SACCHARIDE; 130 MPA.S AT 4%)</b> (UNII: 0891BL4S3D)
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>UREA</b> (UNII: 8W8T17847W)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>RACEMENTHOL</b> (UNII: YS08XHA860)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81484-501-02	30 in 1 BOX	03/14/2023	
1	NDC:81484-501-01	1 in 1 BAG; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/14/2023	

**Labeler** - Anhui Miao De Tang Pharmaceutical Co., Ltd. (405744102)

### Establishment

Name	Address	ID/FEI	Business Operations
Anhui Miao De Tang Pharmaceutical Co., Ltd.		405744102	manufacture(81484-501)

Revised: 11/2023

Anhui Miao De Tang Pharmaceutical Co., Ltd.