

**HEB SPF 50 REFINE 50 SUNSCREEN WITH NIACINAMIDE AND COLLAGEN  
CONTINUOUS SUNSCREEN- avobenzene, homosalate, octisalate,  
octocrylene spray  
H.E.B**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**HEB SPF 50 Refine 50 Sunscreen with Niacinamide and Collagen Continuous Sunscreen Spray**

***Active Ingredients***

Avobenzene 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see **▯Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F.

**Stop use and ask a doctor if**

- rash occurs.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### ***Directions***

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
  - children under 6 months of age: Ask a doctor
  - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats, and sunglasses

### ***Other Information***

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### ***Inactive Ingredients***

SD ALCOHOL 40-B, BUTYLOCTYL SALICYLATE, FRAGRANCE, ACRYLATES/OCTYLACRYLAMIDE COPOLYMER, ALOE BARBADENSIS LEAF JUICE, BUTYLENE GLYCOL, SACCHAROMYCES/ PODOPHYLLUM PELTATUM FERMENT FILTRATE, DAUCUS CAROTA SATIVA (CARROT) ROOT EXTRACT, PANTHENOL, PERSEA GRATISSIMA (AVOCADO) OIL, VITIS VINIFERA (GRAPE) SEED OIL, SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL, COCOS NUCIFERA (COCONUT) OIL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, STEAROXYTRIMETHYLSILANE, TOCOPHEROL, HYDROLYZED COLLAGEN, NIACINAMIDE.

### **Label**

Water Resistant (80 minutes)  
 Paraben Free\*, PABA Free & Oxybenzone Free  
 Contains Vitamins E & B5  
 Hypoallergenic - Dermatologist Tested

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3% Homosalate 10% Octisalate 5% Octocrylene 4%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>Flammable:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces.	
<b>Inactive ingredients</b> SD alcohol 40-8, butylacrylate/sulfonate, acrylates/octylacrylamide copolymer, fragrance, hydrolyzed collagen, niacinamide, aloe barbadensis leaf juice, butylene glycol, saccharomyces/podophyllum peltatum ferment filtrate, oenococcus oeni (carrot) extract, water, panthenol, persea gratissima (avocado) oil, vitis vinifera (grape) seed oil, simmondsia chinensis (jojoba) seed oil, cocos nucifera (coconut) oil, caprylic/capric triglyceride, glycerin, stearoxydimethylsiloxane, xanthan.	
<b>Questions or Comments?</b> Call toll free 1-800-527-7731	

\*NO PARABENS SEPARATELY ADDED TO PRESERVE THIS PRODUCT

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TEXAS 78204



REFINE

50

Sunscreen with Niacinamide & Collagen

Niacinamide & Collagen help to improve skin appearance

BROAD SPECTRUM SPF 50



SUNSCREEN  
NET WT. 5.5 OZ (156 g)

## HEB SPF 50 REFINE 50 SUNSCREEN WITH NIACINAMIDE AND COLLAGEN CONTINUOUS SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-142
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BOVINE TYPE I COLLAGEN</b> (UNII: FHJ3ATL51C)	
<b>PODOPHYLLUM</b> (UNII: 2S713A4VP3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CARROT</b> (UNII: L56Z1JK48B)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)	
<b>COCONUT OIL</b> (UNII: Q9L0O73W7L)	
<b>AVOCADO OIL</b> (UNII: 6VNO72PFC1)	
<b>STEAROXYTRIMETHYLSILANE</b> (UNII: 9862TW94B2)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-142-37	156 g in 1 CAN; Type 0: Not a Combination Product	01/27/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	01/27/2022	

**Labeler** - H.E.B (007924756)