# HEB SPF 50 HYDRATE 50 SUNSCREEN WITH HYALURONIC ACID AND COLLAGEN CONTINUOUS SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene spray H.E.B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# HEB SPF 50 Hydrate 50 Sunscreen with Hyaluronic Acid and Collagen Continuous Sunscreen Spray

#### **Active Ingredients**

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%

#### **Purpose**

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protetion measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

## Warnings

## For external use only

#### FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term stoage above 104°F (40°C)

#### Do not use

on damaged or broken skin.

#### When using this product

• keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

## Stop use and ask a doctor if

rash occurs.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wearl long-sleeved shirts, pants, hats, and sunglasses

#### Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

## **□**Inactive Ingredients

SD ALCOHOL 40-B, BUTYLOCTYL SALICYLATE, FRAGRANCE, ACRYLATES/OCTYLACRYLAMIDE COPOLYMER, ALOE BARBADENSIS LEAF JUICE, BUTYLENE GLYCOL, SACCHAROMYCES/ PODOPHYLLUM PELTATUM FERMENT FILTRATE, DAUCUS CAROTA SATIVA (CARROT) ROOT EXTRACT, PANTHENOL, PERSEA GRATISSIMA (AVOCADO) OIL, VITIS VINIFERA (GRAPE) SEED OIL, SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL, COCOS NUCIFERA (COCONUT) OIL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, STEAROXYTRIMETHYLSILANE, TOCOPHEROL, HYDROLYZED COLLAGEN, HYDROLYZED HYALURONIC ACID.

#### Label

Water Resistant (80 minutes) Paraben Free<sup>†</sup>, PABA Free & Oxybenzone Free Contains Vitamins E & B5 Hypoallergenic · Dermatologist Tested \*SEE DRUG FACTS FOR MORE INFORMATION

Drug Facts Active ingredients Purpose Avobenzone 3% Homosalate 10% Sunscreen Octisalate 5% Octoorylene 4%

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings For external use only

#### Flammable:

do not use near heat, flame or while smoking
 avoid long term storage above 104°F (40°C)

Do not use + on damaged or broken skin

When using this product \* keep out of eyes. Rinse with water to remove. \* Keep sway from face to avoid breathing it, \* do not puncture or inchereate. Contents under pressure. \* do not store at temperatures above 120° F.

Stop use and ask a doctor if + rash occurs.

Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the minutes before sun exposure + Hole can 4-6 inches away from the skin to apply + Do not spray directly into face. Spray into hands then apply to face + Do not apply in windy conditions + Use in a well-ventilated area - reapply; + after 80 minutes of swimming or sweating + immediately after towel drying + at least every 2 hours + children under 6 months of age. Ask a doctor + Sun Protection Messures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. + wear long-sleeved shirts, pants, hats, and sunclasses hats, and sunglasses

#### Other information

· protect the product in this container from excessive heat and direct su may stain or damage some fabrics, materials or surfaces

Inactive ingredients
So abolid 40-0, butyloogi saleylate, scrylatestocytacrylamide copolymor, fragranse, hydrolated hydrotrons card hydrolytest colleger, sice barbatensis leaf juice, butylane glood, secharomose podagnifikm, paletami framen, filtrate, deuous carota sativa (carot) extract, water, penthenol, persea gratisalma (saxcardy ol, vita vinitiera (grape) seet ol, simmordisia chinensis (ligidas) seed ol, copos nucleras (coponal) ol, carpylicitagris: triglyceride, glicerin, steprosylainestylaitine, tocopherid.

Questions or Comments? Call to free 1-800-527-7731

'NO PARABENS SEPARATELY ADDED TO PRESERVE THIS PRODUCT

SAN ANTONIO, TEXAS 78204

METAL

MADE WITH PRIDE AND CARE FOR H-E-B®







Sunscreen with Hyaluronic Acid & Collagen

Hyaluronic Acid helps skin retain moisture

Helps prevent early-skin aging\*

**BROAD SPECTRUM SPF 50** 



SUNSCREEN NET WT. 5.5 OZ (156 g)

## HEB SPF 50 HYDRATE 50 SUNSCREEN WITH HYALURONIC ACID AND COLLAGEN CONTINUOUS SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene spray

#### **Product Information**

HUMAN OTC DRUG **Product Type** Item Code (Source) NDC:37808-143

**Route of Administration TOPICAL** 

#### **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
BOVINE TYPE I COLLAGEN (UNII: FHJ3ATL51C)	
PODOPHYLLUM (UNII: 2S713A4VP3)	
WATER (UNII: 059QF0KO0R)	
CARROT (UNII: L56Z1JK48B)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PANTHENOL (UNII: W/9CM0067Z)	
JOJOBA OIL (UNII: 724GKU717M)	
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
GLYCERIN (UNII: PDC6A3C0OX)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GRAPE SEED OIL (UNII: 930MLC8XGG)	
COCONUT OIL (UNII: Q9L0O73W7L)	
AVOCADO OIL (UNII: 6VNO72PFC1)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37808-143- 37	156 g in 1 CAN; Type 0: Not a Combination Product	01/27/2022		

Marketing In	larketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	M020	01/27/2022			

## **Labeler -** H.E.B (007924756)

Revised: 3/2023 H.E.B