

MAGNESIUM OXIDE- magnesium oxide tablet
Wittman Pharma, Inc.

Mag Oxide

Tablet taken Orally

Do not take more than 2 tablets in a 24 hour period

Ask a doctor before use if:

- * you have kidney disease
- * you are taking a prescription drug (antacids may interact with certain prescription drugs)
- * you are pregnant or breast feeding

Microcrystalline Cellulose,

Sodium Starch Glycolate,

Stearic Acid

relieves acid indigestion and upset stomach

Keep out of reach of children

Antacid

Active Ingredient (in each tablet)

Magnesium Oxide 400 mg (241.3 mg Elemental Magnesium)

Drug Facts

ACTIVE INGREDIENT (In each tablet)

Magnesium Oxide 400mg (241.3mg elemental magnesium)

Purpose

Antacid

USES

relieves - acid indigestion - upset stomach

WARNINGS

Ask a doctor before use if:

You have kidney disease

You are taking a prescription drug (antacids may interact with certain prescription drugs).

You are pregnant or breast feeding.

Do not take more than 2 tablets in a 24 hour period.

May have a laxative effect.

Keep out of reach of children.

DIRECTIONS

take one or two antacid tablets daily. Do not exceed two tablets unless directed by a physician.

OTHER INFORMATION

Magnesium content per tablet: 241.3mg

store at room temperature 59° - 86° F (15° - 30°C)

INACTIVE INGREDIENTS


microcrystalline cellulose, sodium starch, glycolate, stearic acid

Questions?

1-352-549-9917 M-F 9am - 5pm EST


NDC 83335-001-12

MADE IN USA




Magnesium Oxide 400 mg

241.3mg Elemental Magnesium Per Tablet
Antacid
Sugar and Gluten Free
120 Tablets



TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts
Active Ingredient (in each tablet) Magnesium Oxide 400 mg (241.3mg Elemental Magnesium) Antacid
Purpose Antacid
Use relieves: ■ acid indigestion ■ upset stomach
Warnings Ask a doctor before use if <ul style="list-style-type: none">■ you have kidney disease■ you are taking a prescription drug (antacids may interact with certain prescription drugs)■ you are pregnant or breast feeding. Do not take more than 2 tablets in a 24 hour period. <ul style="list-style-type: none">■ May have a laxative effect. Keep out of reach of children.
Directions <ul style="list-style-type: none">■ take 1 or 2 antacid tablets daily. Do not exceed 2 tablets unless directed by a physician.
Other information <ul style="list-style-type: none">■ Magnesium content per tablet: 241.3mg■ Store at controlled room temperature 59° - 86°F (15° - 30°C).
Inactive ingredients Microcrystalline Cellulose, Sodium Starch Glycolate, Stearic Acid.
Questions? Call 1-352-549-9917 M-F 9am - 5pm EST
Manufactured for: Wittman Pharma, Inc. Brooksville, FL 34604 Rev. 03/2024



3 83335 00112 7

NO VARNISH

MAGNESIUM OXIDE

magnesium oxide tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83335-001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM OXIDE (UNII: 3A3U0G171G) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CATION	241.3 mg in 1000 mg

Inactive Ingredients

Ingredient Name	Strength
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

Product Characteristics

Color	white (White to Off-White)	Score	score with uneven pieces
Shape	ROUND (Tablet)	Size	4mm
Flavor		Imprint Code	MG
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83335-001-12	120 mg in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/16/2023	



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	03/16/2023	

Labeler - Wittman Pharma, Inc. (830980947)

Registrant - Wittman Pharma, Inc. (830980947)

Establishment

Name	Address	ID/FEI	Business Operations
Wittman Pharma, Inc.		830980947	manufacture(83335-001) , analysis(83335-001) , label(83335-001)

Revised: 4/2024

Wittman Pharma, Inc.