

**BULL FROG SPF 50 QUIK WITH WATER ARMOR TECH- avobenzone, homosalate, octisalate, octocrylene aerosol, spray  
BULLFROG BRANDS, LLC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Bull Frog SPF 50 Quik Spray with Water Armor Tech**

**Active ingredients**

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 5.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

**Stop use and ask doctor if**

- rash occurs.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4 to 6 inches away from skin to apply
- Do not spray directly into face. Spray into hand then apply to face.
- Do not apply in windy conditions
- Use in a well-ventilated area

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

## **Other Information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

## **Inactive ingredients**

SD Alcohol 40-B, Isobutane, Neopentyl Glycol Diheptanoate, Polysilicone-31, Dimethicone, Acrylates/Octylacrylamide Copolymer, Ascorbyl Palmitate, Fragrance

## **Label**

ENGINEERED TO DEFEND YOUR SKIN SINCE 1985.

ENGINEERED TO DEFEND YOUR SKIN SINCE 1985.

At BullFrog® we believe that life is a participation sport best played in the great outdoors. That's why we make high-performance sunscreens that deliver clinically proven protection. Our innovative Water Armor TECH™ technology utilizes a hydrophobic polymer that delivers the longest-lasting water resistance available today. Perfect for all Water Sports. Engineered for Ultimate Performance & Protection.

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 5.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>Flammable:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> SD Alcohol 40-B, Isobutane, Neopentyl Glycol Diheptanoate, Polysiloxane-31, Dimethicone, Acrylates/Octylacrylamide Copolymer, Ascorbyl Palmate, Fragrance	
<b>Questions or comments?</b> www.bullfrogsunscreen.com or call toll-free 1(800) 990-FROG	



- Broad Spectrum SPF 50 Sunscreen with UVA/UVB Protection
- Water Resistant (80 minutes)
- Sweat Resistant (80 Minutes)

**Dries Instantly**



Distributed by: Bullfrog Brands, LLC  
PO Box 600207, Dallas, TX 75360 USA  
(800) 990-FROG

DOT 2Q M5749 DSC

Net Wt 6 OZ (170 g)

**BULL FROG SPF 50 QUIK WITH WATER ARMOR TECH**

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:77714-006
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77714-006-25	170 g in 1 CAN; Type 0: Not a Combination Product	03/01/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	03/01/2022	

**Labeler** - BULLFROG BRANDS, LLC. (117426500)

Revised: 3/2023

BULLFROG BRANDS, LLC.