

**CHILDRENS ALLERGY- fexofenadine hcl suspension
Family Dollar (FAMILY WELLNESS)**

DRUG FACTS

Active ingredient (in each 5 mL)

Fexofenadine HCl, USP 30 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

Direction

- shake well before using
- use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters

Other information

- **each 5 mL contains:** sodium 18 mg
- store between 20° to 25°C (68° and 77°F)
- before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredients

artificial raspberry flavor, butylparaben, edetate disodium, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic, sodium phosphate monobasic, sucrose, titanium dioxide, xanthan gum, xylitol

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S ALLEGRA® ALLERGY*

Children's

ALLERGY

AGES 2 YEARS & UP

FEXOFENADINE HCl

ORAL SUSPENSION 30 mg/5mL

Antihistamine

Indoor/Outdoor allergy relief

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy nose or throat

12 HOUR

Non-drowsy

Alcohol-free

DYE-FREE

BERRY FLAVOR

FL OZ (mL)

Use only with enclosed dosing cup. Wash and let air dry after each use

*This product is not manufactured or distributed by Chattem Inc., distributor of Children's Allegra® Allergy.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF CARTON, UNPRINTED FOIL INNER SEAL OR NECKBAND PRINTED WITH "SEAL FOR YOUR PROTECTION" IS OPENED, TORN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY

MIDWOOD BRANDS, LLC

500 VOLVO PARKWAY,

CHESAPEAKE, VA 23320

Product Label

Drug Facts (continued)

Other information

- each 5 mL contains: sodium 18 mg
- store between 20° to 25°C (68° to 77°F)
- before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredients artificial raspberry flavor, butylparaben, edetate disodium, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic, sodium phosphate monobasic, sucrose, titanium dioxide, xanthan gum, xylitol

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Chatterm, Inc., distributor of Children's Allegra® Allergy.


TAMPER EVIDENT: DO NOT USE IF CARTON, UNPRINTED FOIL INNER SEAL, OR NECKBAND PRINTED WITH "SEALED FOR YOUR PROTECTION" IS OPENED, TORN OR MISSING.


KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY: MIDWOOD BRANDS, LLC
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA
PRODUCT OF INDIA

NOT 100% SATISFIED?
Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

PLD-A612B F008655 VC7722
SKU 997732







COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S ALLEGRA® ALLERGY*

children's ALLERGY AGES 2 YEARS & UP

FEXOFENADINE HCl ORAL SUSPENSION
30 mg/5 mL
Antihistamine

Indoor/Outdoor allergy relief

- Sneezing
- Itchy, watery eyes
- Runny nose
- Itchy nose or throat


Non-drowsy

Alcohol-free

Use only with enclosed dosing cup. Wash and let air dry after each use.

DYE-FREE BERRY FLAVOR

4 FL OZ (118 mL) NDC 55319-923-04





COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S ALLEGRA® ALLERGY*

children's ALLERGY AGES 2 YEARS & UP

FEXOFENADINE HCl ORAL SUSPENSION
30 mg/5 mL
Antihistamine

Indoor/Outdoor allergy relief

- Sneezing
- Itchy, watery eyes
- Runny nose
- Itchy nose or throat

Non-drowsy

Alcohol-free

Use only with enclosed dosing cup. Wash and let air dry after each use.

DYE-FREE BERRY FLAVOR

4 FL OZ (118 mL) NDC 55319-923-04

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Fexofenadine HCl, USP 30 mg	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before using
- use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters

FAMILY WELLNESS Children's Allergy Berry Flavor

CHILDRENS ALLERGY

fexofenadine hcl suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-923
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	30 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
SUCROSE (UNII: C151H8M554)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
XANTHAN GUM (UNII: TTV12P4NEE)	
XYLITOL (UNII: VCQ006KQ1E)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-923-04	1 in 1 BOX	07/01/2023	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA203330	07/01/2023	

Labeler - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 8/2023

Family Dollar (FAMILY WELLNESS)