

**MEDICS CHOICE EYE DROPS MAXIMUM REDNESS RELIEF- glycerin, naphazoline hydrochloride solution**  
**K.C. Pharmaceuticals, Inc.**

-----  
**Medic's Choice Eye Drops Maximum Redness Relief 15 mL**

***Active ingredients***

Glycerin.....0.5%

Naphazoline hydrochloride....0.03%

***Purpose***

Glycerin.....Lubricant

Naphazoline hydrochloride.....Redness reliever

***Uses***

- For the relief of redness of the eye due to minor eye irritations
- For the temporary relief of burning and irritation due to dryness of the eye
- For use as a protectant against further irritation or dryness of the eye

***Warnings***

**For external use only**

**Do not use** if solution changes color or becomes cloudy

**Ask a doctor before use if you have** narrow angle glaucoma

**When using this product**

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

**Stop use and ask a doctor if**

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

Inatill 1 or 2 drops in the affected eye(s) up to 4 times daily.

***Other information***

- store at room temperature
- remove contact lenses before using

***Inactive ingredients***

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

**Drug Facts**  
**Active ingredients**  
 Glycerin 0.5%.....Lubricant  
 Naphazoline hydrochloride 0.03%.....Redness reliever

**Purposes**  
 Lubricant  
 Redness reliever

**Uses**  
 ■ for the relief of redness of the eye due to minor eye irritations  
 ■ for the temporary relief of burning and irritation due to dryness of the eye  
 ■ for use as a protectant against further irritation or dryness of the eye

**Warnings**  
 For external use only  
 Do not use if solution changes color or becomes cloudy  
 Ask a doctor before use if you have narrow angle glaucoma  
 When using this product  
 ■ to avoid contamination, do not touch tip of container to any surface  
 ■ replace cap after using  
 ■ overuse may produce increased redness of the eye  
 ■ pupils may become enlarged temporarily  
 Stop use and ask a doctor if  
 ■ you experience eye pain  
 ■ you experience changes in vision  
 ■ you experience continued redness or irritation of the eye  
 ■ the condition worsens or persists for more than 72 hours  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Drug Facts (continued)**  
**Directions**  
 instill 1 to 2 drops in the affected eye(s) up to 4 times daily.

**Other information**  
 ■ store at room temperature  
 ■ remove contact lenses before using

**Inactive ingredients**  
 benzalkonium chloride,  
 boric acid, edetate disodium,  
 purified water, sodium borate

\*This product is not manufactured or distributed by Prestige Brands, Inc. owner of the registered trademark Clear Eyes® Maximum Redness Relief.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Compare to the active ingredients in Clear Eyes® Maximum Redness Relief\*

KC Pharmaceuticals, Inc.  
 Pomona, CA 91768  
 Questions? Call 1-888-527-4276

Medic's Choice  
**EYE DROPS**  
**MAXIMUM REDNESS RELIEF**  
 Lubricant Redness Reliever  
 Relieves  
 • Dryness  
 • Burning  
 • Irritations  
 Sterile  
 0.5 fl. oz. (15 mL)

LOT  
 EXP

0 95072 21001 3

## MEDICS CHOICE EYE DROPS MAXIMUM REDNESS RELIEF

glycerin, naphazoline hydrochloride solution

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:55651-059 |
| <b>Route of Administration</b> | OPHTHALMIC     |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength            | Strength            |
|---|------------------------------|---------------------|
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)                     | GLYCERIN                     | 0.5 g<br>in 100 mL  |
| <b>NAPHAZOLINE HYDROCHLORIDE</b> (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV) | NAPHAZOLINE<br>HYDROCHLORIDE | 0.03 g<br>in 100 mL |

### Inactive Ingredients

| Ingredient Name                                 | Strength |
|---|----------|
| <b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                 |          |
| <b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)         |          |
| <b>BORIC ACID</b> (UNII: R57ZHV85D4)            |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)      |          |

### Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:55651-059-01 | 1 in 1 CARTON   | 03/27/2023           |                    |
| 1 |                  | 15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M018                                     | 03/27/2023           |                    |

**Labeler** - K.C. Pharmaceuticals, Inc. (174450460)

### Establishment

| Name                       | Address | ID/FEI    | Business Operations   |
|----------------------------|---------|-----------|---|
| K.C. Pharmaceuticals, Inc. |         | 174450460 | manufacture(55651-059) , pack(55651-059) , label(55651-059) |

Revised: 12/2023

K.C. Pharmaceuticals, Inc.