## GOOD SENSE PAIN AND FEVER- acetaminophen suspension L. Perrigo Company

-----

#### Perrigo Pain & Fever Drug Facts

#### Active ingredient (in each 5 mL)

Acetaminophen 160 mg

#### **Purpose**

Pain reliever/fever reducer

#### Uses

temporarily:

- reduces fever
- relieves minor aches and pains due to:
- the common cold
- flu
- headache
- sore throat
- toothache

#### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child has ever had an allergic reaction to this product or any of its ingredients

#### Ask a doctor before use if your child has

liver disease

#### Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin

#### When using this product

do not exceed recommended dose (see overdose warning)

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

#### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical even if you do not notice any signs or symptoms.

#### **Directions**

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- shake well before using
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL
60-71	9-10 years	12.5 mL

ı	-	İ
72-95	11 years	15 mL

<sup>\*</sup>or as directed by a doctor

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

#### Other Information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not use if printed neckband is broken or missing

#### **Inactive ingredients**

anhydrous citric acid, calcium sulfate, carrageenan, flavor, glycerin, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, tribasic sodium phosphate

#### Questions or comments?

1-800-719-9260

#### Package/Label Principal Display Panel

GOODSENSE<sub>®</sub>

Ages 2 - 11 Years

Children's Pain & Fever

Pain Reliever/Fever Reducer

Acetaminophen 160 mg per 5 mL

Oral Suspension

Fast, effective relief of children's pain and fever

Dye Free

Alcohol Free

**Aspirin Free** 

Ibuprofen Free

Paraben Free

Cherry Flavor

Compare to active ingredient of Children's Tylenol® Oral Suspension

4 FL OZ (118 mL)



#### **GOOD SENSE PAIN AND FEVER**

acetaminophen suspension

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:0113-8959 Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	160 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
CALCIUM SULFATE, UNSPECIFIED FORM (UNII: WATODDB505)		
CARRAGEENAN (UNII: 5C69YCD2YJ)		
GLYCERIN (UNII: PDC6A3C0OX)		
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL SOLUTION (UNII: 8KW3E207O2)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
SODIUM PHOSPHATE, TRIBASIC (UNII: A752Q30A6X)		

Product Characteristics			
Color	WHITE (opaque, viscous)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0113-8959- 26	1 in 1 CARTON	03/22/2012		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/22/2012	

### Labeler - L. Perrigo Company (006013346)

Revised: 6/2024 L. Perrigo Company