

**KROGER BABY SUNSCREEN SPF 50- avobenzone, homosalate ,octisalate, octocrylene spray**  
**THE KROGER COMPANY**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Kroger Baby Sunscreen Spray SPF 50**

***Active Ingredients***

Avobenzone 3.0%  
Homosalate 13.0%  
Octisalate 5.0%  
Octocrylene 2.0%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only**

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.
- Keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

**Stop use and ask a doctor if**

rash occurs.

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
  - children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

**Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive Ingredients**

water, butyloctyl salicylate, sorbitol, VP/eicosene copolymer, stearic acid, aloe barbadensis leaf juice, panthenol, tocopherol, sorbitan isostearate, dimethicone, polyglyceryl-3 distearate, disodium EDTA, acrylates/C10-30 alkyl acrylate crosspolymer,

styrene/acrylates copolymer, triethanolamine, benzyl alcohol, phenoxyethanol, capryloyl glycine, undecylenoyl glycine

**Label**

compare to COPPERTONE®  
WATER BABIES® \*see back panel



# baby

## SUNSCREEN SPRAY

**BROAD SPECTRUM SPF 50**

UVA/UVB protection  
hypoallergenic  
Water Resistant (80 minutes)  
pediatrician tested  
octinoxate, oxybenzone &  
paraben free\*\*

**TEAR FREE**



**SPF**  
**50**



NET WT 6.3 OZ (178.6 g)

**Kroger Baby Continuous Spray Sunscreen SPF 50**  
provides broad spectrum protection from the sun's harmful UVA/UVB rays. This mild formula is hypoallergenic and won't irritate baby's delicate skin.

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3.0% Homosalate 13.0% Octisalate 5.0% Octocrylene 2.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only <b>Do not use</b> • on damaged or broken skin. <b>When using this product</b> • Keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F. <b>Stop use and ask a doctor if</b> • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age: Ask a doctor <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b> • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces	
<b>Inactive ingredients</b> water, butyloctyl salicylate, sorbitol, VP/eicosene copolymer, stearic acid, aloe barbadensis leaf juice, panthenol, tocopherol, sorbitan isostearate, dimethicone, polyglyceryl-3 distearate, disodium EDTA, acrylates/C10-30 alkyl acrylate crosspolymer, styrene/acrylates copolymer, triethanolamine, benzyl alcohol, phenoxyethanol, capryloyl glycine, undecylenoyl glycine	
<b>Questions or comments?</b> 1-800-632-6900	



0 41260 00781 1

**DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202**

\*COPPERTONE® AND COPPERTONE WATER BABIES® ARE REGISTERED TRADEMARKS OF MSD CONSUMER CARE, INC., MEMPHIS, TN 38151. MSD CONSUMER CARE, INC. IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.

†FORMULA IS COMPLIANT WITH HI SB2571.

\*\*NO PARABENS SEPARATELY ADDED TO PRESERVE THIS PRODUCT.

**QUALITY GUARANTEE**  
800-632-6900  
www.kroger.com



**PLEASE RECYCLE**



**KROGER BABY SUNSCREEN SPF 50**

avobenzone, homosalate ,octisalate, octocrylene spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-237
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	130 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	20 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>POLYGLYCERYL-3 DISTEARATE</b> (UNII: Z11LK470XV)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 71DD5V995L)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (50000 MW)</b> (UNII: 5Z4DPO246A)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CAPRYLOYL GLYCINE</b> (UNII: 8TY5YO42NJ)	
<b>UNDECYLENOYL GLYCINE</b> (UNII: 4D20464K2J)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:30142-237-50	178 g in 1 CAN; Type 0: Not a Combination Product	11/25/2019	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	M020	11/25/2019	

**Labeler** - THE KROGER COMPANY (006999528)