

## **FIRST AID ANTISPETIC- benzalkonium chloride spray**

### **Unishield**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Unishield**

### **First Aid Antiseptic spray**

#### ***Active ingredient***

Benzalkonium chloride 0.13%

#### ***Purpose***

First aid antiseptic

#### ***Uses***

first aid to help prevent infection in minor cuts, scrapes and burns

#### ***Warnings***

**For external use only**

**Flammable keep away from fire or flame**

#### **Do not use**

- near eyes or mucous membranes
- on deep or puncture wounds , animal bites, or serious burns
- over large areas of the body
- more than one week unless directed by a doctor

#### **Stop use and ask a doctor**

if condition persists or gets worse

#### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### ***Directions***

- clean affected area & spray 1 to 3 times daily
- may be covered with a sterile bandage

- not to be used on children under 12 of years of age

**Inactive ingredients**

ethyl alcohol, purified water

**Questions or comments** □

1-800-480-5855

**Package Label - Principal Display Panel**

**UniShield**  
**FIRST AID ANTISEPTIC SPRAY**

**TREATS:**

- Minor Cuts
- Scrapes
- Scratches

**HELPS:**

- Prevent Infection
- Relieve Pain

NET CONTENTS 2 FL. OZ. (59.1ML)  
 Distributed by: UniShield, San Fernando, CA 91340  
 Made in China

**Drug Facts**

Active ingredient	Purpose
Benzalkonium Chloride 0.13% .....	First aid antiseptic

**Uses** First aid to help prevent infection in minor cuts, scrapes & burns

**Warnings**  
 For external use only.  
**Flammable keep away from fire or flame**

**Do not use** ■ near eyes or mucous membranes ■ on deep or puncture wounds, animal bites, or serious burns ■ over large areas of the body ■ more than one week unless directed by a doctor

**Stop use and ask a doctor** if condition persists or gets worse  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ clean affected area & spray 1 to 3 times daily ■ may be covered with a sterile bandage ■ not to be used on children under 12 years of age

**Inactive ingredients** ethyl alcohol, purified water

**Questions or comments?** 1-800-480-5855

**FIRST AID ANTISPETIC**

benzalkonium chloride spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49314-0001
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49314-0001-1	59.1 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/20/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/20/2023	

**Labeler** - Unishield (790677053)

Revised: 3/2023

Unishield