

NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - CREAM- titanium dioxide lotion

NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - MEDIUM OCHRE- titanium dioxide lotion

NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - BEIGE- titanium dioxide lotion

NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - MEDIUM BEIGE- titanium dioxide lotion

NSE Products, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nu Colour® Bioadaptive BB+ Foundation

Drug Facts

Active Ingredient

Titanium Dioxide 13%

Purpose

Sunscreen

Use

- Helps prevent sunburn.
- Higher SPF gives more sun protection.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
- Smooth over face and neck, blending well. Seal with powder if desired.

Warnings

- **For external use only.**
- Do not use on damaged or broken skin.
- Stop use and ask a doctor if a rash occurs.
- When using this product, keep out of eyes.
- Rinse with water to remove.
- **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information

- Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloctyl Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isostearate, Magnesium Stearate, Distearidimonium Hectorite, Magnesium Sulfate, Phenoxyethanol, Tribehenin, Sorbitan Sesquioleate, Ethylhexyl Palmitate, Triethoxycaprylylsilane, Stearic Acid, Hydrogenated Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorophlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Glucomannan, Propanediol, 1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions?

1-888-742-7626

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Cream

NU COLOUR®

NU

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

Broad Spectrum
SPF 35

30 mL e 1 Fl Oz

Glue Seam

Drug Facts (continued)

6 months of age. Ask a doctor ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information: ■ Protect this product from excessive heat and direct sun. ▶

Drug Facts (continued)

Inactive Ingredients: Water (Aqua), Phenyl Trimethicone, Dimethicone, Dimethicone, Butylene Glycol Diacrylate/Octapate, Butylene Glycol, Acrylates Copolymer, Butyloxy Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentaerythritol Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyhexyl-4-Isostearate, Magnesium Stearate, Disoleardimontun, Hadronite, Magnesium Sulfate, Phenoxethanol, Triphenyl Selenolene, Ethylhexyl Palmitate, Tetrahydrocyclopentadiene, Stearic Acid, Hydroxyethyl Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Gluconolactone, Propylene Glycol.

Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions? 1-888-742-7626



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS
MED. IN THE U.S.A. EXCLUSIVELY FOR NSE PRODUCTS, INC.
©2021 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM



Please recycle — check your local capabilities.
94513958/1

30 mL e 1 Fl Oz



Broad Spectrum
SPF 35

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

NU

NU COLOUR®

Top

Drug Facts

Active Ingredient


Titanium Dioxide 13%..... Sunscreen

Use: ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired. ▶

Drug Facts (continued)

Warnings: ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally 15 minutes before sun exposure. ■ Children under



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Medium Ochre

NU COLOUR®

NU

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

Broad Spectrum
SPF 35

30 mL e 1 Fl Oz

Glue Seam

Drug Facts (continued)

6 months of age. Ask a doctor ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures, including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information: ■ Protect this product from excessive heat and direct sun. ▶

Drug Facts (continued)

Inactive Ingredients: Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloctyl Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentaerythritol Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyhexyl-4-Isostearate, Magnesium Stearate, Disteardmontan, Hedotria, Magnesium Sulfate, Phenoxethylalcohol, Sorbitan Sesquioleate, Ethylhexyl Palmitate, Tetrahydrocapylylsilane, Stearic Acid, Hydroxyethyl Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Gluconolactone, P-ropyleneol, ▶

Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499). ▶

Questions? 1-888-742-7626



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS
 MFD. IN THE U.S.A. EXCLUSIVELY FOR NSE PRODUCTS, INC.
 ©2021 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM



Please recycle — check your local capabilities.
 94513958/1

30 mL e 1 Fl Oz

Broad Spectrum
 SPF 35

BIOADAPTIVE BB+
 SKIN LOVING
 FOUNDATION

NU

NU COLOUR®

Top

Drug Facts

Active Ingredient


Titanium Dioxide 13%..... Sunscreen

Use: ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired. ▶

Drug Facts (continued)

Warnings: ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▶

Directions: ■ Apply liberally 15 minutes before sun exposure. ■ Children under



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Beige

NU COLOUR®

NU

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

Broad Spectrum
SPF 35

30 mL e 1 Fl Oz

Glue Seam

Drug Facts (continued)

6 months of age. Ask a doctor ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information: ■ Protect this product from excessive heat and direct sun. ▶

Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499). ▶

Questions? 1-888-742-7626



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS
MED. IN THE U.S.A. EXCLUSIVELY FOR NSE PRODUCTS, INC.
©2021 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM

30 mL e 1 Fl Oz



Please recycle — check your local capabilities.
94513958/1

Drug Facts (continued)

Inactive Ingredients: Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloxy Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentaerythritol Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyhexyl-4-Isostearate, Magnesium Stearate, Disoleardimontun, Hadronite, Magnesium Sulfate, Phenoxethanol, Tribehenin, Sorbitan Sesquisebacate, Ethylhexyl Palmitate, Tetrahydrocapyllisilane, Stearic Acid, Hydroxyethyl Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Gluconolactone, Propylene Glycol. ▶


Top

NU COLOUR®

NU

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

Broad Spectrum
SPF 35



Drug Facts

Active Ingredient


Titanium Dioxide 13%..... Sunscreen ▶

Use: ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired. ▶

Drug Facts (continued)

Warnings: ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▶

Directions: ■ Apply liberally 15 minutes before sun exposure. ■ Children under



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Medium Beige

NU COLOUR®

NU

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

Broad Spectrum
SPF 35

30 mL e 1 Fl Oz

Glue Seam

Drug Facts (continued)

6 months of age. Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information: ■ Protect this product from excessive heat and direct sun. ▶

Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499). ▶

Questions? 1-888-742-7626



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS
MED. IN THE U.S.A. EXCLUSIVELY FOR NSE PRODUCTS, INC.
©2021 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM

30 mL e 1 Fl Oz



Please recycle — check your local capabilities.
94513958/1

Drug Facts (continued)

Inactive Ingredients: Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloxy Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentaerythritol Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyphosphoryl-4-Isostearate, Magnesium Stearate, Disoleardimontun, Hadronite, Magnesium Sulfate, Phenoxethanol, Tribehenin, Sorbitan Sesquidecylate, Ethylhexyl Palmitate, Tetrahydrocapyllisilare, Stearic Acid, Hydroxyethyl Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Gluconamine, Propargolol. ▶

Top

NU COLOUR®

NU

BIOADAPTIVE BB+
SKIN LOVING
FOUNDATION

Broad Spectrum
SPF 35



Drug Facts

Active Ingredient


Titanium Dioxide 13%..... Sunscreen

Use: ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired. ▶

Drug Facts (continued)

Warnings: ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply liberally 15 minutes before sun exposure. ■ Children under ▶



NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - CREAM

titanium dioxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62839-3958 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 130 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| Water (UNII: 059QF0KO0R) | |
| Phenyl Trimethicone (UNII: DR0K5NOJ4R) | |
| Dimethicone (UNII: 92RU3N3Y1O) | |
| Butylene Glycol Dicaprylate/Dicaprate (UNII: 75D21FL1PI) | |
| Butylene Glycol (UNII: 3XUS85K0RA) | |
| Mica (UNII: V8A1AW0880) | |
| Butyloctyl Salicylate (UNII: 2EH13UN8D3) | |
| Squalane (UNII: GW89575KF9) | |
| Pentylene Glycol (UNII: 50C1307PZG) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| Hexyl Laurate (UNII: 4CG9F9W01Q) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| Polyglyceryl-4 Isostearate (UNII: 820DPX33S7) | |
| Magnesium Stearate (UNII: 70097M6I30) | |
| Disteardimonium Hectorite (UNII: X687XDK09L) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| Phenoxyethanol (UNII: HIE492ZZ3T) | |
| Sorbitan Sesquioleate (UNII: 0W8RRI5W5A) | |

| |
|--|
| Tribehenin (UNII: 8OC9U7TQZ0) |
| Ethylhexyl Palmitate (UNII: 2865993309) |
| Stearic Acid (UNII: 4ELV7Z65AP) |
| Hydrogenated Olive Oil Unsaponifiables (UNII: B8MIX97W95) |
| Triethoxycaprylylsilane (UNII: LDC331P08E) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q) |
| MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M) |
| Aluminum Hydroxide (UNII: 5QB0T2IUN0) |
| Ethylhexylglycerin (UNII: 147D247K3P) |
| ROSA X DAMASCENA FLOWERING TOP (UNII: 21W82Q764G) |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) |
| COCOA (UNII: D9108TZ9KG) |
| Trihydroxystearin (UNII: 06YD7896S3) |
| Propanediol (UNII: 5965N8W85T) |
| 1,2-Hexanediol (UNII: TR046Y3K1G) |
| STANNIC OXIDE (UNII: KM7N50LOS6) |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) |
| KONJAC MANNAN (UNII: 36W3E5TAMG) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62839-3958-1 | 1 in 1 CARTON | 02/03/2022 | |
| 1 | | 30 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 02/03/2022 | |

NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - MEDIUM OCHRE

titanium dioxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62839-3959 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 130 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| Water (UNII: 059QF0KO0R) | |
| Phenyl Trimethicone (UNII: DR0K5NOJ4R) | |
| Dimethicone (UNII: 92RU3N3Y1O) | |
| Butylene Glycol Dicaprylate/Dicaprate (UNII: 75D21FL1PI) | |
| Butylene Glycol (UNII: 3XUS85K0RA) | |
| Butyloctyl Salicylate (UNII: 2EH13UN8D3) | |
| Squalane (UNII: GW89575KF9) | |
| MICA (UNII: V8A1AW0880) | |
| Pentylene Glycol (UNII: 50C1307PZG) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| Hexyl Laurate (UNII: 4CG9F9W01Q) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| Polyglyceryl-4 Isostearate (UNII: 820DPX33S7) | |
| Magnesium Stearate (UNII: 70097M6I30) | |
| Disteardimonium Hectorite (UNII: X687XDK09L) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| Phenoxyethanol (UNII: HIE492ZZ3T) | |
| Sorbitan Sesquioleate (UNII: 0W8RRI5W5A) | |
| Tribehenin (UNII: 8OC9U7TQZ0) | |
| Ethylhexyl Palmitate (UNII: 2865993309) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| Stearic Acid (UNII: 4ELV7Z65AP) | |
| Triethoxycaprylylsilane (UNII: LDC331P08E) | |
| Hydrogenated Olive Oil Unsaponifiables (UNII: B8MIX97W95) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) | |
| METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q) | |
| MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M) | |
| Aluminum Hydroxide (UNII: 5QB0T2IUN0) | |
| Ethylhexylglycerin (UNII: 147D247K3P) | |
| ROSA X DAMASCENA FLOWERING TOP (UNII: 21W82Q764G) | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | |
| COCOA (UNII: D9108TZ9KG) | |
| Trihydroxystearin (UNII: 06YD7896S3) | |
| Propanediol (UNII: 5965N8W85T) | |
| 1,2-Hexanediol (UNII: TR046Y3K1G) | |
| STANNIC OXIDE (UNII: KM7N50LOS6) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| KONJAC MANNAN (UNII: 36W3E5TAMG) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62839-3959-1 | 1 in 1 CARTON | 02/03/2022 | |
| 1 | | 30 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 02/03/2022 | |

NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - BEIGE

titanium dioxide lotion

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62839-3360 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 130 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| Water (UNII: 059QF0KO0R) | |
| Phenyl Trimethicone (UNII: DR0K5NOJ4R) | |
| Dimethicone (UNII: 92RU3N3Y1O) | |
| Butylene Glycol Dicaprylate/Dicaprate (UNII: 75D21FL1PI) | |
| Butylene Glycol (UNII: 3XUS85K0RA) | |
| Butyloctyl Salicylate (UNII: 2EH13UN8D3) | |
| Squalane (UNII: GW89575KF9) | |
| MICA (UNII: V8A1AW0880) | |
| Pentylene Glycol (UNII: 50C1307PZG) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| Hexyl Laurate (UNII: 4CG9F9W01Q) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| Polyglyceryl-4 Isostearate (UNII: 820DPX33S7) | |
| Magnesium Stearate (UNII: 70097M6I30) | |
| Disteardimonium Hectorite (UNII: X687XDK09L) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| Phenoxyethanol (UNII: HIE492ZZ3T) | |
| Sorbitan Sesquioleate (UNII: 0W8RRI5W5A) | |
| Tribehenin (UNII: 8OC9U7TQZ0) | |

| |
|--|
| Ethylhexyl Palmitate (UNII: 2865993309) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| Stearic Acid (UNII: 4ELV7Z65AP) |
| Triethoxycaprylylsilane (UNII: LDC331P08E) |
| Hydrogenated Olive Oil Unsaponifiables (UNII: B8MIX97W95) |
| ALUMINUM OXIDE (UNII: LMI26O6933) |
| METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q) |
| MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M) |
| Aluminum Hydroxide (UNII: 5QB0T2IUN0) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| Ethylhexylglycerin (UNII: 147D247K3P) |
| ROSA X DAMASCENA FLOWERING TOP (UNII: 21W82Q764G) |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) |
| COCOA (UNII: D9108TZ9KG) |
| Trihydroxystearin (UNII: 06YD7896S3) |
| Propanediol (UNII: 5965N8W85T) |
| 1,2-Hexanediol (UNII: TR046Y3K1G) |
| STANNIC OXIDE (UNII: KM7N50LOS6) |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) |
| KONJAC MANNAN (UNII: 36W3E5TAMG) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62839-3360-1 | 1 in 1 CARTON | 02/03/2022 | |
| 1 | | 30 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 02/03/2022 | |

NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - MEDIUM BEIGE

titanium dioxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62839-3950 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-----------------|-------------------|----------|
|-----------------|-------------------|----------|

| | | |
|---|------------------|----------------|
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 130 mg in 1 mL |
|---|------------------|----------------|

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| Water (UNII: 059QF0KO0R) | |
| Phenyl Trimethicone (UNII: DR0K5NOJ4R) | |
| Dimethicone (UNII: 92RU3N3Y1O) | |
| Butylene Glycol Dicaprylate/Dicaprate (UNII: 75D21FL1PI) | |
| Butylene Glycol (UNII: 3XUS85K0RA) | |
| Butyloctyl Salicylate (UNII: 2EH13UN8D3) | |
| Squalane (UNII: GW89575KF9) | |
| MICA (UNII: V8A1AW0880) | |
| Pentylene Glycol (UNII: 50C1307PZG) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| Hexyl Laurate (UNII: 4CG9F9W01Q) | |
| Glycerin (UNII: PDC6A3C0OX) | |
| Polyglyceryl-4 Isostearate (UNII: 820DPX33S7) | |
| Magnesium Stearate (UNII: 70097M6I30) | |
| Disteardimonium Hectorite (UNII: X687XDK09L) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| Phenoxyethanol (UNII: HIE492ZZ3T) | |
| Sorbitan Sesquioleate (UNII: 0W8RRI5W5A) | |
| Tribehenin (UNII: 8OC9U7TQZ0) | |
| Ethylhexyl Palmitate (UNII: 2865993309) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| Stearic Acid (UNII: 4ELV7Z65AP) | |
| Triethoxycaprylylsilane (UNII: LDC331P08E) | |
| Hydrogenated Olive Oil Unsaponifiables (UNII: B8MIX97W95) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q) | |
| MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M) | |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) | |
| Aluminum Hydroxide (UNII: 5QB0T2IU0) | |
| Ethylhexylglycerin (UNII: 147D247K3P) | |
| ROSA X DAMASCENA FLOWERING TOP (UNII: 21W82Q764G) | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | |
| COCOA (UNII: D9108TZ9KG) | |
| Trihydroxystearin (UNII: 06YD7896S3) | |
| Propanediol (UNII: 5965N8W85T) | |
| 1,2-Hexanediol (UNII: TR046Y3K1G) | |
| STANNIC OXIDE (UNII: KM7N50LOS6) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| KONJAC MANNAN (UNII: 36W3E5TAMG) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
| | NDC 63320 | | | |

| | | | | |
|------------------------------|---|--|-----------------------------|---------------------------|
| 1 | NDC: 62859-3950-1 | 1 in 1 CARTON | 02/03/2022 | |
| 1 | | 30 mL in 1 TUBE; Type 0: Not a Combination Product | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| OTC MONOGRAPH FINAL | part352 | | 02/03/2022 | |

Labeler - NSE Products, Inc. (803486393)

Revised: 2/2022

NSE Products, Inc.