

**ALLERGY RELIEF-D 24 HOUR- loratadine and pseudoephedrine sulfate tablet, extended release**  
**Shopko Stores Operating Co., LLC.**

-----  
**Loratadine and Pseudoephedrine Sulfate Extended-Release Tablets**

**Drug Facts**

**Active ingredients (in each tablet)**

Loratadine, USP 10 mg  
Pseudoephedrine sulfate, USP 240 mg

**Purposes**

Antihistamine  
Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - itchy, watery eyes
  - runny nose
  - itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
  - reduces swelling of nasal passages
  - temporarily relieves sinus congestion and pressure
  - temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease

- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product do not take more than directed. Taking more than directed may cause drowsiness.**

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not divide, crush, chew or dissolve the tablet

adults and children 12 years and over	1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- safety sealed: do not use if blister unit is open or torn
- store between 20° to 25°C (68° to 77°F)
- protect from light and store in a dry place

**Inactive ingredients**

black iron oxide, candelilla wax powder, colloidal silicon dioxide, glyceryl monostearate, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, polysorbate 80, propylene glycol, sodium lauryl sulfate, talc and titanium dioxide

**Questions? 1-800-432-8534 between 9 am and 4 pm EST, Monday - Friday.**

**PRINCIPAL DISPLAY PANEL**

**PDP**

Shopko®  
NDC 37012-239-79

\*\*Compare to Claritin-D® 24 Hour active ingredients

Non-Drowsy\*

Allergy Relief-D

Loratadine, USP 10mg/Pseudoephedrine Sulfate, USP 240 mg

Extended- Release Tablets

Antihistamine / Nasal Decongestant

Indoor & Outdoor Allergies

Allergy & Congestion

24 Hour Relief of:

Nasal and Sinus Congestion

Due to Colds or Allergies

Sneezing; Runny Nose; Itchy, Watery Eyes

Itchy Throat or Nose Due to Allergies

\*When taken as directed. See drug facts panel.

10 Extended-Release Tablets



## ALLERGY RELIEF-D 24 HOUR

loratadine and pseudoephedrine sulfate tablet, extended release

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37012-239
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LORATADINE</b> (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg
<b>PSEUDOEPHEDRINE SULFATE</b> (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE SULFATE	240 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>HYPROMELLOSE 2910 (3 MPA.S)</b> (UNII: 0VUT3PMY82)	
<b>HYPROMELLOSE 2910 (6 MPA.S)</b> (UNII: 0WZ8WG20P6)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POLYETHYLENE GLYCOL 8000</b> (UNII: Q662QK8M3B)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

**Product Characteristics**

<b>Color</b>	white (white to off-white)	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	Andrx;605
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37012-239-79	2 in 1 CARTON	03/01/2016	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075706	03/01/2016	05/31/2024

**Labeler** - Shopko Stores Operating Co., LLC. (023252638)

