STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled CVS Pharmacy

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains: sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

ammonium hydroxide, anhydrous citric acid, D&C red #33, ethyl alcohol, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mineral oil, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 5AM-5PM EST

Principal Display Panel

Compare to the active ingredient of Colace® Regular Strength Stol Softener*

Stool Softener

DOCUSATE SODIUM 100 mg

Stool softener laxative

Relieves constipation

- Gentle stool softener
- Reliable relief

SOFTGELS

**This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

Product Label



gelatin, glycerin, hypromellose, polyethylene glycol propylene glycol, purified water, sorbitan, sorbitol, each softgel contains: sodium 6 mg store at 25°C (77°F); excursions permitted between Stop use and ask a doctor if ■ take only by mouth. Doses may be taken as a single Drug Facts (continued) #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, medical help or contact a Poison Control Center you need to use a laxative for more than 1 week you have rectal bleeding or fail to have a bowel Call 1-877-753-3935 Monday-Friday 9AM-5PM EST itanium dioxide Inactive ingredients black iron oxide, D&C red Other information Directions 1-800-222-1222) right away. Keep out of reach of children. In case of overdose, get Defore use. Questions or comments? pregnant or breast-feeding, ask a health professional children 2 to under of a serious condition. children under 2 years adults and children daily dose or in divided doses 12 years of age 12 years and over movement after use of a laxative. These could be 15-30°C (59-86°F) ask a doctor take 1 softgel daily take 1-3 softgels daily signs

CVS HEALTH Stool Softener

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-782
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg	

Inactive Ingredients			
Ingredient Name	Strength		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			

FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6092ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
ALCOHOL (UNII: 3K9958V90M)	
AMMONIA (UNII: 5138Q19F1X)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MINERAL OIL (UNII: T5L8T28FGP)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	

Product Characteristics			
Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P10
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842- 782-40	400 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/05/2021	
2	NDC:69842- 782-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/05/2021	
3	NDC:69842- 782-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/05/2021	
4	NDC:69842- 782-25	250 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/05/2021	
5	NDC:69842- 782-75	750 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/05/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	02/05/2021	

Revised: 3/2024 CVS Pharmacy