MEIJER 3 STEP ACNE SYSTEM- benzoyl peroxide Meijer Distribution, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer 3 Step Acne System

Active ingredient

Benzoyl Peroxide 2.5%

Purpose

Acne Treatment

Uses

for the management of acne

Warnings

For external use only.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide.

When using this product

• skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • avoid unnecessary sun exposure and use a sunscreen • avoid contact with eyes, lips, and mouth • avoid contact with hair and dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

irritation becomes severe.

Keep out of reach of the children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- cover the entire affected area with a thin layer, massaging gently one to two minutes, and rinse thoroughly one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients

Water, Magnesium Aluminum Silicate, Glyceryl Stearate, PEG-100 Stearate, Sorbitol, Dimethyl Isosorbide, Disodium PEG-12 Dimethicone Sulfosuccinate, Hydrogenated Soybean Oil, Tridecyl Stearate, Neopentyl Glycol Dicaprylate/Dicaprate, Polyethylene Glycol, Cetyl Esters, Anthemis Nobilis Flower Extract, Sodium Hyaluronate, Sodium PCA, Xanthan Gum, Tridecyl Trimellitate, Imidazolidinyl Urea, Methylparaben, Propylparaben, Fragrance

Active ingredient

Benzoyl Peroxide 2.5%

Purpose

Acne Treatment

Uses

for the management of acne

Warnings

For external use only.

Do not use this medication if you

- have very sensitive skin
- are sensitive to benzoyl peroxide.

When using this product

• skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • avoid unnecessary sun exposure and use a sunscreen •avoid contact with eyes, lips, and mouth • avoid contact with hair and dyed fabrics, which may be bleached

by this product • skin irritation may occurs, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

irritation becomes severe.

Keep out of reach of the children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- •Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- cleanthe skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients

Water, Ethoxydiglycol, Cyclotetrasiloxane, Cyclopentasiloxane, Cetearyl Alcohol, Propylene Glycol, Dimethicone, Glyceryl Stearate, PEG-100 Stearate, Panthenol, Allantoin, Xanthan Gum, Ceteareth-20, Carbomer, Triethanolamine, Diazolidinyl Urea, Methylparaben, Propylparaben, Fragrance.

Label

Weekly Accide marriers are one approximate determined by the control of the con

Through the best sign encounter with "specific best and "selection best" and "selection best and selection best and se

lang sat at reach at dilibera. It confirmed, get medical help of contact a Poison Central Center right away.

who will be a second to the produced as a position of the produced

with auditons you want a your bridge and workers and an addition of your an insurance you want to be a proposed by the property of the propert

lipm son po

strack gard the helicogn with their onsid. ARS absormed become area to be transfer as and

Step one; renewing cleaner
Magen's renewing cleaner of all
and make-up, the common causes of
and make-up, the common causes of
and make-up, the common causes of
the cleaner of the cleaner
blackhoads and eace and helps prevent
thus constours.

slep (wo: rejuvenating toner

www.resolution for the work of the work of the service of the serv

ingermands have been gloved; places and bearwards places and places because the places and places are some the places and places and extract resistants for more loss between test places and places and places of possible or places and places and places or places and places are places or places and places and places or places and places and places are places or places and places and places are places and places and places and places are places and places plac

The man are man and a management of the manageme

per ju est fiet "Monande Aparomaio procipiosa", a transmitirante fieden agres consciunte della "Reportionalità" e della pupi scordi accidente from espositiva della "Reportionalità" antica della processa della accidente della consciuntationa della consciuntationa della consciuntationa della securitationa della consciuntationa della consciuntationa della consciuntationa della consciuntationa della della descriptationa della consciuntationa della consciunt

Lege and all meach of childrage. If says lowed, gut medical help are sorted as Proper Cortical Center right away.

where we are prepared, a multiple processed community and processed processed and pro

Адия вына и точной рок индерицира — уперей едубире нед присособуского да надам вын — изделендамить Алья онец — той у индерицира и тор Адия не упередици

According American Am

yellowant unine presynants and present and present and present of the source of the so

step three: repairing treatment

TacheStep

acne
system

empare to Proactive

meijer

step acne system

Benzoyl Peroxide Acne Treatment

CLINICALLY
EFFECTIVE

1 RENEWING CLEANSER - 4 FL OZ (118.2 mL), 1 REJUVENATING TONER - 4 FL OZ (118.2 mL) 1 REPAIRING TREATMENT - 2 FL OZ (59.1 mL)



DATE OF MILES CONTROL TO. 10 DATE OF THE CONTROL OF THE

"This product is not many factored a distributed by Sarthy Booker Corporate with of the registered brokenick Proactive

TacheStep acne system

quick start reference guide

For clearer skin, use each step twice daily.
Use this kit on your whole face, neck, shoulders & back if needed.

step one: renewing cleanser

- Apply a dime size amount of cleanser onto hand and gently massage into wet skin for a minute or two.
- Rinse thoroughly with warm water. Pat dry with a towel.*
- * benzoyl peroxide may bleach dyed fabrics.

step two: rejuvenating toner

- Using a cotton pad**, gently massage toner on face and neck.
- Allow to dry. Do NOT rinse off.
- ** cotton pad not included

step three: repairing treatment

- Apply a small amount of treatment to freshly cleansed skin, covering the entire affected area with a thin layer.
- · Allow to dry. Do NOT rinse off.

"This product is not manufactured or distributed by Guthy-Renker Corporation, owner of the registered trademark Proactiv®.

renewing cleanser

benzoyl peroxide acne treatment



Compare to Proactiv® Renewing Cleanser*

4 FL 0Z (118,2 mL)

step 1 renewing cleanser

Meijer® renewing cleanser gently removes dirt, oil and excess dead skin cells. It leaves skin clean without overdrying or irritating skin.

Drug Facts	
Active ingredient	Purpose
Benzoyl peroxide 2.5%	Acne treatment
Uses for the management of acne	

Warnings For external use only

Do not use this medication if you ■ have very sensitive skin ■ are sensitive to benzoyl peroxide.

when using this product ■ skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time, if irritation occurs, only use one topical acne medication at a time ■ avoid unnecessary sun exposure and use a sunscreen ■ avoid contact with the eyes, lips and mouth ■ avoid contact with hair and dyed fabrics, which may be bleached by this product ■ skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration. concentration.

Stop use and ask a doctor if = irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions — Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. — cover the entire affected area with a thin layer, massaging gently one to two minutes, and rinse thoroughly one to three times daily mecase excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor — if bothersome dryness or peeling occurs, reduce application to once a day or every other day — if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients water, magnesium aluminum silicate, glycery stearate, PEG-100 stearate, sorbitol, dimethyl isosorbide, disodium PEG-12 dimethicone sulfosuccinate, hydrogenated soybean oil, tridecyl stearate, neopentyl glycol dicaprylate/dicaprate, propylene glycol, cetyl esters, anthemis nobilis flower extract, sodium hyaluronate, sodium PCA, xanthan gum, tridecyl trimellitate, imidazolidinyl urea, methylparaben, propylparaben, fragrance

product is not manufactured or distributed by Guthy-Renker Corporation of the registered trademark Proactiv® owner *This

DIST. BY MEIJER DISTRIBUTION, INC., GRAND RAPIDS, MI 49544

www.meijer.com

repairing treatment

benzoyl peroxide acne treatment lotion



Compare to Proactiv® Repairing Treatment*

2 FL 0Z (59.1 mL)

step 3 repairing treatment

For clearer skin, use all three steps of the Meijer® 3 Step Acne System twice a day.

Drug Facts Active Ingredient Benzoyl peroxide 2.5% Acne treatmen Uses for the management of acne

Warnings For external use only

Do not use this medication if you ■ have very sensitive skin ■ are sensitive to benzoyl peroxide.

sensitive to benzoly perioxide.

When using this product = skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time = avoid unnecessary sun exposure and use a sunscreen = avoid contact with the yels, lips and mouth = avoid contact with the yels, lips and mouth = avoid contact with the yels, which may be bleached by this product. = skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Contact a Poison Control Center right away.

Directions Sensitivity Test for a New User: Apply product spanningly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.

Lean the skin thoroughly before applying this product cover the entire affected area with a thin layer one to three times daily are because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily in needed or as directed by a coctor in the othersome dryness or peeling occurs, reduce application to once a day or every other day in if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

nactive ingredients water, ethoxydiglycol, cyclotetrasiloxane, cyclopentasiloxane, cyclopentasiloxane, cetearyl alcohol, propylene glycol, dimethicone, glyceryl stearate, PEG-100 stearate, panthenol, allantoin, xanthan gum, ceteareth-20, carbomer, triethanolamine, diazolidinyl urea, methylparaben, propylparaben, fragrance.

Inis product is not manufactured or distributed by Guthy-Renker Corporation, owner of the registered trademark Proactiv®. *This product

www.meijer.com MI 49544 GRAND RAPIDS, BY MEIJER DISTRIBUTION,

MEIJER 3 STEP ACNE SYSTEM

benzoyl peroxide kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41250-567

Packaging

l	# Item Code Package I	Description Marketing Start Date	Marketing End Date
1	1 NDC:41250-567-98 1 in 1 KIT	02/01/2019	

Quantity of Parts

4		
Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118.2 mL
Part 2	1 BOTTLE	59.1 mL

Part 1 of 2

STEP 1 RENEWING CLEANSER

benzoyl peroxide lotion

Product Information

Item Code (Source) NDC:41250-451

Route of Administration TOPICAL

Active Ingredient/Active Moiety

/ learne mg. earene, / learne molecy		
Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII: W9WZN9A0GM)	BENZOYL PEROXIDE	2.5 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
HYDROGENATED SOYBEAN OIL (UNII: A2M91M918C)	
WATER (UNII: 059QF0KO0R)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
SORBITOL (UNII: 506T60A25R)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
TRIDECYL STEARATE (UNII: A80E252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	

CETYL ESTERS WAX (UNII: D072FFP9GU)
CHAMAEMELUM NOBILE FLOWER (UNII: O2T154T6OG)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 4690TG57A2)
XANTHAN GUM (UNII: TTV12P4NEE)
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
IMIDUREA (UNII: M629807ATL)
METHYLPARABEN (UNII: A2I8C7HI9T)
PROPYLPARABEN (UNII: Z8IX2SC10H)

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250- 451-53	118.2 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing In	nformation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M006	02/01/2019	

Part 2 of 2

STEP 3 REPAIRING TREATMENT

benzoyl peroxide lotion

Product Information	
Item Code (Source)	NDC:41250-549
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZ N9A0GM) (BENZ OYL PEROXIDE - UNII: W9WZ N9A0GM)	BENZ OYL PEROXIDE	2.5 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
WATER (UNII: 059QF0KO0R)	

DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A118X02B)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIMETHICONE (UNII: 92RU3N3Y10)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PANTHENOL (UNII: WV9CM0O67Z)	
ALLANTOIN (UNII: 344S277G0Z)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
TROLAMINE (UNII: 903K93S3TK)	
DIAZOLIDINYL UREA (UNII: H5RIZ 3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	

Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:41250- 549-61	59.1 mL in 1 BOTTLE; Type 0: Not a Combination Product					

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	M006	02/01/2019		

Marketing In	Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	M006	02/01/2019			

Labeler - Meijer Distribution, Inc. (006959555)

Revised: 3/2023 Meijer Distribution, Inc.