

CLEAN SWEEP FORMULA 4- carduus marianus, chelidonium majus, cinchona officinalis, lycopodium clavatum, taraxacum officinale, veratrum album, avena sativa, cynara scolymus, methylcobalamin, menadione, alpha-lipoicum acidum, hepar suis, colon (suis), duodenum (suis), gallbladder (suis), intestine (suis), lymph node (suis), pancreas suis, thymus, alpha-ketoglutaricum acidum, cholesterinum, formicum acidum, glyoxal trimer dihydrate, histaminum hydrochloricum, malicum acidum, natrum oxalaceticum, sulphur, calcarea carbonica liquid
Intentional Nourishment

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

Carduus Marianus 3X, Chelidonium Majus 4X, Cinchona Officinalis 4X, Lycopodium Clavatum 4X, Taraxacum Officinale 4X, Veratrum Album 4X, Avena Sativa 6X, Cynara Scolymus 6X, Methylcobalamin 6X, Menadione 6X, 8X, 30X, 200X, alpha-Lipoicum Acidum 8X, Hepar Suis 8X, Colon (Suis) 8X, 30X, 200X, Duodenum (Suis) 8X, 30X, 200X, Gallbladder (Suis) 8X, 30X, 200X, Intestine (Suis) 8X, 30X, 200X, Lymph Node (Suis) 8X, 30X, 200X, Pancreas Suis 8X, 30X, 200X, Thymus 8X, 30X, 200X, alpha-Ketoglutaricum Acidum 10X, Cholesterinum 10X, Formicum Acidum 10X, Glyoxal Trimer Dihydrate 10X, Histaminum Hydrochloricum 10X, Malicum Acidum 10X, Natrum Oxalaceticum 10X, Sulphur 13X, Calcarea Carbonica 28X, Oroticum Acidum 7C, Morgan Gaertner 30C, 200C, Proteus Morgani 30C, 200C.

HOMEOPATHIC INDICATIONS:

For the temporary relief of symptoms related to digestive issues such as bloating, gas, diarrhea, constipation, fatigue and stomach upset.**

**These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

WARNINGS:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Tamper seal: Sealed for your protection. Do not use if seal is broken or missing.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

1 to 10 drops under the tongue, 3 times per day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

HOMEOPATHIC INDICATIONS:

For the temporary relief of symptoms related to digestive issues such as bloating, gas, diarrhea, constipation, fatigue and stomach upset.**

**These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

INACTIVE INGREDIENTS:

demineralized water, 25% ethanol

QUESTIONS:

Distributed by Intentional Nourishment

516 N. Ogden Ave. Suite 227, Chicago, IL 60642

www.intentionalnourishment.com • (312)298-9440

PACKAGE LABEL DISPLAY:

NDC 62902-0008-1

CLEAN SWEEP

FORMULA 4

Homeopathic

Intentional Nourishment

Detoxification Support

1.0 fl. oz. (30 ml)

WARNINGS:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. **If pregnant or breast-feeding,** ask a health professional before use.

Tamper seal: *Sealed for your protection.*
Do not use if seal is broken or missing.

DIRECTIONS:

1 to 10 drops under the tongue, 3 times per day, or as directed by your healthcare professional. Consult a physician for use in children under 12 years of age.

HOMEOPATHIC INDICATIONS:

For the temporary relief of symptoms related to digestive issues, such as bloating, gas, diarrhea, constipation, fatigue, and stomach upset.**

Distributed by Intentional Nourishment
516 N. Ogden Ave, Suite 227 • Chicago, IL 60642
www.intentionalnourishment.com • (312) 298-9440

NDC 62902-0008 -1



Inactive Ingredients:
demineralized water, 25% ethanol

ACTIVE INGREDIENTS:

Carduus Mar 3X, Chelidonium Maj 4X, Cinchona 4X, Lycopodium 4X, Taraxacum 4X, Veratrum Alb 4X, Avena 6X, Cynara 6X, Methylcobalamin 6X, Menadione 6X, 8X, 30X, 200X, alpha-Lipoic Ac 8X, Hepar Suis 8X, Colon 8X, 30X, 200X, Duodenum 8X, 30X, 200X, Gallbladder 8X, 30X, 200X, Intestine 8X, 30X, 200X, Lymph Node 8X, 30X, 200X, Pancreas 8X, 30X, 200X, Thymus 8X, 30X, 200X, alpha-Ketoglutar Ac 10X, Cholesterinum 10X, Formicum Acidum 10X, Glyoxal Trimer Dihydrate 10X, Histaminum Hydrochloricum 10X, Malic Ac 10X, Natrum Oxalaceticum 10X, Sulphur 13X, Calc Carb 28X, Oroticum Ac 7C, Morgan Gaertner 30C, 200C, Proteus (Morganii) 30C, 200C.

**These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

LOT: XXXXXX

CLEAN SWEEP FORMULA 4

carduus marianus, chelidonium majus, cinchona officinalis, lycopodium clavatum, taraxacum officinale, veratrum album, avena sativa, cynara scolymus, methylcobalamin, menadione, alpha-lipoicum acidum, hepar suis, colon

(suis), duodenum (suis), gallbladder (suis), intestine (suis), lymph node (suis), pancreas suis, thymus, alpha-ketoglutaricum acidum, cholesterinum, formicum acidum, glyoxal trimer dihydrate, histaminum hydrochloricum, malicum acidum, natrum oxalaceticum, sulphur, calcarea carbonica liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62902-0008
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)	MILK THISTLE	3 [hp_X] in 1 mL
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	4 [hp_X] in 1 mL
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	4 [hp_X] in 1 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	4 [hp_X] in 1 mL
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	4 [hp_X] in 1 mL
VERATRUM ALBUM ROOT (UNII: QNS6W5US1Z) (VERATRUM ALBUM ROOT - UNII:QNS6W5US1Z)	VERATRUM ALBUM ROOT	4 [hp_X] in 1 mL
AVENA SATIVA FLOWERING TOP (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)	AVENA SATIVA FLOWERING TOP	6 [hp_X] in 1 mL
CYNARA SCOLYMUS LEAF (UNII: B71UA545DE) (CYNARA SCOLYMUS LEAF - UNII:B71UA545DE)	CYNARA SCOLYMUS LEAF	6 [hp_X] in 1 mL
METHYLCOBALAMIN (UNII: BR1SN1JS2W) (METHYLCOBALAMIN - UNII:BR1SN1JS2W)	METHYLCOBALAMIN	6 [hp_X] in 1 mL
MENADIONE (UNII: 723JX6CXY5) (MENADIONE - UNII:723JX6CXY5)	MENADIONE	6 [hp_X] in 1 mL
THIOCTIC ACID (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	THIOCTIC ACID	8 [hp_X] in 1 mL
PORK LIVER (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	8 [hp_X] in 1 mL
SUS SCROFA COLON (UNII: 94J255A0UC) (SUS SCROFA COLON - UNII:94J255A0UC)	SUS SCROFA COLON	8 [hp_X] in 1 mL
SUS SCROFA DUODENUM (UNII: P6J2SFT80O) (SUS SCROFA DUODENUM - UNII:P6J2SFT80O)	SUS SCROFA DUODENUM	8 [hp_X] in 1 mL
SUS SCROFA GALLBLADDER (UNII: B6A98VOI9I) (SUS SCROFA GALLBLADDER - UNII:B6A98VOI9I)	SUS SCROFA GALLBLADDER	8 [hp_X] in 1 mL
PORK INTESTINE (UNII: 40GM0R60L) (PORK INTESTINE - UNII:40GM0R60L)	PORK INTESTINE	8 [hp_X] in 1 mL
SUS SCROFA LYMPH (UNII: 33A7VYU29L) (SUS SCROFA LYMPH - UNII:33A7VYU29L)	SUS SCROFA LYMPH	8 [hp_X] in 1 mL
SUS SCROFA PANCREAS (UNII: 9Y3J3362RY) (SUS SCROFA PANCREAS - UNII:9Y3J3362RY)	SUS SCROFA PANCREAS	8 [hp_X] in 1 mL
SUS SCROFA THYMUS (UNII: 7B69B0BD62) (SUS SCROFA THYMUS - UNII:7B69B0BD62)	SUS SCROFA THYMUS	8 [hp_X] in 1 mL
OXOGLURIC ACID (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	10 [hp_X] in 1 mL
CHOLESTEROL (UNII: 97C5T2UQ7J) (CHOLESTEROL - UNII:97C5T2UQ7J)	CHOLESTEROL	10 [hp_X] in 1 mL
FORMIC ACID (UNII: 0YIW783RG1) (FORMIC ACID - UNII:0YIW783RG1)	FORMIC ACID	10 [hp_X] in 1 mL

GLYOXAL TRIMER DIHYDRATE (UNII: R6GJS0F9NZ) (GLYOXAL - UNII:50NP6JJ975)	GLYOXAL TRIMER DIHYDRATE	10 [hp_X] in 1 mL
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	10 [hp_X] in 1 mL
MALIC ACID (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	10 [hp_X] in 1 mL
SODIUM DIETHYL OXALACETATE (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	10 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	13 [hp_X] in 1 mL
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	28 [hp_X] in 1 mL
OROTIC ACID (UNII: 61H4T033E5) (OROTIC ACID - UNII:61H4T033E5)	OROTIC ACID	7 [hp_C] in 1 mL
SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS (UNII: Y3V16D4PV4) (SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS - UNII:Y3V16D4PV4)	SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS	30 [hp_C] in 1 mL
PROTEUS MORGANII (UNII: 56X6LID5ZY) (PROTEUS MORGANII - UNII:56X6LID5ZY)	PROTEUS MORGANII	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62902-0008-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	05/11/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/11/2017	

Labeler - Intentional Nourishment (036906156)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(62902-0008) , api manufacture(62902-0008) , label(62902-0008) , pack(62902-0008)