

**WALGREENS 3 STEP ACNE SYSTEM- benzoyl peroxide
WALGREEN COMPANY**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens 3 Step Acne System

Active ingredient

Benzoyl Peroxide 2.5%

Purpose

Acne Treatment

Uses

for the management of acne

Warnings

For external use only.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide.

When using this product

• skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • avoid unnecessary sun exposure and use a sunscreen • avoid contact with eyes, lips, and mouth • avoid contact with hair and dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

- irritation becomes severe.

Keep out of reach of the children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- cover the entire affected area with a thin layer, massaging gently one to two minutes, and rinse thoroughly one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients

WATER, PETROLATUM, CETYL ALCOHOL, HYDROGENATED SOYBEAN OIL, PROPYLENE GLYCOL, BENZYL ALCOHOL, LAURETH-4, POTASSIUM CETYL PHOSPHATE, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, MAGNESIUM ALUMINUM SILICATE, GLYCERYL STEARATE, PEG-100 STEARATE, CETYL ESTERS, STEARETH-2, SORBITOL, SODIUM PCA, ANTHEMIS NOBILIS FLOWER EXTRACT, SODIUM HYALURONATE, DISODIUM EDTA, XANTHAN GUM, TRIDECYL STEARATE, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, TRIDECYL TRIMELLITATE, DIMETHYL ISOSORBIDE, FRAGRANCE.

Active ingredient

Benzoyl Peroxide 2.5%

Purpose

Acne Treatment

Uses

for the management of acne

Warnings

For external use only.

Do not use this medication if you

- have very sensitive skin
- are sensitive to benzoyl peroxide.

When using this product

• skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at

a time. • avoid unnecessary sun exposure and use a sunscreen • avoid contact with eyes, lips, and mouth • avoid contact with hair and dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

- irritation becomes severe.

Keep out of reach of the children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

• Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.

- cleanse the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients

WATER, CETEARYL ALCOHOL, PETROLATUM, BENZYL ALCOHOL, POTASSIUM CETYL PHOSPHATE, STEARETH-2, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, PANTHENOL, ALLANTOIN, PROPYLENE GLYCOL, XANTHAN GUM, DIMETHICONE, GLYCERYL STEARATE, PEG-100 STEARATE, CYCLOTETRAISILOXANE, CYCLOPENTASILOXANE, ETHOXYDIGLYCOL, FRAGRANCE.

Label

Walgreens



Compare to the active ingredient in Proactiv® Solution 3-Step System*

3-STEP

Acne System

BENZOYL PEROXIDE ACNE TREATMENT

Quick Start Guide

For consistently clearer skin, repeat the following steps twice daily. This acne treatment kit can be used on your face, shoulders and back if needed.

1 | Cleanser

Step 1 Clarifying Cleanser

Dispense a dime-sized amount of cleanser onto hand and gently massage into dampened skin for 1 to 2 minutes. Rinse thoroughly with warm water. Pat dry with a clean, white towel. (Benzoyl peroxide may bleach colored fabrics.)



2 | Toner

Step 2 Refreshing Toner

Using a cotton ball or pad, gently apply toner to face and neck. Allow to dry and do not rinse off.



3 | Repair

Step 3 Repairing Lotion

Apply a small amount of the repairing lotion to freshly cleansed skin. Cover the entire affected area with a thin layer 1 to 3 times daily.



Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If irritation or sensitivity develops, stop use of all products and ask a doctor.

*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

**This product is not manufactured or distributed by The Proactiv Company Sàrl, owner of the registered trademark Proactiv®.

W3ORG1221-F

Walgreens

Compare to Proactiv®
Renewing Cleanser††

Clarifying Cleanser

2.5% BENZOYL PEROXIDE
ACNE TREATMENT

Step 1

4 FL OZ (118 mL)



Step 1 Clarifying Cleanser

This gentle cleanser clears oil, dirt and makeup, the common causes of acne, while helping to prevent future breakouts and clear blackheads.

Drug Facts

Active ingredient	Purpose
Benzoyl Peroxide 2.5%	Acne Treatment

Uses For the management of acne

Warnings

For external use only

Do not use if you • have very sensitive skin • are sensitive to benzoyl peroxide.

When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time • avoid unnecessary sun exposure and use a sunscreen • avoid contact with the eyes, lips and mouth • avoid contact with hair and dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if • irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • *Sensitivity Test for a New User:* Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. • cover the entire affected area with a thin layer, massaging gently one to two minutes, and rinse thoroughly one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients water, petrolatum, cetyl alcohol, hydrogenated soybean oil, propylene glycol, benzyl alcohol, laureth-4, potassium cetyl phosphate, acrylates/C10-30 alkyl acrylate crosspolymer, magnesium aluminum silicate, glyceryl stearate, PEG-100 stearate, cetyl esters, steareth-2, sorbitol, sodium PCA, anthemis nobilis flower extract, sodium hyaluronate, disodium EDTA, xanthan gum, tridecyl stearate, neopentyl glycol dicaprylate/dicaprate, tridecyl trimellitate, dimethyl isosorbide, fragrance.

W3ORG121-F
DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com 1-800-925-4733 ©2021 Walgreen Co.
Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
††This product is not manufactured or distributed by The Proactiv Company Sàrl, owner of the registered trademark Proactiv®.

Walgreens

Compare to Proactiv®
Repairing Treatment††

Repairing Lotion

2.5% BENZOYL PEROXIDE
ACNE TREATMENT

Step 3

2 FL OZ (59 mL)



Step 3 Repairing Lotion

This medicated lotion delivers powerful benzoyl peroxide deep into pores to clear existing blemishes, prevent future breakouts, and leave skin soft and smooth.

Drug Facts

Active ingredient	Purpose
Benzoyl Peroxide 2.5%	Acne Treatment

Uses For the management of acne

Warnings

For external use only

Do not use if you • have very sensitive skin • are sensitive to benzoyl peroxide.

When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time • avoid unnecessary sun exposure and use a sunscreen • avoid contact with the eyes, lips and mouth • avoid contact with hair and dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if • irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • *Sensitivity Test for a New User:* Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. • clean the skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive ingredients water, cetearyl alcohol, petrolatum, propylene glycol, benzyl alcohol, potassium cetyl phosphate, steareth-2, acrylates/C10-30 alkyl acrylate crosspolymer, panthenol, allantoin, xanthan gum, dimethicone, glyceryl stearate, PEG-100 stearate, cyclotetrasiloxane, cyclopentasiloxane, ethoxydiglycol, fragrance.

W3ORG121-F
DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED walgreens.com 1-800-925-4733 ©2021 Walgreen Co.
This product is not manufactured or distributed by The Proactiv Company Sàrl, owner of the registered trademark Proactiv®.

WALGREENS 3 STEP ACNE SYSTEM

benzoyl peroxide kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0153
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0153-98	1 in 1 KIT	02/20/2019	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE	59 mL

Part 1 of 2

STEP 1 RENEWING CLEANSER

benzoyl peroxide lotion

Product Information

Item Code (Source)	NDC:0363-0167
---------------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	2.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
STEARETH-2 (UNII: V56DFE46J5)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
HYDROGENATED SOYBEAN OIL (UNII: A2M91M918C)	
WATER (UNII: 059QF0KO0R)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
SORBITOL (UNII: 506T60A25R)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	

TRIDECYL STEARATE (UNII: A8OE252M6L)
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)
CETYL ESTERS WAX (UNII: D072FFP9GU)
CHAMAEMELUM NOBILE FLOWER (UNII: O2T154T6OG)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
XANTHAN GUM (UNII: TTV12P4NEE)
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
EDETATE DISODIUM (UNII: 7FLD91C86K)
CETYL ALCOHOL (UNII: 936JST6JCN)
PETROLATUM (UNII: 4T6H12BN9U)
LAURETH-4 (UNII: 6HQ855798J)
BENZYL ALCOHOL (UNII: LKG8494WBH)
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0167-53	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M006	02/20/2019	

Part 2 of 2

STEP 3 REPAIRING TREATMENT

benzoyl peroxide lotion

Product Information

Item Code (Source)	NDC:0363-0162
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	2.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PETROLATUM (UNII: 4T6H12BN9U)	
STEARETH-2 (UNII: V56DFE46J5)	
WATER (UNII: 059QF0KO0R)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A1I8X02B)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PANTHENOL (UNII: WW9CM0067Z)	
ALLANTOIN (UNII: 344S277G0Z)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0162-61	59 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M006	02/20/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M006	02/20/2019	

Labeler - WALGREEN COMPANY (008965063)