

CHILDRENS WALITIN- loratadine solution
Walgreen Company

Children's Wal-itin®

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or	ask a doctor

Other information

- **each teaspoonful contains** : sodium 5 mg
- **do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.**
- store between 20° and 25°C (68° and 77°F)
- see bottom panel for lot number and expiration date

Inactive ingredients

bubble gum flavor, butylated hydroxyanisole, glycerin, maltitol solution, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sucralose powder

Questions?

Call **1-866-923-4914**

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

Walgreens

Compare to Children's
Claritin® active ingredient^{††}
NDC 0363-2108-08

children's
ALLERGY

Wal-itin®
LORATADINE
ORAL SOLUTION
USP 5mg/5mL
(ANTIHISTAMINE) ALLERGY

DYE & SUGAR FREE

24-HOUR RELIEF

NON-DROWSY*

- 24-hour relief of runny nose; sneezing; itchy throat or nose & itchy, watery eyes
- Indoor & outdoor allergies

AGES

2
YEARS &
OLDER

4 FL OZ (120 mL)
BUBBLE GUM
FLAVOR

Walgreens

children's
ALLERGY

Wal-itin[®]

LORATADINE
ORAL SOLUTION
USP 5mg/5mL
(ANTIHISTAMINE) ALLERGY

Walgreens

Compare to Children's
Claritin[®] active ingredient††

NDC 0363-2108-08

children's
ALLERGY

Wal-itin[®]

LORATADINE
ORAL SOLUTION
USP 5mg/5mL
(ANTIHISTAMINE) ALLERGY



Walgreens

Compare to Children's
Claritin[®] active ingredient††

NDC 0363-2108-08

children's
ALLERGY

Wal-itin[®]

LORATADINE
ORAL SOLUTION
USP 5mg/5mL
(ANTIHISTAMINE) ALLERGY



DYE & SUGAR FREE

24-HOUR RELIEF

NON-DROWSY*

- 24-hour relief of runny nose; sneezing; itchy throat or nose & itchy, watery eyes
- Indoor & outdoor allergies

AGES
2
YEARS &
OLDER



DYE & SUGAR FREE

24-HOUR RELIEF

NON-DROWSY*

- 24-hour relief of runny nose; sneezing; itchy throat or nose & itchy, watery eyes
- Indoor & outdoor allergies


AGES
2
YEARS &
OLDER



4 FL OZ (120 mL)

BUBBLE GUM FLAVOR

ORG0918-F



4 FL OZ (120 mL)

BUBBLE GUM FLAVOR

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2018 Walgreen Co.
MADE IN ISRAEL

ITEM 943104 W00000-0000-0



NO VARNISH
ON THIS FLAP

20897-1018-4
721

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient Purpose
(in each 5 mL teaspoonful)

Loratadine 5 mg.....Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

Drug Facts (continued)

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- each teaspoonful contains: sodium 5 mg

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

***WHEN TAKEN AS DIRECTED.
SEE DRUG FACTS PANEL.**

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
††All trademarks are the property of their respective owners. This product is not affiliated with the makers/owners of Children's Claritin®.

do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.

- store between 20° and 25°C (68° and 77°F)
- see bottom panel for lot number and expiration date

Inactive ingredients

bubble gum flavor, butylated hydroxyanisole, glycerin, maltitol solution, noncrystallizing sorbitol solution, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sucralose powder

Questions?

Call 1-866-923-4914



DOSAGE CUP PROVIDED

Dosing cup should be washed and left to air dry after each use.



CHILDRENS WALITIN

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2108
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJ03BO7QN) (Loratadine - UNII:7AJ03BO7QN)	Loratadine	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

butylated hydroxyanisole (UNII: REK4960K2U)	
glycerin (UNII: PDC6A3C0OX)	
sorbitol (UNII: 506T60A25R)	
polyethylene glycol, unspecified (UNII: 3WJQ0SDW1A)	
phosphoric acid (UNII: E4GA8884NN)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sodium phosphate, monobasic, dihydrate (UNII: 5QWK665956)	

Product Characteristics

Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2108-08	1 in 1 CARTON	12/12/2016	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA201865	12/12/2016	

Labeler - Walgreen Company (008965063)