CLINICLEAN- chlorhexidine gluconate 4% solution HR Pharmaceuticals, Inc.

4% HR Pharma 15 mL Packets, 15mL Carton, 4oz Flip Top

Active ingredient

Chlorhexidine gluconate 4% solution

Purpose

Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** for the preparation of the patient's skin prior to surgery
- skin wound and general skin cleansing

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction.Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

• keep out of eyes, ears and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardurms.

- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a healthcare provider

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5mL of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a seperate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5mL of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5mL of product into cupped hands and wash in a vigrous manner for 15 seconds
- rinse and dry thoroughly

Patient preoperative skin preparation:

- apply product liberally to surgical site and swab for at least 2 minutes
- dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

Questions or comments?

call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

Laudering/Cleaning Instructions

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Display Panels

NDC 69494-901-04

REF 90104

CliniClean

Chlorhexidine Gluconate 4%

Antispetic/Antimicrobial Solution

Non-Sterile

Patient Pre-Operative Prep, Surgical Hand Scrub, Healthcare Personnel Hand Wash. General Skin & Wound Cleanser

For Single-Use

Net Content: 4 fl oz (118mL)

DYE FREE

Manufactured for:

HR Pharmaceuticals, Inc.

York, PA 17402

cliniclean.com

Rev 4170-0 (02/2023)

4HRP04BTLLBL



Lift Here	NDC 69464-901-04 REF 90104
Drug Facts Active ingredient Chlorhexidine gluconate Purpose 4% solution	Chlorhexidine Gluconate 4% Chlorhexidine Gluconate 4% Antiseptic/Antimicrobial Solution Non-Sterile Patient Pre-Operative Prep, Surgical Hand Scrub, Healthcare Personnel Hand Wash, General Skin & Wound Cleanser For Single-Use Net Contents: 4 fl oz (118 mL) Manufactured for: HR Pharmaceuticals, inc. York, PA 17402 cliniclean.com Rev 4170-0 (02/2023) 4HRPO-4BTLLBL 6 94640-16104-9

Questions or comments? call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST Laundering/Cleaning Instructions: Chlothexidine gluconate skin deansers will cause stains if used with chlotine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.	In active ingredients occanide DEA tragrance, glucono-delta-lackone, hydroxyethyloellulose, Isopropyl alcchol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcchol	Other information = store at 20-25°C (68-77°F) = avoid excessive heat above 40°C (104°F)	 Skin wound and general skin cleaning: thoroughly rinse the area to be cleaned with water apply the minimum amount of product necessary to cover the skin or wound area and wash gently rinse again thoroughly 	Drug Facts (continued)
--	--	--	--	------------------------

-	and dry with a sterile towel
on: Ne and with a	skin preparati y to surgical si Inutes and dry
cupped er for	Healthcare personnel handwash: wet hands with water dispense about 5 mL of product into oupped hands and wash in a vigorous manner for 15 seconds rinse and dry thoroughly
h 5 mL vater	 a separate nall deaner may be used a separate non-uphly wash for an additional 3 minutes with 5 n of product and rinse under running wate dry thoroughly
of e terdigital	I hand scrub: ands and forearms with water for 3 minutes with about 5 mL for 3 met brush paying dos t and a wet brush paying dos t and in the nalls, cutides, and in s
ants or infants) products may lims.	Directions we with care in premature infants or under 2 months of age. These produ- cause irritation or chemical burns.
Control	Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.
s. These	Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs may be signs of a serious condition.
arge spt when	repeated general skin deansing of larg body areas should not be done except advised by a health care provider
s, rinse ker hot be	 If solution should contact these areas, rins out promptly and thoroughly with water wounds which involve more than the supericial layers of the skin should not be routinely treated
h, May ijury If lical when rforaled	It keep out of the eyes, eers and mouth. May cause serious and permanent eye injury if placed or keyt in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforate eardrums.
of the	 In the genital area as a preoperative skin preparation of head or face When using this product
hexidine is	o not use if you or the p gluconate or a product in contact wit
and	 rasm if an allergic reaction occurs, stop use a seek medical help right away.
	 shock facial swelling hives
gić	Aller gy a ert: This product may cause a severe allergic reaction. Symptoms may include; wheezing/difficulty breathing
	Warnings For external use only
	Drug Facts (continued)



NDC 69494-901-15

REF 901515

CliniClean

Chlorhexidine Gluconate 4%

Antispetic/Antimicrobial Solution

Non-Sterile

Patient Pre-Operative Prep, Surgical Hand Scrub, Healthcare Personnel Hand Wash. General Skin & Wound Cleanser

For Single-Use

Net Contents: 50 Single-Use 0.5 fl oz (15 mL) Packettes

DYE FREE

Manufactured for:

HR Pharmaceuticals, Inc.

York, PA 17402

cliniclean.com

Rev 4175-0 (02/2023)

4HRP15INNCTN

NDC 69464-901-15

REF 90515

DYE

FREE

CliniClean Chlorhexidine Gluconate 4%

Antiseptic/Antimicrobial Solution

Non-Sterile

Patient Pre-Operative Prep, Surgical Hand Scrub, Healthcare Personnel Hand Wash, General Skin & Wound Cleanser For Single-Use

Net Contents: 50 Single-Use 0.5 fl oz (15 mL) Packettes

Clini**Clean**

Chlorhexidine Gluconate 4%

Antiseptic/Antimicrobial Solution

Non-Sterile

Patient Pre-Operative Prep, Surgical Hand Scrub, Healthcare Personnel Hand Wash, General Skin & Wound Cleanser For Single-Use

Net Contents: 50 Single-Use 0.5 fl oz (15 mL) Packettes



CliniClean[™] Chlorhexidine Gluconate 4%

Manufactured for: HR Pharmaceuticals, Inc. York, PA 17402 cliniclean.com

Rev 4175-0 (02/2023) 4HRP15INNCTN





Drug Facts

- Active ingredient
- Chlorhexidine gluconate 4% solution

Purpose Antiseptic

Uses

- surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease
- patient preoperative skin preparation: for the preparation of the patient's skin prior to surgery
- skin wound and general skin cleansing

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area
- as a preoperative skin preparation of the head or face

Drug Facts (continued)

When using this product

- keep out of the eyes, ears and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

 use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
 dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Drug Facts (continued)

Patient preoperative skin preparation:

- apply product liberally to surgical site and swab for at least 2 minutes
- dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

Questions or comments?

call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

Laundering/Cleaning Instructions:

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Lot number and expiration date printed on side of box

4HRP15PACKET



Ma nufacture d for: HR Pharmaceuticals, Inc. York, PA 17402 cliniclean.com



dimicrean.com Rev 4174-0 (02/2023) 4HRPISPACKET



Antiseptic/Antimicrobial Solution



-		•						
CLINICLEAN								
chlorhexidine gluconate 4% solution								
Product Information								
P	oduct Type	HUMAN OTC DRUG Item Code (Source) NDC:6946					464-901	
R	Route of Administration TOPICAL							
A	ctive Ingred	ient/Active	Moiety					
		Ingre	dient Name			Basis of St	rength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - CHLORHEXIDINE - UNII:R4K00DY52L) CHLORHEXIDINE GLUCONATE					1	4 g in 100 mL		
Inactive Ingredients								
Ingredient Name Strength								
PEG-75 LANOLIN (UNII: 091790X7TB)								
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZ N16)								
W	ATER (UNII: 059C	F0KO0R)						
TRIDECYL ALCOHOL (UNII: 819428H868)								
GLUCONOLACTONE (UNII: WQ29KQ9POT)								
ISOPROPYL ALCOHOL (UNII: ND2M416302)								
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)								
Packaging								
#	ltem Code	Pa	ckage Description		Mark	eting Start Date		eting End Date
1	NDC:69464-901- 15	50 in 1 CARTON	N		03/23/20			
1		15 mL in 1 PAC Product	KET; Type 0: Not a Combin	nation				
	NDC:69464-901-	118 mL in 1 BC) TTLE: Type 0: Not a Comb	ination				

א NDC:69464-901- 118 mL in 1 BOTTLE; Type 0: Not a Combination

4 04	Product	02/22/2023	
Markoting	Information		
Marketing	Information		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019125	03/23/2023	

Labeler - HR Pharmaceuticals, Inc. (117164328)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc		007470579	manufacture(69464-901)

Revised: 3/2023

HR Pharmaceuticals, Inc.