

**ANTIBIOTIC AND PAIN RELIEF MAXIMUM STRENGTH- bacitracin zinc neomycin sulfate
polymyxin b sulfate pramoxine hcl ointment
Kinray, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate, Pramoxine Hydrochloride

ACTIVE INGREDIENTS

(in each gram)

Bacitracin zinc 500 units

Neomycin 3.5 mg

Polymyxin B sulfate 10,000 units

Pramoxine hydrochloride 10 mg

PURPOSES

First aid antibiotic/Pain reliever

USES

Helps prevent infection in and temporarily relieves pain due to

- minor cuts
- scrapes
- burns

WARNINGS

For external use only

Allergy alert:

- do not use if allergic to any of the ingredients

DO NOT USE

- in or near the eyes
- on large areas of the body

ASK A DOCTOR BEFORE USE IF YOU HAVE

- deep or puncture wounds
- animal bites
- serious burns

WHEN USING THIS PRODUCT

- do not use longer than 1 week

STOP USE AND ASK A DOCTOR IF

- condition lasts or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days
- a rash or other allergic reaction occurs

KEEP OUT OF REACH OF CHILDREN.

If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

Adults and children 2 years and older:

- clean affected area
- apply a small amount (equal to surface area of tip of finger) on area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years: ask a doctor

INACTIVE INGREDIENT

White petrolatum

QUESTIONS?

1-800-432-8534 (select option #2) between 9 am and 4 pm EST, Monday-Friday.

Store at 59° - 86°F (15° - 30°C).

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

*Compare to the active ingredients in Neosporin®+ Pain Relief

Preferred plus +++++ Pharmacy

ANTIBIOTIC + PAIN RELIEF

MAXIMUM STRENGTH OINTMENT

BACITRACIN ZINC – NEOMYCIN SULFATE - POLYMYXIN B SULFATE - PRAMOXINE HCl

FIRST AID ANTIBIOTIC /PAIN RELIEVING OINTMENT

NET WT 1 OZ (28 G)

INFECTION PROTECTION

FOR BURNS, CUTS & SCRAPES

Maximum Strength Pain Relief Ointment

08230209A1 VC109276

*Compare to the active ingredients
in Neosporin®+ Pain Relief



ANTIBIOTIC + PAIN RELIEF

MAXIMUM STRENGTH OINTMENT

BACITRACIN ZINC - NEOMYCIN SULFATE - POLYMYXIN B SULFATE - PRAMOXINE HCl

FIRST AID ANTIBIOTIC /PAIN RELIEVING OINTMENT

NET WT 1 OZ (28 G)



INFECTION PROTECTION FOR BURNS, CUTS & SCRAPES

Maximum Strength Pain Relief Ointment

*Compare to the active ingredients
in Neosporin®+ Pain Relief



ANTIBIOTIC + PAIN RELIEF

MAXIMUM STRENGTH OINTMENT

BACITRACIN ZINC - NEOMYCIN SULFATE - POLYMYXIN B SULFATE - PRAMOXINE HCl

FIRST AID ANTIBIOTIC /PAIN RELIEVING OINTMENT

NET WT 1 OZ (28 G)



Drug Facts

Active ingredients (in each gram)

Bacitracin zinc 500 units
Neomycin 3.5 mg
Polymyxin B sulfate 10,000 units
Pramoxine hydrochloride 10 mg

Purposes

First aid antibiotic
Pain reliever

Uses helps prevent infection in and temporarily relieves pain due to • minor cuts • scrapes • burns

Warnings

For external use only

Allergy alert: • do not use if allergic to any of the ingredients

Do not use • in or near the eyes • on large areas of the body

Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

When using this product • do not use longer than 1 week

Stop use and ask a doctor if

• condition lasts or gets worse
• symptoms last for more than 7 days or clear up and come back within a few days
• a rash or other allergic reaction occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years and older:

- clean affected area
- apply a small amount (equal to surface area of tip of finger) on area 1 to 3 times daily
- may be covered with a sterile bandage

Children under 2 years: ask a doctor

Inactive ingredient white petrolatum

Questions? 1-800-432-8534 (select option #2) between 9 am and 4 pm EST, Monday-Friday.

Store at 59°-86°F (15°-30°C).



This product is not affiliated with, manufactured by,
or produced by the makers of Neosporin®.
023020941 VC108275
All Preferred Plus Pharmacy products are satisfaction
guaranteed or your money back from retailer where purchased.
Distributed by: Kinray Inc.
Whitestone, NY 11357
Rev 03/10

CARTON LABEL

ANTIBIOTIC AND PAIN RELIEF MAXIMUM STRENGTH

bacitracin zinc neomycin sulfate polymyxin b sulfate pramoxine hcl ointment

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:63777-082 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|------------------------------------------------------------------------------------|--------------------------|----------------------------------|
| BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I) | BACITRACIN ZINC | 500 [USP ^U] in 1 g |
| NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297) | NEOMYCIN | 3.5 mg in 1 g |
| POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K) | POLYMYXIN B SULFATE | 10000 [USP ^U] in 1 g |
| PRAMO XINE HYDRO CHLORIDE (UNII: 88AYB867L5) (PRAMO XINE - UNII:068X84E056) | PRAMO XINE HYDROCHLORIDE | 10 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------------------|-----------------|
| PETROLATUM (UNII: 4T6H12BN9U) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|----------------------------|-----------------------------|---------------------------|
| 1 | NDC:63777-082-31 | 1 in 1 CARTON | | |
| 1 | | 28 g in 1 TUBE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|-------------------------------------------------|-----------------------------|---------------------------|
| OTC monograph final | part333B | 07/01/2010 | |

Labeler - Kinray, Inc. (012574513)

Revised: 6/2012

Kinray, Inc.