

HUMCO CALAMINE- calamine 8% and zinc oxide 8% lotion
Humco holding Group, Inc.

Humco Calamine Lotion

Drug Facts

Active Ingredients

Calamine 8% and Zinc Oxide 8%

Purpose

Skin protectant

Uses

dries the oozing and weeping o poison ivy, poison oak, and poison sumac.

Warnings

For external use only. Use only as directed.

Avoid contact with eyes and mucous membranes.

Ask a doctor before using on children 6 months of age.

When using this product

Discontinue use if condition worsens or does not improve within 7 days and consult a doctor.

Keep out of reach of children

In case of accidental ingestion, seek professional assistance or contact a Poison Control center immediately.

Directions

Adults and children 2 years of age and older: shake well before using. Cleanse the skin with soap and water and let it dry before each use. Apply lotion to the affected area using a cotton or soft cloth, as often as needed for comfort.

Children under 6 months of age: Consult a doctor before use.

Other information

Store at room temperature 13-30C (50-86F)

Inactive ingredients

Bentonite magma, calcium hydroxide, glycerin, purified water.

Package Principal Display Panel

NEC 0395-0413-9E

HUMCO

**CALAMINE
LOTION**

(Calamine Topical Suspension USP)

**SKIN
CARE**

SKIN PROTECTANT

CONTENTS 6 FL OZ (177 mL)

3 03950 41396 9

R101515DL

Drug Facts	
Active ingredients Calamine 8.0%, and Zinc Oxide 8.0%	Purpose Skin Protectant
Uses Dries the oozing and weeping of poison ivy, poison oak, and poison sumac.	
Warnings For External Use Only. Use only as directed. ■ Avoid contact with eyes and mucous membranes. ■ Ask a Doctor before using on children under 6 months of age.	
When using this product ■ Discontinue use if condition worsens or does not improve within 7 days, and consult a doctor.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Directions Adults and children 6 months of age and older	Shake well before using. Moisten cotton or soft cloth with lotion and apply as often as needed for comfort.
Children under 6 months of age	Consult a doctor.

Inactive ingredients Avicel, Bentonite Magma, Calcium Hydroxide, Carrageenan, Glycerin, Purified Water, and Xanthan Gum.

HUMCO, Texarkana, TX 75501
Questions or Comments? 1-800-862-3435

Drug Facts	
Active ingredients	Purpose
Calamine 8%, Zinc Oxide 8%.....	Skin protectant
Uses Dries the oozing and weeping of poison ivy, poison oak, and poison sumac.	
Warnings	
■ For External use only. Use only as directed.	
■ Avoid contact with eyes and mucous membranes.	
■ Ask a doctor before using on children under 2 years of age.	
When using this product Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Continued ▶	

CALAMINE LOTION
(CALAMINE TOPICAL SUSPENSION USP)
LOCIÓN CALAMINE
(Calamina Suspensión tópica)

HUMCOTM
A trusted name
in home health care

First Aid

USP SKIN PROTECTANT

THICK ELEGANT SUSPENSION FORMULA

6 fl oz
(177 mL)

Drug Facts (CONTINUED)

Directions

■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, as often as needed for comfort.

■ Children under 2 years of age: Consult a doctor before use.

Other information

Store at room temperature 15-30°C (59-86°F)

Inactive ingredients

Avicel, Bentonite Magma, Calcium Hydroxide, Carrageenan, Glycerin, Purified Water, and Xanthan Gum.

R092217

HUMCO, Texarkana, TX 75501
Questions or Comments? ☎ 1-800-662-3435
"We Help People Feel Better"

* Go to: www.simplehomerecipes.com to find helpful hints and learn more about Calamine Lotion.

MADE IN USA



Levante etiqueta para información

HUMCO CALAMINE

calamine 8% and zinc oxide 8% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-0413
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	160 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENTONITE (UNII: A3N5ZCN45C)	
CARRAGEENAN (UNII: 5C69YCD2YJ)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CALCIUM HYDROXIDE (UNII: PF5DZW74VN)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-0413-96	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/25/1998	

Labeler - Humco holding Group, Inc. (825672884)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	label(0395-0413) , manufacture(0395-0413) , analysis(0395-0413) , pack(0395-0413)

Revised: 12/2023

Humco holding Group, Inc.