

ACETAMINOPHEN- acetaminophen tablet Bryant Ranch Prepack

Major Pharmaceuticals Acetaminophen Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain one or more of these ingredients

Questions or comments?

1-800-616-2471

HOW SUPPLIED

NDC: 72162-2163-1: 100 Caplets in a BOTTLE

Repackaged/Relabeled by:
Bryant Ranch Prepack, Inc.
Burbank, CA 91504

Acetaminophen 500mg Caplet



SN Lot GTIN
06/09/2025 LOT123 00363629106424
1234567890

Drug Facts	
Active ingredient (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever/fever reducer
Uses	
Temporarily relieves minor aches and pains due to: •the common cold •headache •backache •minor pain of arthritis •toothache •muscular aches •premenstrual and menstrual cramps •temporarily reduces fever	
Warnings	
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: •more than 4,000 mg of acetaminophen in 24 hours •with other drugs containing acetaminophen or more alcoholic drinks every day while using this product. Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: •skin redness •blistering •rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use: •with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. •if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if: •pain gets worse or lasts more than 10 days •fever gets worse or lasts more than 3 days •new symptoms occur •redness or swelling is present. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	
Other information	
•Store at 20-25°C (68-77°F).	
•Do not use if printed seal under cap is broken or missing.	
•ASPIRIN FREE	
•DON'T USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN	
•PAIN RELIEVER/REDUCER	
•FOR ADULTS	
Directions	
•do not take more than directed (see overdose warning).	
adults and children 12 years and over: •take 2 caplets every 6 hours while symptoms last •do not take more than 6 caplets in 24 hours, unless directed by a doctor •do not use for more than 10 days unless directed by a doctor.	
children under 12 years: ask a doctor.	
Inactive ingredients	
carnauba wax, corn starch ¹ , croscarmellose sodium ¹ , hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate ¹ , stearic acid ¹ may contain one or more of these ingredients	

NDC 72162-2163-1

Acetaminophen Caplet,
USP

500 mg



Relabeled by:
Bryant Ranch Prepack, Inc.
Burbank, CA 91504 USA

100 Caplets
Manufactured by:
Major Pharmaceuticals



ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72162-2163(NDC:0904-6720)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	

Product Characteristics			
Color	WHITE	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	L484
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72162-2163-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	02/02/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/26/2018	

Labeler - Bryant Ranch Prepack (171714327)

Registrant - Bryant Ranch Prepack (171714327)

Establishment			
Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(72162-2163) , RELABEL(72162-2163)

Revised: 2/2024

Bryant Ranch Prepack