

CAREALL ACETAMINOPHEN EXTRA STRENGTH- acetaminophen tablet
New World Imports, Inc

Drug Facts

Active Ingredient

Acetaminophen 500 mg

Purpose

Pain reliever / Fever reducer

Keep out of reach of Children

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Uses

Temporary relief of minor aches and pains due to: the common cold, headache, toothache, muscular aches, backache, arthritis, premenstrual and menstrual cramps, and temporarily reduces fever.

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- Adults take more than 4,000mg of Acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use:

- If you are allergic to Acetaminophen or any of the inactive ingredients in this product.
- With other products containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if:

- Pain gets worse or lasts for more than 10 days
- Fever gets worse or lasts for more than 3 days
- New symptoms occur
- Redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Do not take more than directed (see overdose warning)

Adults and children 12 years of age and older:

Take 2 tablets every 6 hours while symptoms last

Do not take more than 6 tablets in 24 hours, unless directed by a doctor

Do not use more than 10 days unless directed by a doctor

Children under 12 years of age: ask a doctor

povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Drug Facts
Active ingredient (in each tablet) Purpose
Acetaminophen 500 mg Pain relief/fever reducer

Uses
Temporarily relieves minor aches and pains due to:
■ the common cold ■ headache
■ flu ■ minor pain of arthritis
■ toothache ■ muscular aches
■ premenstrual and menstrual cramps
Temporarily reduces fever

Warnings
Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take:
■ more than 4,000 mg of acetaminophen in 24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Alert: Acetaminophen may cause severe skin reactions. Symptoms include:
■ skin redness/itching ■ hives
■ skin peeling/blistering ■ rash
If a skin reaction occurs, stop use and seek medical help immediately.

Do not use
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Other information
Distributed by: NMI, Inc.
160 Athens Way
Nashville, TN 37226

0 85317 00482 8

This product is not manufactured or distributed by McNeil Consumer Healthcare, also known as Extra Strength Tylenol®.

Drug Facts (continued)
Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if
■ pain gets worse or lasts more than 10 days
■ fever gets worse or lasts more than 3 days
■ new symptoms occur
■ redness or swelling is present
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
■ do not take more than directed (see overdose warning)
adults and children 12 years and over ■ take 2 tablets every 6 hours while symptoms last
■ do not take more than 6 tablets in 24 hours, unless directed by a doctor
children under 12 years ■ ask a doctor

Other information
■ store between 20°-25°C (68°-77°F)
1-984-705-4384

Inactive ingredients: povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?
1-984-705-4384

STOP PEELING

CAREALL ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51824-086
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	500 mg

Inactive Ingredients

Ingredient Name	Strength
Starch, Corn (UNII: O8232NY3SJ)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Povidone (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white (White)	Score	no score
Shape	ROUND (round)	Size	12mm
Flavor		Imprint Code	M2A4;57344
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51824-086-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	03/18/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/18/2021	

Labeler - New World Imports, Inc (075372276)