

**OXYGEN - oxygen gas**  
**Great Lakes Home Healthcare Services**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

**Oxygen**

**Principal for Oxygen Product**



**Custom Liquid Label Proof**

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP**

UN 1073

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1**

**CONTENTS: \_\_\_\_\_ LITERS**

**⚠ WARNING:** DO NOT CHANGE OR FORCE ALL CONNECTIONS. EXCESSIVE FORCE CAN CAUSE OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIOLENCE MAY OCCUR. LIQUID OXYGEN IS EXTREMELY FLAMMABLE. NO SMOKING, NO OPEN FLAMES OR FIRE. MAY BECOME INSTABLY UNSTABLE IN CONTACT WITH LIQUID OXYGEN. MAY CAUSE SEVERE FROSTBITE.

**CAUSE:** Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. If liquid withdrawn, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Container temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use a back flow preventive device in the piping.

**IN CASE OF FROSTBITE:** Obtain medical treatment immediately. Use in accordance with the Material Safety Data Sheet (MSDS).

**⚠ WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquaration

**DO NOT REMOVE THIS PRODUCT LABEL.**

CAS NO. 7782-44-7

**Great Lakes  
Home Healthcare Services**  
 1700 Peach Street, STE. 104  
 Erie, PA 16501

**PLEASE MAKE ALL CORRECTIONS ON THIS SHEET AND SIGN.**

**Company:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Approved by:** \_\_\_\_\_ **PO#:** \_\_\_\_\_

**COLORS:** BLACK, PANTONE YELLOW, FILM IMPRINT VARNISH

In order to meet the projected lead time, please SIGN and RETURN this copy as soon as possible. This proof has been prepared according to our understanding of your specifications. Please examine the proof carefully for (1) Spelling, (2) Spacing, (3) Punctuation, and (4) Location of Printing. We cannot assume responsibility for errors and/or omissions.



Custom Liquid Label Proof

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP**

UN 1073

**OXYGEN**

2

LITERS

**CONTENTS: \_\_\_\_\_**

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1**

**WARNING:** DO NOT CHANGE OR LOOSEN THE CONTAINER PRESSURE. VIGOROUSLY AGGITATES COMBUSTION. NO SMOKING. IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT IN EXPLOSION OR IGNITION OR IMPACT CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drip. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Container temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use a leak flow prevention device in the piping. Use in accordance with the Medical Society/Dea Street (MSDS).

**FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately. For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation for all other medical applications. Rx Only.

**WARNING:** Unintended use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquide/airco

**DO NOT REMOVE THIS PRODUCT LABEL.**

**Great Lakes  
Home Healthcare Services**

600 Chestnut Street Extension, Suite 3  
Bradford, PA 16701

CAS NO. 7782-44-7

**PLEASE MAKE ALL CORRECTIONS ON THIS SHEET AND SIGN.**

**Company:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Approved by:** \_\_\_\_\_ **PO#:** \_\_\_\_\_

**COLORS:** BLACK, PANTONE YELLOW, FILM IMPRINT, VARNISH

In order to meet the projected lead time, please SIGN and RETURN this copy as soon as possible. This proof has been prepared according to our understanding of your specifications. Please examine the proof carefully for (1) Spelling, (2) Spacing, (3) Punctuation, and (4) Location of Printing. We cannot assume responsibility for errors and/or omissions.

OXYGEN			
oxygen gas			
Product Information			
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:64454-0001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		
Active Ingredient/Active Moiety			
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L	
Packaging			
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>
1	NDC:64454-0001-1	450.46 L in 1 DEWAR	

2	NDC:64454-0001-2	46.6 L in 1 DEWAR		
3	NDC:64454-0001-3	21.6 L in 1 DEWAR		
4	NDC:64454-0001-4	41 L in 1 DEWAR		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		04/13/1998	

**Labeler** - Great Lakes Home Healthcare Services (129446667)

### Establishment

Name	Address	ID/FEI	Business Operations
Great Lakes Home Healthcare Services		129446667	manufacture

### Establishment

Name	Address	ID/FEI	Business Operations
Great Lakes Home Healthcare Services		112745633	manufacture

Revised: 12/2009

Great Lakes Home Healthcare Services