

COMPLETE ALLERGY- diphenhydramine hcl tablet, film coated
Chain Drug Consortium

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Premier Value 44-329

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C red #27 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

Premier Value®

***COMPARE TO THE ACTIVE INGREDIENT IN BENADRYL® ALLERGY ULTRATAB® TABLETS**

Complete Allergy

Diphenhydramine HCl, 25 mg

ANTIHISTAMINE

Allergy relief for:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat

Easy to swallow

200 Tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the

registered trademark Benadryl® Allergy ULTRATAB® Tablets.
50844 ORG101632906

Distributed By:
Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, PA 19087

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

No Print Area
Lot no. & Exp. Date

8 40986103495 4



TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Premier Value®

Complete Allergy

Diphenhydramine HCl, 25 mg
ANTIHISTAMINE

Allergy relief for:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat

200 Tablets Easy to swallow



Premier Value®

Complete Allergy

Diphenhydramine HCl, 25 mg
ANTIHISTAMINE

200 Tablets



B-1590-329-06
ORG101632906

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

<p>Drug Facts</p> <p>Active ingredient (in each tablet) Diphenhydramine HCl 25 mg Antihistamine</p> <p>Uses</p> <ul style="list-style-type: none"> ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ itchy, watery eyes ■ sneezing ■ runny nose ■ itching of the nose or throat <p>■ temporarily relieves these symptoms due to the common cold:</p> <ul style="list-style-type: none"> ■ sneezing ■ runny nose 	<p>Warnings</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ a breathing problem such as emphysema or chronic bronchitis ■ difficulty in urination due to enlargement of the prostate gland ■ glaucoma <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. ↑</p>
---	--

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

<p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> ■ each tablet contains: calcium 30 mg ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture ■ see end flap for expiration date and lot number <p>Inactive ingredients corn starch, D&C red #27 aluminum lake, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide</p> <p>Questions or comments? 1-800-426-9391</p> <p style="font-size: 8px;">*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB® Tablets. 50844 ORG101632906</p> <p style="font-size: 8px;">Distributed By: Pharmacy Value Alliance, LLC 407 East Lancaster Avenue, Wayne, PA 19087</p> <p style="font-size: 8px;">If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.</p> 	<p>Drug Facts (continued)</p> <p>When using this product</p> <ul style="list-style-type: none"> ■ marked drowsiness may occur ■ avoid alcoholic beverages ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">■ take every 4 to 6 hours, or as directed by a doctor</td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> <tr> <td>■ do not take more than 6 times in 24 hours</td> <td>adults and children 12 years and over</td> <td>1 to 2 tablets</td> <td></td> </tr> <tr> <td></td> <td>children 6 to under 12 years</td> <td>1 tablet</td> <td></td> </tr> <tr> <td></td> <td>children under 6 years</td> <td>do not use</td> <td>↑</td> </tr> </table>	■ take every 4 to 6 hours, or as directed by a doctor				■ do not take more than 6 times in 24 hours	adults and children 12 years and over	1 to 2 tablets			children 6 to under 12 years	1 tablet			children under 6 years	do not use	↑
■ take every 4 to 6 hours, or as directed by a doctor																	
■ do not take more than 6 times in 24 hours	adults and children 12 years and over	1 to 2 tablets															
	children 6 to under 12 years	1 tablet															
	children under 6 years	do not use	↑														

Premier Value 44-329

COMPLETE ALLERGY

diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-641
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	

Product Characteristics

Color	PINK	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;329
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-641-24	2 in 1 CARTON	03/02/1990	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:68016-641-10	1 in 1 CARTON	03/02/1990	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:68016-641-00	1 in 1 CARTON	03/02/1990	
3		200 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC MONOGRAPH FINAL	part341	03/02/1990	
---------------------	---------	------------	--

Labeler - Chain Drug Consortium (101668460)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(68016-641)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(68016-641)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	MANUFACTURE(68016-641) , PACK(68016-641)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(68016-641)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(68016-641)