

ACETAMINOPHEN- acetaminophen tablet
FAMILY DOLLAR

Arthritis Pain Relief

Acetaminophen Extended-release tablets USP, 650mg

Pain Reliever/ Fever Reducer

For the temporary relief of minor arthrititis pain

Contains No Aspirin

See New Warning

Do not use with other medicines containing acetaminophen

Active ingredient (in each caplet)

Acetaminophen USP, 650 mg

Purpose

Pain reliever/ fever reducer

Uses

■ temporarily relieves minor aches and pains due to: ■ minor pain of arthritis ■ muscular aches ■ backache ■ premenstrual and menstrual cramps ■ the common cold ■ headache

■ toothache ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

■ more than 6 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present.
- These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Keep out of reach of children.

Overdose warning:

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults ■ take 2 caplets every 8 hours with water

- swallow whole; do not crush, chew, split or dissolve

- do not take more than 6 caplets in 24 hours

- do not use for more than 10 days unless directed by a doctor
- under 18

years of age ■ ask a doctor

Other information

- store between 20-25°C (68-77°F)
- do not use if foil inner seal is broken or missing

Inactive Ingredients

hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?

contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

PDP

end user :	GRANULOS
item :	
code # :	
size :	2+3/32 X 2+3/32 X 4+3/16
ref # :	PP180604A
material :	016 SBS
view :	
date :	

COATING FREE AREA

700000004597
700000003487



COATING FREE AREA

200000004597
700000003487



COATING FREE AREA

COATING FREE AREA

SKU 999381



0 3225192167 4

Lot
Exp.

COATING FREE AREA

<p>Important: Read all product information before using. Keep the carton for important information. Do not use if foil inner seal is broken or missing.</p> <p>Drug Facts</p> <p>Active ingredient (in each caplet) Purpose Acetaminophen USP 650 mg Pain reliever/fever reducer</p> <p>Uses</p> <ul style="list-style-type: none"> ■ Temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> ■ minor pain of arthritis ■ muscular aches ■ backache ■ menstrual and menstrual cramps ■ the common cold ■ headache ■ toothache ■ temporarily reduces fever <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take</p> <ul style="list-style-type: none"> ■ more than 6 caplets in 24 hours, which is the maximum daily amount. ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <p>Alert: acetaminophen may cause severe skin reactions. Symptoms may include:</p> <ul style="list-style-type: none"> ■ skin redness ■ rashes ■ hives <p>■ If a skin reaction occurs, stop use and seek medical help right away. Do not use</p> <ul style="list-style-type: none"> ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product <p>Ask a doctor before use if you have liver disease</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days 	<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> ■ new symptoms occur ■ redness or swelling is present <p>These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</p> <p>Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ do not take more than directed (see overdose warning) <p>adults</p> <ul style="list-style-type: none"> ■ take 2 caplets every 8 hours with water ■ swallow whole; do not crush, chew, split or dissolve ■ do not take more than 6 caplets in 24 hours ■ do not use for more than 10 days unless directed by a doctor <p>under 18 years of age</p> <ul style="list-style-type: none"> ■ ask a doctor <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ do not use if foil inner seal is broken or missing <p>Inactive ingredients hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid</p> <p>Questions or comments? contact 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST</p> <p><small>*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® & HR Arthritis Pain.</small></p> <p><small>DISTRIBUTED BY: MIDWOOD BRANDS, LLC 500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA MADE IN INDIA</small></p> <p><small>NOT 100% SATISFIED? Retain package and request product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.</small></p>	<p style="text-align: center;">See New Warning</p> <p style="text-align: center;">COMPARE TO THE ACTIVE INGREDIENT OF TYLENOL® 8 HR ARTHRITIS PAIN*</p> <p style="text-align: center;">FAMILY Wellness</p> <p style="text-align: center;">ARTHRITIS PAIN RELIEF</p> <p style="text-align: center;">8 HOUR</p> <p style="text-align: center;">Acetaminophen Extended-release tablets USP, 650 mg</p> <p style="text-align: center;">Pain Reliever/Fever Reducer</p> <p style="text-align: center;">For The Temporary Relief Of Minor Arthritis Pain</p> <p style="text-align: center;">Contains No Aspirin</p> <div style="text-align: center;">  <p>ACTUAL SIZE</p> </div> <p style="text-align: center;">100 CAPLETS* 650 MG EACH (*Capsule-Shaped BI-Layer Tablets)</p> <p style="text-align: center; border: 1px solid black; padding: 2px;">DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN</p>
--	--	---

FAMILY Wellness

ARTHRITIS PAIN RELIEF

Acetaminophen

Extended-release tablets USP, 650 mg

Pain Reliever/Fever Reducer

For The Temporary Relief Of Minor Arthritis Pain

Contains No Aspirin

100 CAPLETS* 650 MG EACH
(*Capsule-Shaped BI-Layer Tablets)

8 HOUR

FAMILY Wellness

ARTHRITIS PAIN RELIEF

Acetaminophen

Extended-release tablets USP, 650 mg

Pain Reliever/Fever Reducer

For The Temporary Relief Of Minor Arthritis Pain

Contains No Aspirin

100 CAPLETS* 650 MG EACH
(*Capsule-Shaped BI-Layer Tablets)

8 HOUR

See New Warning

COMPARE TO THE ACTIVE INGREDIENT OF TYLENOL® 8 HR ARTHRITIS PAIN*

FAMILY Wellness

ARTHRITIS PAIN RELIEF

Acetaminophen

Extended-release tablets USP, 650 mg

Pain Reliever/Fever Reducer

For The Temporary Relief Of Minor Arthritis Pain

Contains No Aspirin

100 CAPLETS* 650 MG EACH
(*Capsule-Shaped BI-Layer Tablets)

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

item	:	
code #	:	
size	:	1+3/4 X 1+3/4 X 3+3/8
ref #	:	PP180604B
material	:	.016 SBS



ACETAMINOPHEN			
acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-185
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	650 mg
Inactive Ingredients			

Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
HYDROXYETHYL CELLULOSE (140 CPS AT 5%) (UNII: 8136Y38GY5)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	19mm
Flavor		Imprint Code	G650
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-185-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2023	
2	NDC:55319-185-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211544	09/01/2023	

Labeler - FAMILY DOLLAR (024472631)

Revised: 12/2023

FAMILY DOLLAR