

**CUPRUM SULPHURICUM- cuprum sulphuricum pellet**  
**Hahnemann Laboratories, INC.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**CUPRUM  
SULPHURICUM  
30C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**CUPRUM  
SULPHURICUM  
100C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc.

**CUPRUM  
SULPHURICUM  
200C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**CUPRUM  
SULPHURICUM  
500C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

# CUPRUM SULPHURICUM 1M

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc.

**CUPRUM  
SULPHURICUM  
10M**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CUPRUM SULPHURICUM 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## CUPRUM SULPHURICUM

cuprum sulphuricum pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2901
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)		CUPRIC CATION	10 [hp_M]	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
SUCROSE (UNII: C151H8M554)				
<b>Product Characteristics</b>				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2901-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
2	NDC:37662-2901-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
3	NDC:37662-2901-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
4	NDC:37662-2901-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		03/31/2023		

## CUPRUM SULPHURICUM

cuprum sulphuricum pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2895
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)		CUPRIC CATION	12 [hp_C]

## Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2895-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
2	NDC:37662-2895-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
3	NDC:37662-2895-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/31/2023	

## CUPRUM SULPHURICUM

cuprum sulphuricum pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2896
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	30 [hp_C]

## Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	



## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	3mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2896-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
2	NDC:37662-2896-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
3	NDC:37662-2896-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
4	NDC:37662-2896-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/31/2023	

## CUPRUM SULPHURICUM

cuprum sulphuricum pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37662-2897
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	100 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	2mm

<b>Flavor</b>		<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2897-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
2	NDC:37662-2897-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
3	NDC:37662-2897-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
4	NDC:37662-2897-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		03/31/2023		

<b>CUPRUM SULPHURICUM</b>			
cuprum sulphuricum pellet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37662-2900
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	1 [hp_M]	
<b>Inactive Ingredients</b>			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			
<b>Product Characteristics</b>			
<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	2mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2900-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
2	NDC:37662-2900-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
3	NDC:37662-2900-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
4	NDC:37662-2900-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/31/2023	

CUPRUM SULPHURICUM				
cuprum sulphuricum pellet				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2898	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)		CUPRIC CATION	200 [hp_C]	
Inactive Ingredients				
Ingredient Name		Strength		
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date



1	NDC:37662-2898-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
2	NDC:37662-2898-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
3	NDC:37662-2898-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
4	NDC:37662-2898-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/31/2023	

## CUPRUM SULPHURICUM

cuprum sulphuricum pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2899
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	500 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2899-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
2	NDC:37662-2899-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	

3	NDC:37662-2899-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
4	NDC:37662-2899-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/31/2023	

## CUPRUM SULPHURICUM

cuprum sulphuricum pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2894
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CUPRIC SULFATE (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	6 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-2894-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	03/31/2023	
2	NDC:37662-2894-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	
3	NDC:37662-2894-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	03/31/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/31/2023	

**Labeler** - Hahnemann Laboratories, INC. (147098081)

## Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2894, 37662-2895, 37662-2896, 37662-2897, 37662-2898, 37662-2899, 37662-2900, 37662-2901)

Revised: 3/2023

Hahnemann Laboratories, INC.