ELAEAGNUS ANGUSTIFLORA- elaeagnus angustiflora pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ELAEAGNUS ANGUSTIFLORA 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ELAEAGNUS ANGUSTIFLORA 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional
homeopathic use.
Keep out of reach
of children

pellets orally once Inactive ingredients: Sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, CA!

TWIST TO OPEN - USE ONLY IF SEALED

ELAEAGNUS ANGUSTIFLORA 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ELAEAGNUS ANGUSTIFLORA

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional
homeopathic use.
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, CA

ELAEAGNUS ANGUSTIFLORA 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

ELAEAGNUS ANGUSTIFLORA 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ELAEAGNUS ANGUSTIFLORA 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional
homeopathic use.
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

ELAEAGNUS ANGUSTIFLORA 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

ELAEAGNUS ANGUSTIFLORA 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ELAEAGNUS ANGUSTIFLORA 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional
homeopathic use.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: Sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, (

TWIST TO OPEN - USE ONLY IF SEAL

ELAEAGNUS ANGUSTIFLORA 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

ELAEAGNUS ANGUSTIFLORA 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ELAEAGNUS ANGUSTIFLORA 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional
homeopathic use.

Keep out of reach

of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

mann Labs Inc. 1940 Fourth St. San Rafael,

TWIST TO OPEN - USE ONLY IF SEA

ELAEAGNUS ANGUSTIFLORA 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



ELAEAGNUS ANGUSTIFLORA 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

ELAEAGNUS ANGUSTIFLORA 10M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional
homeopathic use.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, C.

TWIST TO OPEN - USE ONLY IF SEALE

ELAEAGNUS ANGUSTIFLORA 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

ELAEAGNUS ANGUSTIFLORA 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

ELAEAGNUS ANGUSTIFLORA 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

ELAEAGNUS ANGUSTIFLORA

elaeagnus angustiflora pellet

Product Information

Product Type HUMAN

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-2910

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	ELAEAGNUS ANGUSTIFOLIA WHOLE	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2910-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023			
2	NDC:37662- 2910-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023			
3	NDC:37662- 2910-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		04/05/2023		

ELAEAGNUS ANGUSTIFLORA

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2912	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ELAEAGNUS ANGUSTIFOLIA WHOLE (UNII: 0RT0F1AT47) (ELAEAGNUS ANGUSTIFOLIA WHOLE - UNII:0RT0F1AT47)	ELAEAGNUS ANGUSTIFOLIA WHOLE	30 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2912-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023			
2	NDC:37662- 2912-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023			
3	NDC:37662- 2912-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023			
4	NDC:37662- 2912-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		04/05/2023		

ELAEAGNUS ANGUSTIFLORA

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2913	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ELAEAGNUS ANGUSTIFOLIA WHOLE (UNII: 0RT0F1AT47) (ELAEAGNUS ANGUSTIFOLIA WHOLE - UNII: 0RT0F1AT47)	ELAEAGNUS ANGUSTIFOLIA WHOLE	100 [hp_C]	

Inactive Ingredients		
	Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains	Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2913-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023			
2	NDC:37662- 2913-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023			
3	NDC:37662- 2913-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023			
4	NDC:37662- 2913-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023			

Marketing Information				
Marketing Category	Marketing End Date			
unapproved homeopathic		04/05/2023		

ELAEAGNUS ANGUSTIFLORA

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2911
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
	ELAEAGNUS ANGUSTIFOLIA WHOLE	12 [hp_C]	

Inactive Ingredients					
Ingredient Name Strength					
SUCROSE (UNII: C151H8M554)					

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 2911-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023				
2	NDC:37662- 2911-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023				
3	NDC:37662- 2911-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023				

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date				
	04/05/2023			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

ELAEAGNUS ANGUSTIFLORA

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2917	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ELAEAGNUS ANGUSTIFOLIA WHOLE (UNII: 0RT0F1AT47) (ELAEAGNUS ANGUSTIFOLIA WHOLE - UNII:0RT0F1AT47)	ELAEAGNUS ANGUSTIFOLIA WHOLE	10 [hp_M]	

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		

Contains

P	Packaging				
#	# Item Code Package Description Marketing Start Date			Marketing End Date	
1	NDC:37662- 2917-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023		
2	NDC:37662- 2917-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023		
3	NDC:37662- 2917-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023		
4	NDC:37662- 2917-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023		

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing I Category Citation Date Date				
unapproved homeopathic		04/05/2023		
homeopathic		0-1, 03, 2023		

ELAEAGNUS ANGUSTIFLORA

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2914	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ELAEAGNUS ANGUSTIFOLIA WHOLE (UNII: 0RT0F1AT47) (ELAEAGNUS ANGUSTIFOLIA WHOLE - UNII:0RT0F1AT47)	ELAEAGNUS ANGUSTIFOLIA WHOLE	200 [hp_C]		

Inactive Ingredients			
Ingredient Name Strength			
SUCROSE (UNII: C151H8M554)			

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 2914-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023			
2	NDC:37662- 2914-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023			
3	NDC:37662- 2914-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023			
4	NDC:37662- 2914-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023			

011110101011	Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing Category Citation Date Date					
	04/05/2023				
	• •	Citation Date			

ELAEAGNUS ANGUSTIFLORA

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2915	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength		
	ELAEAGNUS ANGUSTIFOLIA WHOLE (UNII: 0RT0F1AT47) (ELAEAGNUS ANGUSTIFOLIA WHOLE - UNII:0RT0F1AT47)	ELAEAGNUS ANGUSTIFOLIA WHOLE	500 [hp_C]		

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:37662- 2915-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023
2	NDC:37662- 2915-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	04/05/2023
3	NDC:37662- 2915-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023
4	NDC:37662- 2915-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023

Marketing Information			
Marketing Application Category	Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved nomeopathic		04/05/2023	
unapproved	Citation		

ELAEAGNUS ANGUSTIFLORA

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-2916
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ELAEAGNUS ANGUSTIFOLIA WHOLE (UNII: 0RT0F1AT47) (ELAEAGNUS ANGUSTIFOLIA WHOLE - UNII:0RT0F1AT47)	ELAEAGNUS ANGUSTIFOLIA WHOLE	1 [hp_M]		

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	ackaging			
#	# Item Code Package Description		Marketing Start Date	Marketing End Date
1	NDC:37662- 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product		04/05/2023	
١,	NDC:37662-	500 in 1 VIAL, GLASS; Type 0: Not a Combination	04/05/2022	

4	2916-2	Product	U4/U3/ZUZ3	
3		3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023	
4		10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/05/2023	

Marketing Information				
ing Application Number ory Citatio	Monograph Marketing Start Date	Marketing End Date		
	04/05/2023			
	04/05/2023			

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, INC.		147098081	manufacture(37662-2910, 37662-2911, 37662-2912, 37662-2913, 37662-2914, 37662-2915, 37662-2916, 37662-2917)	

Revised: 3/2023 Hahnemann Laboratories, INC.