PLEO PEF- candida parapsilosis liquid Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo® Pef PORTABLE SIPS 6X Oral Homeopathic Medicine 10 doses, each 1 mL (.03 fl oz)

INDICATIONS

For temporary relief of external anal itching and irritation.

DIRECTIONS FOR USE

Snap off top portion of sipping container. Insert glass sipping straw.

DOSAGE

1-3 x weekly 1 sip

INGREDIENTS

1 mL contains Candida parapsilosis 6X, in a base of purified saline solution.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Tamper Evident

Do not use this product if the glass vial is broken.

Made in Germany

Manufactured by:

SANUM-Kehlbeck GmbH & Co. KG, Hoya Germany

Distributed by:

SANUM USA Corp., 1465 Slater Road, Ferndale, WA 98248

PRINCIPAL DISPLAY PANEL - 1 mL Carton

2505-1

Pleo® Pef PORTABLE SIPS 6X

Oral Homeopathic Medicine

The original **SANUM**® brand remedies

INDICATIONS: For temporary relief of external anal itching and irritation.

DIRECTIONS FOR USE: Snap off top portion of sipping container. Insert glass sipping straw.

DOSAGE: 1-3 x weekly 1 sip

INGREDIENTS: 1 mL contains Candida parapsilosis 6X, in a base of purified saline solution.

Tamper Evident: Do not use this product if the glass vial is broken.

ORIGINAL ENDERLEIN

convenient, disposable single dose containers

10 doses, each 1 mL (.03 fl oz)

Rev. 05/2010

480IN6XSE10US005

2505-1

Pleo® Pef PORTABLE SIPS 6X

Oral Homeopathic Medicine

The original

SANUM

brand remedies

INDICATIONS: For temporary relief of external anal itching and irritation.

DIRECTIONS FOR USE: Snap off top portion of sipping container, Insert glass sipping straw.

DOSAGE: 1-3x weekly 1 sip

INGREDIENTS: 1 mL contains Candida parapsilosis 6X, in a base of purified saline solution

Tamper Evident: Do not use this product if the glass vial is broken.



convenient, disposable single dose containers 10 doses, each 1 mL (.03 fl oz)

Rev. 05/2015

999IN00FS10US908

WARNING: If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product. Keep this and all medications out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Tamper Evident: Do not use this product if the glass vial is broken.

Lot #:

Exp.:

Made in Germany

Manufactured by: SANUM-Kehlbeck GmbH & Co. KG, Hoya, Germany

Distributed by: SANUM USA Corp., 1465 Slater Road, Ferndale, WA 98248

PLEO PEF

candida parapsilosis liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-2505	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
candida parapsilosis (UNII: 0KZ676D44N) (candida parapsilosis - UNII:0KZ676D44N)	candida parapsilosis	6 [hp_X] in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
sodium chloride (UNII: 451W47IQ8X)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:60681-2505-1	10 in 1 CARTON				
1		1 mL in 1 VIAL, GLASS				
2	NDC:60681-2505-2	50 in 1 CARTON				
2		1 mL in 1 VIAL, GLASS				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
UNAPPROVED HOMEOPATHIC		03/19/1997		

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 11/2011 Sanum Kehlbeck GmbH & Co. KG