FOSTER AND THRIVE ADULT TUSSIN DM- dextromethorphan hydrobromide, guaifenesin solution Strategic Sourcing Services LLC

McKesson Adult Tussin DM Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- · keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	20 mL every 4 hours
children under 12 years	do not use

Other information

- each 20 mL contains: sodium 14 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

Package/Label Principal Display Panel

COMPARE TO ROBITUSSIN® COUGH + CHEST CONGESTION DM

ACTIVE INGREDIENTS

Foster & Thrive™

Adult Tussin DM

Dextromethorphan HBr

Guaifenesin

COUGH SUPPRESSANT

EXPECTORANT

Cough & Chest Congestion DM

For Ages 12 & Over

Non-Drowsy**

Alcohol-Free | Gluten Free

Relieves:

- Cough
- Mucus

SEE NEW DOSING

RASPBERRY FLAVOR

DOSING CUP INCLUDED

**WHEN TAKEN AS DIRECTED

4 FL OZ (118 mL)





Adult Tussin DM

Dextromethorphan HBr Guaifenesin COUGH SUPPRESSANT **EXPECTORANT**



COMPARE TO ROBITUSSIN® COUGH + CHEST CONGESTION DM ACTIVE INGREDIENTS*

Foster & Thrive™

Adult Tussin DM

Dextromethorphan HBr Guaifenesin COUGH SUPPRESSANT **EXPECTORANT**

Cough & Chest Congestion DM

For Ages 12 & Over

Non-Drowsy**

Alcohol-Free | Gluten Free

Relieves:

Cough

 Mucus SEE NEW DOSING



4 FL OZ (118 mL)

Foster & Thrive™

√ For Ages 12 & Over

Non-Drowsy**

Relieves:

- Cough Mucus
- √ Alcohol-Free
- √ Gluten Free

©2023 McKesson Cerperation

Distributed by: McKesson Corp., via Strategic Sourcing Services LLC.
Memphis, TN 38141
Money Back Guarantee www.fosterandthrive.com

REV. 07/2

Drug Facts

Purposes

...Expectorant

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tube

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- Ask a accordence use if you have a cough that occurs with too much phlegm (mucus) a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health

If pregnant or breast-teeding, ask a healt professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- I do not take more than 6 doses in any 24-hour period measure only with dosing cup provided
- keep dosing cup with product
 mL = milliliter
- this adult product is not intended for use in children under 12 years of age



Drug Facts (continued)

children under 12 years do not use

■ each 20 mL contains: sodium 14 mg ■ store at 20-25°C (68-77°F).

Inactive ingredients anhydrous citric acid, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium obenzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments? Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin© Cough + Chest Congestion DM.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING


KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

20 mL every 4 hours

adults and children 12 years and over

Other information

Do not refrigerate.





63K26 KM C1

FOSTER AND THRIVE ADULT TUSSIN DM

dextromethorphan hydrobromide, quaifenesin solution

Product Information

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:70677-1035

Route of Administration

ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 20 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
XANTHAN GUM (UNII: TTV12P4NEE)		

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor	FRUIT	Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:70677- 1035-1	1 in 1 CARTON	10/25/2023			
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product				
2	NDC:70677- 1035-2	1 in 1 CARTON	10/25/2023			
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	10/25/2023		

Revised: 10/2023 Strategic Sourcing Services LLC