

NIGHTTIME SLEEP-AID- diphenhydramine hcl solution
Rite Aid Corporation

Rite Aid 44-002A

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic beverages.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

Other information

- **each 30 mL contains:** sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

Questions or comments?

1-800-426-9391

Principal display panel

Compare to the active ingredient in
VICKS® ZzzQuil® NIGHTTIME SLEEP-AID*

NDC 11822-8002-1

NIGHTTIME

SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg per 30 mL

NIGHTTIME SLEEP-AID

not for colds or for pain

non-habit forming

for ages 12 years and over

BERRY

FLAVOR

6 FL OZ (177 mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED
NECK WRAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil® NIGHTTIME SLEEP-AID. 50844 ORG022300245

DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319 www.riteaid.com

SATISFACTION GUARANTEE:
If you're not satisfied,
we'll happily refund your money.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil® NIGHTTIME SLEEP-AID. 50844 ORG022300245

DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319 www.riteaid.com

PEEL HERE FOR MORE DRUG FACTS

SATISFACTION GUARANTEE:
If you're not satisfied,
we'll happily refund your money.

Compare to the active ingredient in
VICKS® ZzzQuil® NIGHTTIME SLEEP-AID®

NDC 11822-8002-1

NIGHTTIME SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg per 30 mL

NIGHTTIME SLEEP-AID
not for colds or for pain
non-habit forming
for ages 12 years and over

BERRY FLAVOR

6 FL OZ (177 mL)

no print / no varnish area
lot no. & exp. date

Drug Facts

Active ingredient (in each 30 mL)
Diphenhydramine HCl 50 mg. Nighttime sleep-aid

Purpose

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

PEEL HERE FOR MORE DRUG FACTS

Drug Facts (continued)

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product avoid alcoholic beverages.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Other information

- each 30 mL contains: sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

Questions or comments?
1-800-426-9391

Rite Aid 44-002A

NIGHTTIME SLEEP-AID

diphenhydramine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-8002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-8002-1	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/19/2023	
2	NDC:11822-8002-2	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/19/2023	
3	NDC:11822-8002-9	2 in 1 PACKAGE	05/19/2023	
3		355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	05/19/2023	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(11822-8002) , pack(11822-8002)

Revised: 12/2023

Rite Aid Corporation