

NIGHTTIME SLEEP-AID- diphenhydramine hcl solution
Rite Aid Corporation

Rite Aid 44-002A

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic beverages.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

Other information

- **each 30 mL contains:** sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

Questions or comments?

1-800-426-9391

Principal display panel

Compare to the active ingredient in
VICKS® ZzzQuil® NIGHTTIME SLEEP-AID*

NDC 11822-8002-1

NIGHTTIME

SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg per 30 mL

NIGHTTIME SLEEP-AID

not for colds or for pain

non-habit forming

for ages 12 years and over

BERRY

FLAVOR

6 FL OZ (177 mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED
NECK WRAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil® NIGHTTIME SLEEP-AID. 50844 ORG022300245

DISTRIBUTED BY: RITE AID,
 200 NEWBERRY COMMONS
 ETTERS, PA 17319 www.riteaid.com

SATISFACTION GUARANTEE:
 If you're not satisfied,
 we'll happily refund your money.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: take 30 mL at bedtime if needed or as directed by a doctor
- children under 12 years: do not use

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark VICKS® ZzzQuil® NIGHTTIME SLEEP-AID. 50844 ORG022300245

DISTRIBUTED BY: RITE AID,
 200 NEWBERRY COMMONS
 ETTERS, PA 17319 www.riteaid.com

PEEL HERE FOR MORE DRUG FACTS **SATISFACTION GUARANTEE:**
 If you're not satisfied,
 we'll happily refund your money.

Compare to the active ingredient in
VICKS® ZzzQuil® NIGHTTIME SLEEP-AID*

NDC 11822-8002-1

NIGHTTIME SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg per 30 mL

NIGHTTIME SLEEP-AID
 not for colds or for pain
 non-habit forming
 for ages 12 years and over

BERRY FLAVOR

6 FL OZ (177 mL)

no print / no varnish area
lot no. & exp. date

Drug Facts TAMPER EVIDENT: DO NOT USE IF PRINTED
 NECK WRAP IS BROKEN OR MISSING

Active ingredient (in each 30 mL)	Purpose
Diphenhydramine HCl 50 mg.	Nighttime sleep-aid

Uses ■ for relief of occasional sleeplessness
 ■ reduces time to fall asleep if you have difficulty falling asleep

Warnings
 Do not use ■ for children under 12 years of age
 ■ with any other product containing diphenhydramine, even one used on skin

0 11822 23117 6

PEEL HERE FOR MORE DRUG FACTS

Drug Facts (continued)

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product avoid alcoholic beverages.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Rite Aid 44-002A

Drug Facts (continued)

Other information

- each 30 mL contains: sodium 17 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, high fructose corn syrup, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sucralose, sucrose, xanthan gum

Questions or comments?
 1-800-426-9391

NIGHTTIME SLEEP-AID			
diphenhydramine hcl solution			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-8002
Route of Administration	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name		Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL	
Inactive Ingredients				
Ingredient Name		Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GLYCERIN (UNII: PDC6A3C0OX)				
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
SUCROSE (UNII: C151H8M554)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color	purple	Score		
Shape		Size		
Flavor	BERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-8002-1	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/19/2023	
2	NDC:11822-8002-2	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/19/2023	
3	NDC:11822-8002-9	2 in 1 PACKAGE	05/19/2023	
3		355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M010	05/19/2023		

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(11822-8002) , pack(11822-8002)

Revised: 11/2024

Rite Aid Corporation