NICOTINE TRANSDERMAL SYSTEM- nicotine patch, extended release Target Corporation

Drug Facts

Active ingredient Step 1 (in each patch)

Nicotine, 21mg delivered over 24 hours

Active ingredient Step 2 (in each patch)

Nicotine, 14mg delivered over 24 hours

Active ingredient Step 3 (in each patch)

Nicotine, 7mg delivered over 24 hours

Purpose

Stop smoking aid

Use

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

Warnings

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider.

Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Ask a doctor before use if you have

- heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
- high blood pressure not controlled with medication. Nicotine can increase your blood pressure.
- an allergy to adhesive tape or have skin problems because you are more likely to get rashes

Ask a doctor or pharmacist before use if you are

- using a non-nicotine stop smoking drug
- taking a prescription medicine for depression or asthma. Your prescription dose may

need to be adjusted.

When using this product

• If you have vivid dreams or other sleep disturbances remove this patch at bedtime

Stop use and ask a doctor if

- skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash
- irregular heartbeat or palpitations occur
- you get symptoms of nicotine overdose such as nausea, vomiting, dizziness, weakness and rapid heartbeat

Keep out of reach of children and pets.

Used patches have enough nicotine to poison children and pets. If swallowed, get medical help or contact a Poison Control Center right away. Dispose of the used patches by folding sticky ends together. Replace in pouch and discard.

Directions

- if you are under 18 years of age, ask a doctor before use
- before using this product, read the enclosed User's Guide for complete directions and other information
- begin using the patch on your quit day
- **if you smoke more than 10 cigarettes per day,** use according to the following 10 week schedule:

| STEP 1 | STEP 2 | STEP 3 | | |
|------------------------|------------------------|-----------------------|--|--|
| Use one 21mg patch/day | Use one 14mg patch/day | Use one 7mg patch/day | | |
| Weeks 1-6 | Weeks 7-8 | Weeks 9-10 | | |

- if you smoke **10 or less cigarettes per day**, do not use **STEP 1 (21mg)**. Start with **STEP 2 (14mg)** for 6 weeks, then **STEP 3 (7mg)** for 2 weeks and then stop.
- steps 2 and 3 allow you to gradually reduce your level of nicotine. Completing the full program will increase your chances of quitting successfully.
- apply one new patch every 24 hours on skin that is dry, clean and hairless. Save pouch for disposing of the patch after use.
- remove backing from patch and immediately press onto skin. Hold for 10 seconds.
- wash hands after applying or removing patch. Throw away the patch by folding sticky ends together. Replace in its pouch and discard. See enclosed User's Guide for safety and handling.
- you may wear the patch for 16 or 24 hours.
- if you crave cigarettes when you wake up, wear the patch for 24 hours.
- if you have vivid dreams or other sleep disturbances, you may remove the patch at bedtime and apply a new one in the morning
- the used patch should be removed and a new one applied to a different skin site at the same time each day
- do not wear more than one patch at a time
- do not cut patch in half or into smaller pieces

- do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours
- it is important to complete treatment. If you fell you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

Other information

store at 20 – 25 °C (68 – 77 °F)

Inactive ingredients

ethylene vinyl acetate-copolymer, polyisobutylene and high density polyethylene between clear polyester backings

Questions or comments?

call toll-free 1-888-367-7919

(English/Spanish) weekdays

Includes User's Guide with behavioral support program enrollment offer.

To increase your success in quitting:

- You must be motivated to quit.
- Complete the full treatment program, applying a new patch every day.
- Use with a support program as described in the enclosed User's Guide.
- Not for sale to those under 18 years of age.
- Proof of age required.
- Not for sale in vending machines or from any source where proof of age cannot be verified.

For your family's protection, nicotine patches are supplied in child-resistant pouches. Do not use if individual pouch/packet is damaged or open.

Read carton and enclosed User's Guide before using this product. Keep the carton and User's Guide. They contain important information

100% satisfaction guaranteed or your money back.

094 09 0437 R00ID255400

Distributed by Target Corporation

Minneapolis, MN 55403

Shop Target.com

*NICODERM and CQ are registered trademarks owned by and/or licensed to the GSK group of companies.

What is the nicotine patch and how is it used?

The nicotine patch is a small, nicotine-containing patch. When you put on a nicotine patch, nicotine passes through the skin and into your body. The nicotine patch is very

thin and uses special material to control how fast nicotine passes through the skin. Unlike the sudden jolts of nicotine delivered by cigarettes, the amount of nicotine you receive remains relatively smooth throughout the 24 or 16 hour period you wear the nicotine patch. This helps to reduce cravings you may have for nicotine.

READ THE LABEL

Principal Display Panel NDC 11673-194-02 nicotine patch nicotine transdermal system 21mg delivered over 24 hours stop smoking aid up & up ™ **14**PATCHES Compare to the active ingredient in NicoDerm [®]CQ [®]* If you smoke more than 10 cigarettesper day, start with step 1 If you smoke 10 or less cigarettesper day, start with step 2 STEP 1 14 CLEAR PATCHES (2-WEEK KIT) ACTUAL SIZE © 2015 Target Brands, Inc. 30768XC

NDC 11673-194-02



Principal Display Panel NDC 11673-195-02 nicotine patch nicotine transdermal system 14mg delivered over 24 hours stop smoking aid up & up ™ 14PATCHES Compare tothe active ingredient in NicoDerm ®CQ ®* If you smoke 10 or less cigarettesper day, start with step 2 If you smoke more than 10 cigarettesper day, start with step 1 STEP 2 14 CLEAR PATCHES (2-WEEK KIT) ACTUAL SIZE © 2015 Target Brands, Inc. 30769XC



Principal Display Panel NDC 11673-196-02 nicotine patch nicotine transdermal system 7mg delivered over 24 hours stop smoking aid up & up ™ 14PATCHES Compare tothe active ingredient in NicoDerm ®CQ ®* For use after completing step 2 STEP 3 14 CLEAR PATCHES (2-WEEK KIT) ACTUAL SIZE © 2015 Target Brands, Inc. 30770XC



NICOTINE TRANSDERMAL SYSTEM

nicotine patch, extended release

| Product Information | | | | | | | |
|-------------------------------------|-----------------|---------------|-------------|---------------|--|--|--|
| Product Type | HUMAN OTC DRUG | ltem Cod | le (Source) | NDC:11673-194 | | | |
| Route of Administration TRANSDERMAL | | | | | | | |
| | | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | |
| Ingredi | Basis of Streng | th Strength | | | | | |
| NICOTINE (UNII: 6M3C89ZY6R) (NI | NICOTINE | 21 mg in 24 h | | | | | |

| In | nactive Ing | gredients | | | | | |
|-----------------------|----------------------|---|--------|-------------------------|--|---------------------|--|
| | | Ingredient Name | | | | Strength | |
| 11 | GH DENSITY | POLYETHYLENE (UNII: UG00KM4WR7) | | | | | |
| 1 | HYLENE-VIN | YL ACETATE COPOLYMER (40% VINYL ACET | ATE) (| UNII: L5F16ZG4ZU) | | | |
| | | | | | | | |
| | | | | | | | |
| כ | ackaging | | | | | | |
| # | ltem Code | Package Description | | Marketing Start Date | | arketing nd Date | |
| L | NDC:11673- 194-02 | 14 in 1 CARTON | | 02/16/2000 | | | |
| L | | 24 h in 1 PATCH; Type 2: Prefilled Drug Deliver Device/System (syringe, patch, etc.) | У | | | | |
| 2 | NDC:11673- 194-01 | 7 in 1 CARTON | | 02/16/2000 | | | |
| 2 | | 24 h in 1 PATCH; Type 2: Prefilled Drug Deliver Device/System (syringe, patch, etc.) | У | | | | |
| | | | | | | | |
| | | | | | | | |
| M | larketin | g Information | | | | | |
| Marketing Category | | | aph | Marketing Start Date | | eting End Date | |
| NDA | | NDA020165 | | 02/16/2000 | | | |

| NICOTINE TRANSDI | ERMAL SYSTEM | | | | | | |
|--|-----------------------|-----------|---------------------------|--------|---------------|--|--|
| nicotine patch, extended rele | ase | | | | | | |
| | | | | | | | |
| Product Information | | | | | | | |
| Product Type | HUMAN OTC DRUG | Item Coc | le (Source) | NDC:11 | 673-195 | | |
| Route of Administration | TRANS DERMAL | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Active Ingredient/Active | Moiety | | | | | | |
| Ingredient Name Basis of Strength Streng | | | | | | | |
| NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R) | |) | NICOTINE | | 14 mg in 24 h | | |
| | | | | | | | |
| | | | | | | | |
| Inactive Ingredients | | | | | | | |
| | Ingredient Name | | | | | | |
| HIGH DENSITY POLYETHYLENE (| UNII: UG00KM4WR7) | | | | | | |
| ETHYLENE-VINYL ACETATE COP | OLYMER (40% VINYL ACE | TATE) (UN | ll: L5F16ZG4ZU) | | | | |
| | | | | | | | |
| | | | | | | | |
| Packaging | | | | | | | |
| | | | NAI N ¹ | | | | |

| # | Code | Package Description | Start Date | End Date |
|---|---------------------------------|---|-------------------------|-----------------------|
| | NDC:11673- 195-02 | 14 in 1 CARTON | 02/16/2000 | |
| 1 | | 24 h in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.) | | |
| | | | | |
| | | | | |
| Μ | arketin | g Information | | |
| M | Arketin Marketin Category | g Application Number or Monograph | Marketing Start Date | Marketing End Date |

| NICOTINE nicotine patc | | - | MAL SYSTEM | | | | | |
|---|-------------|--------------|--|--------------------|-----------|-------------------------|---------------|-----------------------|
| Product In | formatio | n | | | | | | |
| Product Typ | | | MAN OTC DRUG | ltom Co | do (S | ource) | NDC·1 | 1673-196 |
| Route of Ad | | | | Item Code (Source) | | | NDC:11073-196 | |
| Route of Au | mmstratic | | | | | | | |
| Active Ing | edient/A | ctive Mo | iety | | | | | |
| | Ir | ngredient | Name | | В | asis of Stren | gth | Strength |
| NICOTINE (UN | I: 6M3C89Z) | ′6R) (NICOTI | NE - UNII:6M3C89ZY6R | .) | NIC | OTINE | | 7 mg in 24 h |
| Inactive In HIGH DENSITY ETHYLENE-VII | POLYETHY | LENE (UNII: | Ingredient Name UG00KM4WR7) MER (40% VINYL ACE | | INII: L5F | -16ZG4ZU) | | Strength |
| Packaging | | | | | | | | |
| # Item Code | | Pacl | kage Description | | | Marketing Start Date | | Marketing End Date |
| 1 NDC:11673- 196-02 | 14 in 1 CA | RTON | | | | 02/16/2000 | | |
| 1 | | | 2: Prefilled Drug Deliv e, patch, etc.) | ery | | | | |
| Markatir | a Info | mation | | | | | | |
| Marketir | | | | - - | | | P4 - | den timer Fred |
| Marketir Categor | | pplication | Number or Monog Citation | jraph | Mar | keting Start Date | Mar | keting End Date |
| NDA | NDA | 020165 | | | 02/16/2 | 2000 | | |
| | | | | | | | | |

Registrant - Haleon US Holdings LLC (079944263)

Revised: 3/2024

Target Corporation