

CHILDRENS ALLERGY RELIEF- loratadine tablet, chewable
Rite Aid Corporation

Rite Aid Corporation Children's Allergy Relief Drug Facts

Active ingredient (in each tablet)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- chew or crush tablets completely before swallowing

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.4 mg per tablet
- do not use if blister unit is broken or torn
- store between 20° to 25° C (68° to 77° F)

Inactive ingredients

artificial grape flavor, aspartame, colloidal silicon dioxide, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments?

1-800-719-9260

Principal Display Panel

FREE FROM | GLUTEN FREE

24 HOUR

AGES 2 YEARS AND OLDER

Compare to the active ingredient of Children's Claritin® Chewables

CHILDREN'S ALLERGY RELIEF

LORATADINE CHEWABLE TABLETS, 5 mg

ANTIHISTAMINE

NON-DROWSY*

INDOOR & OUTDOOR ALLERGIES

ACTUAL SIZE

24 HOUR RELIEF OF:

Sneezing • Runny nose • Itchy, watery eyes

Itchy throat or nose

GRAPE FLAVOR

*WHEN TAKEN AS DIRECTED.

SEE DRUG FACTS PANEL.

30 CHEWABLE TABLETS

24 HOUR

AGES 2 YEARS AND OLDER

CHILDREN'S ALLERGY RELIEF

FREE FROM **GLUTEN FREE**

NDC 11822-0801-1

Compare to the active ingredient of Children's Claritin® Chewables**

AGES 2 YEARS AND OLDER

24 HOUR

CHILDREN'S ALLERGY RELIEF

LORATADINE CHEWABLE TABLETS, 5 mg
ANTIHISTAMINE

NON-DROWSY*
INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF:

Sneezing • Runny nose • Itchy, watery eyes
Itchy throat or nose

ACTUAL SIZE

GRAPE FLAVOR

30

CHEWABLE TABLETS



*WHEN TAKEN AS DIRECTED.
SEE DRUG FACTS PANEL.



31839 83 C-1

CODE AREA



DISTRIBUTED BY:
RITE AID
30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

Drug Facts

Active ingredient (in each tablet)
Loratadine 5mg..... Antihistamine

Purpose

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose
■ itchy, watery eyes
■ sneezing
■ itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

■ chew or crush tablets completely before swallowing

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

■ phenylketonurics: contains phenylalanine 14 mg per tablet
■ do not use if blister unit is broken or torn
■ store between 20° to 25° C (68° to 77° F)

Inactive ingredients

artificial grape flavor; aspartame, colloidal silicon dioxide, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments? 1-800-719-9260

**This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Children's Claritin® Chewables.

CHILDRENS ALLERGY RELIEF

loratadine tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0801
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	5 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	PURPLE (light)	Score	no score
Shape	ROUND	Size	8mm
Flavor	GRAPE	Imprint Code	L3Y8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0801-1	30 in 1 CARTON	04/07/2023	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
ANDA	ANDA210033	04/07/2023	

Labeler - Rite Aid Corporation (014578892)

Revised: 4/2023

Rite Aid Corporation